



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada  
Pacific Region  
401 - 1230 Government Street  
Victoria, B.C.  
V8W 3X4  
Bid Fax: (250) 363-3344

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Public Works and Government Services Canada - Pacific  
Region  
401 - 1230 Government Street  
Victoria, B. C.  
V8W 3X4

<b>Title - Sujet</b> Office Furniture Transport Canada	
<b>Solicitation No. - N° de l'invitation</b> EZ884-201059/A	<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> EZ884-201059	<b>Date</b> 2019-10-25
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$VIC-216-7836	
<b>File No. - N° de dossier</b> VIC-9-42137 (216)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2019-10-31</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Pacific Daylight Saving Time PDT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Thorne, Darlene	<b>Buyer Id - Id de l'acheteur</b> vic216
<b>Telephone No. - N° de téléphone</b> (250) 216-3168 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

1

V.C4 April 2019

***SOLICITATION AMENDMENT 002 IS RAISED TO POST ANSWERS TO ENQUIRIES (Q&As) AND TO AMEND THE SOLICITATION AS FOLLOWS:***

**Under Section 1 – RFB Closing – Submit Bid:**

**DELETE:**

<b>RFB Closing - Submit Bid:</b>	
Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	a. October 28, 2019 b. 2:00 pm Pacific Standard Time (PST)

**INSERT:**

<b>RFB Closing - Submit Bid:</b>	
Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	c. October 31, 2019 d. 2:00 pm Pacific Standard Time (PST)

**Q&As:**

**Q1:** Table 7, Item 10 – which type of legs are wanted?

**A1:** Pedestal base. Please refer to amendment provided below.

**Q2:** Bid calls for Delivery to be during normal hours; but Table 22, Section 2.1E says there is no freight elevator and only one elevator exists to access the 2<sup>nd</sup> Floor; and Section 2.1 F says that “Elevator cannot be placed into service during normal operating hours as other tenants use the elevator to access the 2<sup>nd</sup> Floor”. Therefore, how can delivery be done during “normal hours”.

**A2:** Delivery will be [Outside Normal Business Hours]. Please see amendment provided below.

Solicitation No. - N° de l'invitation	Amd. No. - N° de la modif.	Buyer ID - Id de l'acheteur
EZ844-201059/A	002	vic216
Client Ref. No. - N° de réf. du client	File No. - N° du dossier	CCC No./N° CCC - FMS
No./N° VME		
EZ844-201059	VIC-9-42137	

V.C4 April 2019

- Q3:** You include extensive information about using Task Authorizations to complete installation, which is typically done when a larger project requires installation to be broken into smaller portions over a longer period of time, which introduces all sorts of complications such as transport logistics, storage arrangements, responsibility for damage and loss of product when stored on site, and the additional cost of repeated trips to site by installers. However, Annex F, "Tentative Schedule", is clear that all deliveries are to be completed by Dec 18, to be followed by installation of all product Categories starting on January 2<sup>nd</sup> and completed by January 14<sup>th</sup>. These dates are fairly tight and very specific and do not seem to contemplate multiple deliveries and installations over an extended period of time. Why are separate task authorizations being contemplated when this seems to be more like a single delivery, single continuous installation over the course of a week or so, given it's to be done in normal hours and this date span includes 4 weekend days. Please clarify whether separate, smaller deliveries and installations will be necessary as the increased costs of doing so must be budgeted in advance.
- A3:** There is possibility for different categories to be awarded to different suppliers, which is where the Task Authorizations will be used. It is preferred to have product shipped at one time by each supplier, during evenings or weekends. Installation will be performed during normal business hours. The Installation completion date is January 29, 2019, which will alleviate some scheduling concerns. Please refer to the amended tables below and the added Optional Storage Table. More details in respect to discussions about phased delivery, installation process, and task authorizations will be negotiated with the PM upon Contract Award. The "Tentative" Schedule may be revised upon Contract Award as well.
- Q4:** Re 1B-02NSA. Based on a height of 28-30" the combination will have to be box/box/file drawers. Should the height be approx 21"H or should the specification be modified? Further, based on the length would a single box and a file drawer that extends the entire length without a middle divider be acceptable?
- A4:** Please see revised table below
- Q5:** Re 1B-03NSA. Based on a height of 28-30" the combination will have to be box/box/file drawers. Should the height be approx 21"H or should the specification be modified?
- A5:** Please see revised table below.
- Q6:** RE 1B-08NSA, please confirm the height of the gable and legs (seated, counter, or bar height)?
- A6:** Please see revised table below.

Solicitation No. - N° de l'invitation	Amd. No. - N° de la modif.	Buyer ID - Id de l'acheteur
EZ844-201059/A	002	vic216
Client Ref. No. - N° de réf. du client	File No. - N° du dossier	CCC No./N° CCC - FMS
No./N° VME		
EZ844-201059	VIC-9-42137	

3

V.C4 April 2019

**Q7:** RE 1B-09NSA, please confirm the height of the gable supports (seated, counter, or bar height)?

**A7:** Please see revised table below.

**Q8:** RE 1B-10NSA. It appears the wall brackets support the back edge of the surface only, how is the balance of the surface to be supported (sides, front, and mid seam?)

**A8:** Please see revised table below.

**Q9:** RE Item 6-18, would the CA respectably also accept the same table with end gables 6CKIVAREGL30L84TYXX? The design will provide a more durable and easier maintenance option long term, further, this will allow for a complete category offering and more competitive pricing for Canada.

**A9:** Please see revised table below.

**Q10:** RE Item 6-27 would the CA respectably also accept GoCUID 6KBSCHxxSY15XXXPOYX with sled base to match the series offered for item 6-26?

**A10:** Please see revised table below.

**Q11:** RE optional Item 1B-12 and 1B-13, would the CA respectably also accept GoCUID 1bSBCXLGA3612MEXXXX for 12"D or an exception for 18"D? "

**A11:** No, the current GoCUIDs and Description will remain the same.

**Q12:** I have a question regarding panel 1A-15. The description is asking for a seated privacy panel with frosted glazing for the upper elements.

15	1A-15	Seated Privacy Height Add On Non-Powered Lower Element 1: Fabric Lower Element 2: Fabric Upper Element 1: Frosted Glazed (Includes Frame and Glazing) Upper Element 2: Frosted Glazed (Includes Frame and Glazing) Width: 915mm	18		\$	\$
----	-------	---	----	--	----	----

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059


Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

4

V.C4 April 2019

But, the drawing is asking for a fabric upper, then glass upper for a seated privacy overall height.



Do you want us to quote what is shown in the drawing, or what you are asking for in the table?

**A12:** Please have the bidder quote what's in the table description. The Upper Element should only be frosted glass.


Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

5

V.C4 April 2019



**Q13:** “1) Workstations WS1-61, 63, 65, 67, & 69 is showing a 1A-10 panel to go against the exterior wall. I believe these are meant to be 1A-11.

**A13:** The potential bidder is correct. WS-61, 63, 65, 67 & 69 should be 1A-11.

**Q14:** After drawing in all the panels, the count in the drawing isn't matching the quantities they are asking for in the table:

1A-04, table 31, drawing 30. **Correct quantity from drawing is 30.**

1A-09, table 49, drawing 46. **Correct quantity from drawing is 46.**

1A-10, table 21, drawing 30. **Correct quantity from drawing is 13.**

And the drawing isn't showing if they want base feed or ceiling feed power.

**A14:** Ceiling feed power is preferred.

**Q15:** At top of page 25, item “6-02 NSA”, you request a small round table on a pedestal base “with casters”. We’ve never seen a pedestal base with casters. Will you accept a cross-base, or spider base, on casters for this item?

**A15:** The item code was incorrectly referenced below. It should be 6-20NSA (not 6-02NSA).

The pedestal base is an error. The correct base that is preferred is post legs with casters. Please refer to revised table below.

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137


Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

6

V.C4 April 2019

Q16: Please advise the locations of 1B11-NSA worksurface and 2-08NSA modular height adjustable bench.

A16: 1B-11NSA – These worksurfaces will be placed on top of relocated 3-high file cabinets and affixed by double-sided tape. The location is between a collab area and the Small Meeting rooms 232 & 233. Please see yellow highlighted area in attached clip.



2-08NSA should not be included in the bid.

Q17: For item 3-05 – please confirm if the storage cabinet is to include 3 individual units for a combined height to 48-54” or one tall unit for 48-54”

A17: Yes, there will be three of these units for a total of nine lockers. This storage locker will include 3 individual locker units for a combined height of 48”-54”

Q18: There is a difference in quantities for the optional storage items between the price sheets and the CAD files. Please confirm what should be included on the bid.

A18: The bid should include the quantities in the Request (highlighted in yellow below)

ITEM CAD REQUEST

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

7

V.C4 April 2019


1B-12	15	20
1B-13	6	15
3-07	10	30
3-08	8	15
3-09	3	10

Q19: There are 2 high storage items shown on the CAD file left of WS1-11 & WS1-12 that do not show anywhere on the floor plans. Please advise if we are to include them.

A19: These 2-high items should not be included in the bid. They are existing items that will be relocated from another site.

Q20: For item 1B-10NSA – please confirm the height of the surface for the wall mount to ensure the hardware/supports are correct.

A20: This worksurface will sit on top of 3-high lateral file cabinets. These lateral file cabinets will be relocated from an existing site. Estimate height of the file cabinets is approx. 39". The entire assembly is intended to fit within an alcove (walls on 3 sides). The front will be support by the lateral and will be adhered by double sided tape. The sides and back can be supported by wall brackets. The two worksurfaces at mid-seam can be supported by brackets that will adjoin the two surfaces side-by-side. Do note that there will be a void space behind the file cabinets shown in blue in the attached image.





Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

8

V.C4 April 2019


Q21: For item 3-03 – on the floor plan it notes the unit to include electronic key, but on the price sheets it notes keyless. Please confirm how the item should be keyed”

A21: We were told that the definition of keyless does mean an electronic key. Please include an electronic key for this unit.

Q22: Panel 1A-18 is asking for accessory rails for the upper elements.

18	1A-18	Seated Privacy Height Add On Non-Powered Lower Element 1: Fabric Lower Element 2: Fabric Upper Element 1: Accessory Rail Upper Element 2: Accessory Rail Width: 1067mm	4		\$	\$
----	-------	--	---	--	----	----

But the drawing is showing glass.



A22: The description in the list is accurate. There will be Accessory Rails for Upper Element 1 and Upper Element 2. The drawing should say Accessory Rail for both upper elements as shown in the attached image.

Solicitation No. - N° de l'invitation	Amd. No. - N° de la modif.	Buyer ID - Id de l'acheteur	9
EZ844-201059/A	002	vic216	
Client Ref. No. - N° de réf. du client	File No. - N° du dossier	CCC No./N° CCC - FMS	
No./N° VME			
EZ844-201059	VIC-9-42137		
V.C4 April 2019			

Q23: 1B-04. The drawing is showing this unit as 24" wide. Bid is asking for 36"

A23: The unit should be 36" wide.

Q24: 2-04. Bid is asking for qty of 4. We located 7 in the drawing.

A24: The drawing is correct. There are 7 of these items.

Q25: 5-02. Bid is asking for qty of 72. We located 74 in the drawing.

A25: The drawing is correct. There are 74 of these items.

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

10

V.C4 April 2019

### AMENDMENTS:

### Under Tables 2, 5, 8, 11, 14, 17, and 20 – Delivery – Desired Date & Desired Time:

#### DELETE:

Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *
2019-12-18	[Normal]

#### INSERT:

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID				
Product Item # from Table 1	Category	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**  *** PLEASE PROVIDE YOUR BEST DELIVERY DATE***	Unit of Issue (UI)	Estimated Qty	Firm Unit Price \$	Extended Total (Qty x Firm Unit Price) \$
Example	Category	16 <sup>th</sup> floor	2020-03-19		2020-05-01	m3	1,000	\$10/m3	\$1,000.00
1	Category 1A	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

11

V.C4 April 2019

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID				
Product Item # from Table 1	Category	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**  *** <b>PLEASE PROVIDE YOUR BEST DELIVERY DATE***</b>	Unit of Issue (UI)	Estimated Qty	Firm Unit Price \$	Extended Total (Qty x Firm Unit Price) \$
1	Category 1B	4445 132 <sup>nd</sup> Street Surrey, BC V3W 4M7	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
1	Category 2	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
1	Category 5	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
1	Non-SA	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
					<b>Delivery Total Categories 1, 2, 5</b>				\$
4	Category 3	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
					<b>Delivery Total Category 3:</b>				\$
7	Category 6 – Mtg-Trng Rm Tables	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
7	Non-SA	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

12

V.C4 April 2019

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID				
Product Item # from Table 1	Category	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**  *** PLEASE PROVIDE YOUR BEST DELIVERY DATE***	Unit of Issue (UI)	Estimated Qty	Firm Unit Price \$	Extended Total (Qty x Firm Unit Price) \$
		4445 132 <sup>nd</sup> Street Surrey, BC V3W 4M7		Business Hours]					
					Delivery Total Category 6 Meeting-Training Room Tables:				\$
10	Category 6 – Collaborative Tables	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
					Delivery Total Category 6 Collaborative Tables:				\$
13	Category 6 – Soft Seating and Screens	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
13	Non-SA	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
					Delivery Total Category 6 Soft Seating and Screens:				\$
16	Category 6 – Kitchenette Chairs	2 <sup>nd</sup> Floor	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
					Delivery Total Category 6 Kitchenette Chairs:				\$

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

13

V.C4 April 2019

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID				
Product Item # from Table 1	Category	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**  *** PLEASE PROVIDE YOUR BEST DELIVERY DATE***	Unit of Issue (UI)	Estimated Qty	Firm Unit Price \$	Extended Total (Qty x Firm Unit Price) \$
19	Optional Products	4445 132 <sup>nd</sup> Street Surrey, BC V3W 4M7	Between January 3 – 17, 2019	[Outside Normal Business Hours]				\$	\$
					Delivery Total Optional Products:			\$	
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>					Delivery Total All Categories:			\$	

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

14

V.C4 April 2019

**Under Tables 3, 6, 9, 12, 15, 18, and 21 – Installation – Desired Date:**

**DELETE:**

Desired Date (Y/M/D)
2020-01-02

**INSERT:**

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID				
Product Item # from Table 1	Category	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install on the date and at the time below**  ***PLEASE PROVIDE YOUR BEST INSTALLATION DATE: YYYY/MM/DD	Unit of issue (UI)  (Supplier to specify)	Est Qty  (Supplier to specify)	Firm Lot Price \$	Extended Total \$
<i>Example</i>		4445 132 <sup>nd</sup> Street Surrey, BC V3W 4M7			2020-01-07	Hour	1,000	\$35.00/hr	\$35,000.00
1	Category 1A	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
1	Category 1B	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
1	Category 2	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
1	Category 5	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
1	Non-SA	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
					Installation Total Categories 1, 2, 5				\$

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

15

V.C4 April 2019

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID				
Product Item # from Table 1	Category	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install on the date and at the time below**  ***PLEASE PROVIDE YOUR BEST INSTALLATION DATE:  YYYY/MM/DD	Unit of issue (UI)  (Supplier to specify)	Est Qty  (Supplier to specify)	Firm Lot Price  \$	Extended Total  \$
4	Category 3	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
					Installation Total Category 3:				\$
7	Cat 6 – Mtg-Trng Rm Tables	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
7	Non-SA	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
					Installation Total Category 6 Meeting-Training Room Tables:				\$
10	Cat 6 – Collaborative Tables	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
					Installation Total Category 6 Meeting-Training Room Tables:				\$
13	Cat 6 – Soft Seating & Screens	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
13	Non-SA	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
					Installation Total Category 6 Soft Seating and Screens				\$



Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

16

V.C4 April 2019

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID				
Product Item # from Table 1	Category	Location	Desired Date (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install on the date and at the time below**  ***PLEASE PROVIDE YOUR BEST INSTALLATION DATE:  YYYY/MM/DD	Unit of issue (UI)  (Supplier to specify)	Est Qty  (Supplier to specify)	Firm Lot Price  \$	Extended Total  \$
16	Cat 6 – Kitchenette Chairs	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
					Installation Total Category 6 Kitchenette Chairs:				\$
19	Optional Products	2 <sup>nd</sup> Floor	Between January 6 – 29, 2020	[Normal]				\$	\$
					Installation Total Optional Products:				\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **If no dates and times are added by the Supplier, the Supplier agrees to install on the Desired Date and Time. <i>Add more rows if necessary.</i>					Installation Total All Categories:				\$
					Installation Total / Product Total = Ceiling Installation % applicable to all TAs				

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

17

V.C4 April 2019

**Under Table 7, Item 10:**

**DELETE:**

10	6-11 Row # 30	6MMTSMREPL3 OL54WNNX	Meeting and Training Room Tables Meeting Small Rectangle Laminate Width-Depth: 30 Length: 54 Height: 29	2		\$	\$
----	---------------------	-------------------------	---	---	--	----	----

**INSERT:**

10	6-11 Row # 30	6MMTSMREPL3 OL54WNNX	Meeting and Training Room Tables Meeting Small Rectangle Pedestal base Laminate Width-Depth: 30 Length: 54 Height: 29	2		\$	\$
----	---------------------	-------------------------	--	---	--	----	----

**Under Table 1 – NSA Products:**

**DELETE:**

1	1B-02NSA	Credenza Laminate Width : 18 " D Length : 42" Height : 28" – 30" Right Side : Box/File drawers Left Side : Box/File drawers Locks: Yes  4 drawers	47		\$	\$
2	1B-03NSA	Credenza Laminate Width : 18" D Length : 60" Height : 28" – 30" Right Side : Box/File drawers Left Side : Box/File drawers	1		\$	\$

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

18

V.C4 April 2019

		Locks: Yes				
3	1B-07NSA	Worksurface Worksurface only Depth-Width-Diameter: 915mm Length: 1829mm	2		\$	\$
4	1B-08NSA	Worksurface Worksurface with gable and 2 post legs Depth-Width-Diameter: 915mm Length: 1829mm	2		\$	\$
5	1B-09NSA	Worksurface Worksurface with gable support Depth-Width-Diameter: 1067mm Length: 1829mm	2		\$	\$
6	1B-10NSA	Worksurface Worksurface with wall brackets Depth-Width-Diameter: 1372mm Length: 915mm	2		\$	\$

**INSERT:**

1	1B-02NSA	Freestanding credenza with a total of six drawers  Right side with Box-Box-File full extension drawers  Left side with Box-Box-File full extension drawers  Each side is equal in width  Credenza must have counterweights, levelers, lock and key, middle divider for structural integrity.  Overall Dimensions: 1067 mm (42 in.) wide 457 mm (18 in.) deep 711 – 762 mm (28" – 30" in.) high  Finishes:  Cabinet finish must be offered in plastic laminate  Power/data: none  Base/Supports:	47		\$	\$
---	----------	--	----	--	----	----

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

19

V.C4 April 2019

		Levelling glides must allow for $\pm 25$ mm ( $\pm 1$ in.) of levelling.				
2	1B-03NSA	<p>Freestanding credenza with drawers</p> <p>Right side with Box-Box-File full extension drawers</p> <p>Left side with Box-Box-File full extension drawers</p> <p>Each side is equal in width</p> <p>Credenza must have counterweights, levelers, lock and key, middle divider for structural integrity.</p> <p>Overall Dimensions:</p> <p>1525 mm (60 in.) wide</p> <p>457 mm (18 in.) deep</p> <p>711 – 762 mm (28" – 30" in.) high</p> <p>Finishes:</p> <p>Cabinet finish must be offered in plastic laminate</p> <p>Power/data: none</p> <p>Base/Supports:</p> <p>Levelling glides must allow for <math>\pm 25</math> mm (<math>\pm 1</math> in.) of levelling.</p>	1		\$	\$
3	1B07NSA	<p>Worksurface only</p> <p>Worksurface to be adhered to existing group of lateral file cabinets using double sided tape</p> <p>Overall Dimensions</p> <p>1829 mm (72 in.) wide</p> <p>915 mm (18 in.) deep</p> <p>Finishes:</p> <p>Worksurface must be offered in plastic laminate with PVC edging on all four sides.</p> <p>Power/data: None</p> <p>Base/Supports: None</p>	2		\$	\$
4	1B-08NSA	Worksurface only with one gable support and two post legs	2		\$	\$

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

20

V.C4 April 2019

		<p>Overall Dimensions:</p> <p>1829 mm (72 in.) wide</p> <p>915 mm (18 in.) deep</p> <p>1016 mm (40 in.) high</p> <p>Finishes:</p> <p>Worksurface must be offered in plastic laminate with PVC edging on all four sides.</p> <p>Post legs to be chrome or painted metal.</p> <p>Gable to match laminate finish of the worksurface.</p> <p>Power/data: none</p> <p>Base/Supports:</p> <p>Levelling glides must allow for 25 mm (1 in.) of levelling.</p>				
5	1B-09NSA	<p>Worksurface only with gable support</p> <p>Worksurface to be adhered to existing group of lateral file cabinets using double sided tape along the width of the front side of the file cabinets. The other side to overhang and be supported by gables.</p> <p>Overall Dimensions</p> <p>1829 mm (72 in.) wide</p> <p>1067 mm (42 in.) deep</p> <p>1016 mm (40 in.) high</p> <p>Finishes:</p> <p>Worksurface must be offered in plastic laminate with PVC edging on all four sides</p> <p>Gables to match laminate finish of the worksurface.</p> <p>Power/data: none</p> <p>Base/Supports:</p> <p>Levelling glides must allow for 25 mm (1 in.) of levelling.</p>	2		\$	\$

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

21

V.C4 April 2019

6	1B-10NSA	<p>Worksurface only with wall brackets</p> <p>Worksurface to be adhered to existing group of lateral file cabinets using double sided tape along the width of the front side of the file cabinets. The back and side edges of the worksurface will attach to the walls with brackets.</p> <p>Note: There will be two of these worksurfaces placed side-by atop the lateral file cabinets. The worksurfaces will need to be adjoined by a bracket mid-seam.</p> <p>Overall Dimensions</p> <p>1372 mm (54 in.) wide</p> <p>915 mm (36 in.) deep</p> <p>Finishes:</p> <p>Worksurface must be offered in plastic laminate with PVC edging on one side only</p> <p>Power/data: none</p> <p>Base/Supports: No base. Brackets as noted above.</p>	2		\$	\$
---	----------	--	---	--	----	----

**Under Table 10 – Category 6 – Collaborative Tables**

**DELETE:**

6	6-18 Row # 420	6CKIVAREWL30 L84TYXX	<p>Collaborative Tables</p> <p>Kitchen Island Table</p> <p>Variable</p> <p>Rectangle</p> <p>Waterfall Edge</p> <p>Laminate</p> <p>Width-Depth: 30</p> <p>Length: 84</p> <p>Height: 34 to 37</p> <p>Power/Data: Yes</p>	1		\$	\$
---	----------------------	-------------------------	--	---	--	----	----

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

22

V.C4 April 2019

**INSERT:**

6	6-18 Row # 420	6CKIVAREGL 30L84TYXX	Collaborative Tables Kitchen Island Table Variable Rectangle End gable Laminate Width-Depth: 30 Length: 84 Height: 34 to 37 Power/Data: Yes	1		\$	\$
---	----------------------	-------------------------	--	---	--	----	----

**Under Table 16 – Category 6 – Kitchenette Chairs:**

**DELETE:**

3	6-27 Row # 59	6KBSCHxxLY15X XXPOYX	Kitchenette Seating Bar stools Counter Height 4 Legs Polymer Seat Depth: >15 Seat Height: 24 to 27 Without armrests Seat Cushions: Yes	20		\$	\$
---	---------------------	-------------------------	--	----	--	----	----

**INSERT:**

3	6-27 Row # 59	6KBSCHxxSY 15XXXPOYX	Kitchenette Seating Bar stools Counter Height Sled base Polymer Seat Depth: >15 Seat Height: 24 to 27 Without armrests Seat Cushions: Yes	20		\$	\$
---	---------------------	-------------------------	---	----	--	----	----

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

23

V.C4 April 2019

**Under Table 7 – Category 6 – NSA Products:**

**DELETE:**

6-02 NS A	Meeting and Training Room Tables Meeting Small Round Pedestal Laminate WIDTH-DEPTH: 36 HEIGHT: 29 Locking Casters: Yes	1			
-----------------	--	---	--	--	--

**INSERT:**

6-20 NS A	Meeting and Training Room Tables Meeting Small Round Post Legs Laminate WIDTH-DEPTH: 36 HEIGHT: 29 Locking Casters: Yes	1			
-----------------	---	---	--	--	--



Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

24

V.C4 April 2019

### **Added Table – Table 21 A – Optional Storage**

#### **INSERT:**

#### **Financial Evaluation Table 8 – Category 1 – Optional Storage**

Bidders are required to submit firm storage pricing to support unforeseen changes in part or all of the delivery requirements detailed in Table 1 (SA and non-SA Products) and Table 4 (Optional Products).

Prices/rates offered must be firm for the entire period of the Contract.

Estimated cost of each phase will be finalized based on actual products and schedule requirements detailed in the Task Authorization using the unit of issues and firm prices/rates detailed in this Table (refer to TA process at Annex E).

Bidders should specify the quantity, rate and unit of issue used to calculate the extended price submitted for each line item OR Canada will divide the Storage Total by the Product Total for each category to determine the firm % storage rate applicable to all TAs.

For products stored by Contractor at Canada's request, the Contractor will be reimbursed in accordance with the firm rates specified below up to a limitation of expenditure as specified on the approved Task Authorization. Applicable Taxes are extra.

Storage periods are defined as follows: Storage Week = Seven (7) Days; Storage Month = Thirty (30) Days.

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID				
From Tables	Category	Desired Date (Y/M/D)	Estimated storage period For financial evaluation purposes only	n/a	Unit of issue (UI)  (Supplier to specify)	Estimated Storage Qty  (Supplier to specify)	Firm Unit Price \$	Extended Total (Est. storage period x Qty x Firm Unit Price) \$
<i>Example</i>		<i>2018/03/19</i>	<i>8 weeks</i>		<i>Week</i>	<i>1,000</i>	<i>\$2.00/m3</i>	<i>\$16,000.00</i>
1	Category 1A	2020-01-03	4 weeks					
1	Category 1B	2020-01-03	4 weeks					
1	Category 2	2020-01-03	4 weeks					
1	Category 5	2020-01-03	4 weeks					
1	Non-SA	2020-01-03	4 weeks					
4	Category 3	2020-01-03	4 weeks					
7	Cat 6 – Mtg-Trng Rm Tables	2020-01-03	4 weeks					
7	Non-SA	2020-01-03	4 weeks					

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

25

V.C4 April 2019

### Financial Evaluation Table 8 – Category 1 – Optional Storage

Bidders are required to submit firm storage pricing to support unforeseen changes in part or all of the delivery requirements detailed in Table 1 (SA and non-SA Products) and Table 4 (Optional Products).

Prices/rates offered must be firm for the entire period of the Contract.

Estimated cost of each phase will be finalized based on actual products and schedule requirements detailed in the Task Authorization using the unit of issues and firm prices/rates detailed in this Table (refer to TA process at Annex E).

Bidders should specify the quantity, rate and unit of issue used to calculate the extended price submitted for each line item OR Canada will divide the Storage Total by the Product Total for each category to determine the firm % storage rate applicable to all TAs.

For products stored by Contractor at Canada's request, the Contractor will be reimbursed in accordance with the firm rates specified below up to a limitation of expenditure as specified on the approved Task Authorization. Applicable Taxes are extra.

Storage periods are defined as follows: Storage Week = Seven (7) Days; Storage Month = Thirty (30) Days.

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID				
From Tables	Category	Desired Date (Y/M/D)	Estimated storage period For financial evaluation purposes only	n/a	Unit of issue (UI) (Supplier to specify)	Estimated Storage Qty (Supplier to specify)	Firm Unit Price \$	Extended Total (Est. storage period x Qty x Firm Unit Price) \$
10	Cat 6 – Collaborative Tables	2020-01-03	4 weeks					
13	Cat 6 – Soft Seating & Screens	2020-01-03	4 weeks					
13	Non-SA	2020-01-03	4 weeks					
16	Cat 6 – Kitchenette Chairs	2020-01-03	4 weeks					
19	Optional Products	2020-01-03	4 weeks					
				Optional Storage Total:				\$
				Storage Total / Product Total = Ceiling Storage % applicable to all TAs				

Solicitation No. - N° de l'invitation  
EZ844-201059/A  
Client Ref. No. - N° de réf. du client  
No./N° VME  
EZ844-201059

Amd. No. - N° de la modif.  
002  
File No. - N° du dossier  
VIC-9-42137

Buyer ID - Id de l'acheteur  
vic216  
CCC No./N° CCC - FMS

26

V.C4 April 2019

***All other terms and conditions remain the same.***