



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions  
Travaux publics et Services gouvernementaux  
Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

## REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

### Proposal To: Public Works and Government Services Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

### Proposition aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

### Comments - Commentaires

### Vendor/Firm Name and Address

### Raison sociale et adresse du

### fournisseur/de l'entrepreneur

### Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique  
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

<b>Title - Sujet</b> Industrial Furniture	
<b>Solicitation No. - N° de l'invitation</b> W7707-196544/B	<b>Date</b> 2019-11-12
<b>Client Reference No. - N° de référence du client</b> W7707-19-6544	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$HAL-207-10815	
<b>File No. - N° de dossier</b> HAL-8-81289 (207)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2019-12-09</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Standard Time AST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Grieve, Bronwen	<b>Buyer Id - Id de l'acheteur</b> hal207
<b>Telephone No. - N° de téléphone</b> (902) 943-2394 ( )	<b>FAX No. - N° de FAX</b> (902) 496-5016
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> DEPARTMENT OF NATIONAL DEFENCE P.O.BOX 1012 DARTMOUTH NOVA SCOTIA B2Y3Z7 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b> See Herein	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

---

This bid solicitation cancels and supersedes previous bid solicitation number **W7707-196544/A** dated **2019-07-15** with a closing of **2019-09-20** at **14:00 AST**. A debriefing or feedback session will be provided upon request to bidders/offerors/suppliers who bid on the previous solicitation.

---

## TABLE OF CONTENTS

<b>PART 1 - GENERAL INFORMATION .....</b>	<b>4</b>
1.1 REQUIREMENT .....	4
1.2 DEBRIEFINGS .....	4
1.3 TRADE AGREEMENTS .....	4
1.4 EPOST CONNECT SERVICE .....	4
<b>PART 2 - BIDDER INSTRUCTIONS .....</b>	<b>5</b>
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS .....	5
2.2 SUBMISSION OF BIDS.....	5
2.3 ENQUIRIES - BID SOLICITATION.....	5
2.4 APPLICABLE LAWS.....	6
<b>PART 3 - BID PREPARATION INSTRUCTIONS.....</b>	<b>7</b>
3.1 BID PREPARATION INSTRUCTIONS .....	7
<b>PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION .....</b>	<b>8</b>
4.2 BASIS OF SELECTION.....	8
<b>PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION .....</b>	<b>9</b>
5.1 CERTIFICATIONS REQUIRED WITH THE BID .....	9
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION .....	9
<b>PART 6 - RESULTING CONTRACT CLAUSES .....</b>	<b>10</b>
6.1 SECURITY REQUIREMENTS .....	10
6.2 REQUIREMENT - CONTRACT.....	10
6.3 STANDARD CLAUSES AND CONDITIONS.....	10
6.4 TERM OF CONTRACT .....	10
6.5 AUTHORITIES .....	10
6.6 PAYMENT .....	11
6.7 INVOICING INSTRUCTIONS .....	12
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	12
6.9 APPLICABLE LAWS.....	12
6.10 PRIORITY OF DOCUMENTS .....	12
6.11 SACC <i>MANUAL</i> CLAUSES.....	12
6.12 SHIPPING INSTRUCTIONS - DELIVERY AT DESTINATION .....	13
<b>ANNEX "A" .....</b>	<b>14</b>
REQUIREMENT .....	14
<b>ANNEX "B" .....</b>	<b>23</b>
BASIS OF PAYMENT .....	23
<b>ANNEX "C" .....</b>	<b>25</b>
EVALUATION CRITERIA .....	25
<b>ANNEX "D" .....</b>	<b>42</b>
ELECTRONIC PAYMENT INSTRUMENTS .....	42
<b>ANNEX "E" .....</b>	<b>43</b>

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

---

INTEGRITY PROVISIONS – LIST OF DIRECTORS .....	43
--	----

---

## **PART 1 - GENERAL INFORMATION**

### **1.1 Requirement**

The requirement is detailed under Article 6.2 of the resulting contract clauses.

### **1.2 Debriefings**

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

### **1.3 Trade Agreements**

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), and the Canadian Free Trade Agreement (CFTA).

### **1.4 epost Connect service**

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information."

---

## PART 2 - BIDDER INSTRUCTIONS

### 2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2019/03/04) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

#### 2.1.1 SACC Manual Clauses

SACC Reference	Section	Date
B3000T	Equivalent Products	2006/06/16
C9000T	Pricing	2010/08/16

### 2.2 Submission of Bids

Bids must be submitted only to the Public Works and Government Services Canada (PWGSC) Bid Receiving Unit specified below by the date and time indicated on page 1 of the bid solicitation:

Bid Receiving Public Works and Government Services Canada / Réception des soumissions  
Travaux publics et services gouvernementaux  
1713 Bedford Row  
Halifax, NS B3J 1T3

Email for epost Connect:

[TPSGC.RARceptionSoumissionsNE-ARBidReceivingNS.PWGSC@tpsgc-pwgsc.gc.ca](mailto:TPSGC.RARceptionSoumissionsNE-ARBidReceivingNS.PWGSC@tpsgc-pwgsc.gc.ca)

**Note:** Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

Facsimile number: (902) 496-5016

### 2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 7 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

---

## 2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in **Nova Scotia**.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

---

## PART 3 - BID PREPARATION INSTRUCTIONS

### 3.1 Bid Preparation Instructions

- If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid  
Section II: Financial Bid  
Section III: Certifications

- If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)  
Section II: Financial Bid (1 hard copy)  
Section III: Certifications (1 hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

- If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

**Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.**

#### Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

#### Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

##### 3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “D” Electronic Payment Instruments, to identify which ones are accepted.

If Annex “D” Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

#### Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.



---

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

### **4.1 Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

#### **4.1.1 Technical Evaluation**

##### **4.1.1.1 Mandatory Technical Criteria**

Mandatory Technical Criteria as specified in Annex "C"

#### **4.1.2 Financial Evaluation**

*SACC Manual* Clause [A0220T](#) (2014/06/26), Evaluation of Price - Bid

### **4.2 Basis of Selection**

#### **4.2.1 Basis of Selection - Mandatory Technical Criteria**

*SACC Manual* Clause [A0031T](#) (2010/08/16), Basis of Selection - Mandatory Technical Criteria

---

## PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

### 5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

#### 5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

### 5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

#### 5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

#### 5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

---

## PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

### 6.1 Security Requirements

There is no security requirement applicable to the Contract.

### 6.2 Requirement - Contract

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

### 6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

#### 6.3.1 General Conditions

2010A (2018/06/21), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

### 6.4 Term of Contract

#### 6.4.1 Delivery Date

All the deliverables must be received on or before March 31, 2020.

### 6.5 Authorities

#### 6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Bronwen Grieve  
Title: Supply Officer  
Public Works and Government Services Canada  
Acquisitions Branch  
Address: 1713 Bedford Row  
Halifax, NS B3J 1T3

Telephone: 902-943-2394

E-mail address: [bronwen.grieve@tpsgc-pwgsc.gc.ca](mailto:bronwen.grieve@tpsgc-pwgsc.gc.ca)

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

#### 6.5.2 Technical Authority

The Technical Authority for the Contract is: *(will be inserted at time of contract award)*

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

---

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_  
  
Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

#### **6.5.3 Contractor's Representative** *(to be completed by Bidder)*

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_  
  
Telephone: \_\_\_\_\_  
Facsimile: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

### **6.6 Payment**

#### **6.6.1 Basis of Payment - Firm Lot Price(s)**

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price(s)", as specified in Annex B for a cost of \$ \_\_\_\_\_. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

#### **6.6.2 Limitation of price**

SACC Manual clause C6000C (2017/08/17) Limitation of price

#### **6.6.3 Single Payment**

SACC Manual clause H1000C (2008/05/12), Single Payment

#### **6.6.4 Electronic Payment of Invoices – Contract**

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- 
- a. Visa Acquisition Card;
  - b. MasterCard Acquisition Card;
  - c. Direct Deposit (Domestic and International);
  - d. Electronic Data Interchange (EDI);
  - e. Wire Transfer (International Only);
  - f. Large Value Transfer System (LVTS) (Over \$25M)

## **6.7 Invoicing Instructions**

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
  - (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

## **6.8 Certifications and Additional Information**

### **6.8.1 Compliance**

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

## **6.9 Applicable Laws**

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in \_\_\_\_\_.

## **6.10 Priority of Documents**

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2018/06/21), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment
- (e) the Contractor's bid dated \_\_\_\_\_

## **6.11 SACC Manual Clauses**

<b>SACC Reference</b>	<b>Section</b>	<b>Date</b>
B1501C	Electrical Equipment	2018/06/21
B6800C	List of Non-consumable Equipment and Material	2007/11/30
B7500C	Excess Goods	2006/06/16
G1005C	Insurance – No Specific Requirement	2016/01/28

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

---

## **6.12 Shipping Instructions - Delivery at Destination**

Goods must be consigned to the destination specified in the Contract and delivered:

Delivered Duty Paid (DDP) (Defence Research and Development Canada, Dartmouth, NS) Incoterms 2000 for shipments from a commercial contractor.

---

## ANNEX "A" REQUIREMENT

Defence Research and Development Canada (DRDC) has a requirement for the purchase and delivery of industrial furniture and accessories to their Atlantic Research Centre in Dartmouth, Nova Scotia as per specifications outlined in table below.

**NOTE TO BIDDER:** Equivalent products **will be accepted** for all items listed below. Equivalent product information must be provided in Annex "C" – Evaluation Criteria.

Item	Description
1	<b><u>Standard Lab Shelving (v1)</u></b>  Description: Adjustable, 650 lbs to 1,775 pound capacity (4 shelves)  Dimensions (Height/Width/Depth): 72 to 75 inches / 42 inches / 18 inches  Colour: Light Blue  OEM: Pucel  Part Number: DR-1842
2	<b><u>Standard Lab Shelving (v2)</u></b>  Description: Adjustable, 650 lbs to 1,775 pound capacity (4 shelves)  Dimensions (Height/Width/Depth): 72 to 75 inches / 48 inches / 24 inches  Colour: Light Blue  OEM: Pucel  Part Number: DR-2448
3	<b><u>Roll-Out Shelving (v1)</u></b>  Description: 1,500lbs per shelf capacity (3 shelves)  Dimensions (Height/Width/Depth): 80 inches / 57 inches / 32 inches  Colour: Light Blue  OEM: Vestil  Part Number: VRSOR-54

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

Item	Description
4	<b><u>Roll-Out Shelving (v2)</u></b>  Description: 1,500lbs per shelf capacity (6 shelves)  Dimensions (Height/Width/Depth): 80 inches / 114 inches / 32 inches  Colour: Light Blue  OEM: Vestil  Part Number: VRSOR-14
5	<b><u>Extra Shelf</u></b>  Description: For Roll-Out VRSOR shelving  Dimensions (Width/Depth): 114 inches / 32 inches  Colour: Light Blue  OEM: Vestil  Part Number: VRSOR-SLF
6	<b><u>Sound-Reducing Cabinet (v1)</u></b>  Description: Attenuates up to 20.7 dB(A) - 44u  Dimensions (Height/Width/Depth): 85 inches / 24 inches / 41 inches  Colour: Dark Grey  OEM: Rackmount Solutions  Part Number: AQ772036
7	<b><u>Sound-Reducing Cabinet (v2)</u></b>  Description: Attenuates up to 20.7 dB(A) - 44u  Dimensions (Height/Width/Depth): 85 inches / 24 inches / 47 inches  Colour: Dark Grey  OEM: Rackmount Solutions  Part Number: AQ772042



Item	Description
8	<b><u>Blanketing Panel</u></b>  Description: Blanketing Panel for Sound-reducing Cabinets (1u)  Dimensions (Width/Depth): 19 inches / 8 inches  OEM: Upsite Technologies  Part Number: HotLok-10031 1U BP
9	<b><u>Storage Bin Cabinet</u></b>  Description: High Density Storage & Security; multiple, durable bins to hold small, medium and large components inside of a lockable storage unit.  Dimensions (Height/Width/Depth): 72 inches / 36 inches / 24 inches  Colour: Grey  OEM: Vestil  Part Number: VSC-3501-132
10	<b><u>Storage Cabinet</u></b>  Description: Eye-level storage cabinet with 7 drawers of usable height (5", 7" and 9") and 66 compartments distributed over the 7 drawers.  Dimensions (Height/Width/Depth): 59.5-60 inches / 40.25-42 inches / 22.5-24 inches  Colour: Blue  OEM: Lista  Part Number: XSHS1350-0702
11	<b><u>Adjustable Workbench (v1)</u></b>  Description: Crank adjustable height  Dimensions (Height/Width/Depth): 30-42 inches / 48 inches / 36 inches  Colour: F63A31  OEM: Proline  Part Number: ELH4836SM  Note: Top - Maple

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

Item	Description
12	<b><u>Adjustable Workbench (v2)</u></b>  Description: Crank adjustable height  Dimensions (Height/Width/Depth): 30-42 inches / 60 to 64 inches / 30 inches  Colour: F63A31  OEM: Proline  Part Number: ELH6030SM  Note: Top - Maple
13	<b><u>Adjustable Workbench (v3)</u></b>  Description: Crank adjustable height  Dimensions (Height/Width/Depth): 30-42 inches / 72 inches / 30 inches  Colour: F63A31  OEM: Proline  Part Number: ELH7230SM  Note: Top - Maple
14	<b><u>Fixed Workbench (v1)</u></b>  Description: Standard workbench 2,750 to 5,000 pound capacity  Dimensions (Height/Width/Depth): 30 inches / 60 inches / 30 inches  Colour: F63A31  OEM: Proline  Part Number: HD6030M  Note: Top - Maple

Item	Description
15	<b><u>Fixed Workbench (v2)</u></b>  Description: Standard workbench - 2,750 to 5,000 pound capacity  Dimensions (Height/Width/Depth): 30 inches / 72 inches / 36 inches  Colour: F63A31  OEM: Proline  Part Number: HD7236M  Note: Top - Maple
16	<b><u>Power Supply</u></b>  Description: 12 outlets, 15 amp 120 Volt  OEM: Proline  Part Number: ES48
17	<b><u>Mounting Rail</u></b>  Description: For Power Supply  OEM: Proline  Part Number: ESMR60
18	<b><u>Bin Holder (v1)</u></b>  Description: Heavy gauge formed steel which mounts to upright system for unlimited adjustments of bins.  Dimensions (Width): 58 to 60 inches  OEM: Proline  Part Number: BH60
19	<b><u>Bin Holder (v2)</u></b>  Description: Heavy gauge formed steel which mounts to upright system for unlimited adjustments of bins.  Dimensions (Width): 72 inches  OEM: Proline  Part Number: BH72

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

Item	Description
20	<b><u>Ground Wrist Strap</u></b>  Description: Includes Electrostatic Discharge (ESD) wrist strap (one size fits all), and a 6 foot long cord that plugs into Ground Kit (see Line Item 21).  OEM: Proline  Part Number: SGS-4
21	<b><u>Ground Kit</u></b>  Description: For Conductive Stations includes Ground Bolt, Ground Wire and (2) Banana Jacks  Dimensions (Height/Width/Depth): 3 inches / 6 inches / 8 inches  OEM: Proline  Part Number: SGK-J2
22	<b><u>Upright Supports (2 per or 3 per)</u></b>  Dimensions (Length): 48 inches  Colour: F63A31  OEM: Proline  Part Number: UR60
23	<b><u>Overhead Light</u></b>  Description: Frame with 2 bulb fixture Powder-coated steel construction.  Dimensions (Height/Width/Depth): 6 inches / 60 inches / 16 inches  Colour: F63A31(or a light grey)  OEM: Proline  Part Number: OLF60
24	<b><u>Cantilever Shelf</u></b>  Description: Laminate cantilever shelf; load bearing 125lbs.  Dimensions (Width/Depth): 60 inches / 12 inches  OEM: Proline  Part Number: CSPL1260P

Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

Item	Description
25	<b><u>Cantilever Shelf</u></b>  Description: Laminate cantilever shelf; load bearing 125lbs.  Dimensions (Width/Depth): 72 inches / 12 inches  OEM: Proline  Part Number: CSPL1272P
26	<b><u>Shelf Riser</u></b>  Description: 6 Outlets, ESD Laminate surface  Dimensions (Height/Width/Depth): 18 inches / 60 inches / 12 inches  Colour: F63A31  OEM: Proline  Part Number: R6012-3ESD
27	<b><u>Overhead Light Frame</u></b>  Description: Frame with bulb fixtures; powder coated steel.  Dimensions (Height/Length/Depth): 24 inches / 72 inches / 6 inches  Colour: F63A31  OEM: Proline  Part Number: OLF72
28	<b><u>Castors (4pkg)</u></b>  Description: Stem Caster (with brake) - max 400lbs capacity  OEM: Proline  Part Number: C-4

Item	Description												
29	<p><b><u>Workbench-in-a-box</u></b></p> <p>Description: 6" drawer, bin holder, power supply, overhead light, shelf</p> <p>Dimensions (Height/Width/Depth):</p> <p>30-42 inches / 60 inches / 30 inches</p> <p>Colour: Light Blue</p> <p>OEM: Proline</p> <p>Part Number: BIB15</p> <p>Note: Top - Plastic Laminate (White)</p>												
30	<p><b><u>Task Stool (v1)</u></b></p> <p>Description: Adjustable Height Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <table><tr><td>Back Size</td><td>: 17.25" W x 17.75" H</td></tr><tr><td>Overall Depth</td><td>: 26.25"</td></tr><tr><td>Overall Height</td><td>: 44.5" – 48.74"</td></tr><tr><td>Overall Width</td><td>: 26.25"</td></tr><tr><td>Seat Height</td><td>: 27.25" – 31.50"</td></tr><tr><td>Seat Size</td><td>: 19" W x 17.75" D</td></tr></table> <p>Colour: A04 - Navy</p> <p>OEM: OFM</p> <p>Part Number: 130-DK</p>	Back Size	: 17.25" W x 17.75" H	Overall Depth	: 26.25"	Overall Height	: 44.5" – 48.74"	Overall Width	: 26.25"	Seat Height	: 27.25" – 31.50"	Seat Size	: 19" W x 17.75" D
Back Size	: 17.25" W x 17.75" H												
Overall Depth	: 26.25"												
Overall Height	: 44.5" – 48.74"												
Overall Width	: 26.25"												
Seat Height	: 27.25" – 31.50"												
Seat Size	: 19" W x 17.75" D												
31	<p><b><u>Task Stool (v2)</u></b></p> <p>Description: Adjustable Height Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <table><tr><td>Back Size</td><td>: 17.25" W x 17.75" H</td></tr><tr><td>Overall Depth</td><td>: 26.25"</td></tr><tr><td>Overall Height</td><td>: 44.5" – 48.74"</td></tr><tr><td>Overall Width</td><td>: 26.25"</td></tr><tr><td>Seat Height</td><td>: 27.25" – 31.50"</td></tr><tr><td>Seat Size</td><td>: 19" W x 17.75" D</td></tr></table> <p>Colour: A03 - Red</p> <p>OEM: OFM</p> <p>Part Number: 130-DK</p>	Back Size	: 17.25" W x 17.75" H	Overall Depth	: 26.25"	Overall Height	: 44.5" – 48.74"	Overall Width	: 26.25"	Seat Height	: 27.25" – 31.50"	Seat Size	: 19" W x 17.75" D
Back Size	: 17.25" W x 17.75" H												
Overall Depth	: 26.25"												
Overall Height	: 44.5" – 48.74"												
Overall Width	: 26.25"												
Seat Height	: 27.25" – 31.50"												
Seat Size	: 19" W x 17.75" D												

Item	Description																
32	<p><b><u>Task Chair (v1)</u></b></p> <p>Description: With Arms Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <table><tr><td>Arm Height</td><td>: 26" – 33"</td></tr><tr><td>Back Size</td><td>: 17.25" W x 17.75" H</td></tr><tr><td>Base Size</td><td>: 25"</td></tr><tr><td>Overall Depth</td><td>: 26.25"</td></tr><tr><td>Overall Height:</td><td>38.50" – 42.75"</td></tr><tr><td>Overall Width</td><td>: 26.25"</td></tr><tr><td>Seat Height</td><td>: 19.25" – 23.50"</td></tr><tr><td>Seat Size</td><td>: 19" W x 17.75" D</td></tr></table> <p>Colour: A04 - Navy</p> <p>OEM: OFM</p> <p>Part Number: 130-AA3</p>	Arm Height	: 26" – 33"	Back Size	: 17.25" W x 17.75" H	Base Size	: 25"	Overall Depth	: 26.25"	Overall Height:	38.50" – 42.75"	Overall Width	: 26.25"	Seat Height	: 19.25" – 23.50"	Seat Size	: 19" W x 17.75" D
Arm Height	: 26" – 33"																
Back Size	: 17.25" W x 17.75" H																
Base Size	: 25"																
Overall Depth	: 26.25"																
Overall Height:	38.50" – 42.75"																
Overall Width	: 26.25"																
Seat Height	: 19.25" – 23.50"																
Seat Size	: 19" W x 17.75" D																
33	<p><b><u>Task Chair (v2)</u></b></p> <p>Description: With Arms Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <table><tr><td>Arm Height</td><td>: 26" – 33"</td></tr><tr><td>Back Size</td><td>: 17.25" W x 17.75" H</td></tr><tr><td>Base Size</td><td>: 25"</td></tr><tr><td>Overall Depth</td><td>: 26.25"</td></tr><tr><td>Overall Height:</td><td>38.50" – 42.75"</td></tr><tr><td>Overall Width</td><td>: 26.25"</td></tr><tr><td>Seat Height</td><td>: 19.25" – 23.50"</td></tr><tr><td>Seat Size</td><td>: 19" W x 17.75" D</td></tr></table> <p>Colour: A03 - Red</p> <p>OEM: OFM</p> <p>Part Number: 130-AA3</p>	Arm Height	: 26" – 33"	Back Size	: 17.25" W x 17.75" H	Base Size	: 25"	Overall Depth	: 26.25"	Overall Height:	38.50" – 42.75"	Overall Width	: 26.25"	Seat Height	: 19.25" – 23.50"	Seat Size	: 19" W x 17.75" D
Arm Height	: 26" – 33"																
Back Size	: 17.25" W x 17.75" H																
Base Size	: 25"																
Overall Depth	: 26.25"																
Overall Height:	38.50" – 42.75"																
Overall Width	: 26.25"																
Seat Height	: 19.25" – 23.50"																
Seat Size	: 19" W x 17.75" D																

## ANNEX "B"

### BASIS OF PAYMENT

Note: Bidders are required to complete the pricing table shown below. An incomplete bid (financial or technical) will be deemed non-responsive and will not be considered for further evaluation.

Prices must be in Canadian Dollars (CAD) and include delivery and all applicable charges

CANADA WILL ACCEPT EQUIVALENT PRODUCTS FOR ALL LINE ITEMS

Item	Part #	U of I	Description	Qty.	Price	Extended
1		EA	Standard Lab Shelving (v1)	7		
2		EA	Standard Lab Shelving (v2)	6		
3		EA	Roll-Out Shelving (v1)	2		
4		EA	Roll-Out Shelving (v2)	2		
5		EA	Extra Shelf	4		
6		EA	Sound-Reducing Cabinet (v1)	4		
7		EA	Sound-Reducing Cabinet (v2)	2		
8		EA	Blanketing Panel	6		
9		EA	Storage Bin Cabinet	3		
10		EA	Storage Cabinet	4		
11		EA	Adjustable Workbench (v1)	2		
12		EA	Adjustable Workbench (v2)	1		
13		EA	Adjustable Workbench (v3)	5		
14		EA	Fixed Workbench (v1)	4		
15		EA	Fixed Workbench (v2)	4		
16		EA	Power Supply	6		
17		EA	Mounting Rail	6		
18		EA	Bin Holder (v1)	1		
19		EA	Bin Holder (v2)	1		
20		EA	Wrist Strap	4		
21		EA	Ground Kit	4		
22		EA	Uprights	2		
23		EA	Overhead Light	2		



Solicitation No. - N° de l'invitation  
W7707-196544/B  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
HAL207  
CCC No./N° CCC - FMS No./N° VME

Item	Part #	U of I	Description	Qty.	Price	Extended
24		EA	Cantilever Shelf	1		
25		EA	Cantilever Shelf	1		
26		EA	Shelf Riser	4		
27		EA	Overhead Light Frame	1		
28		EA	Casters (4pkg)	5		
29		EA	Workbench-in-a-box	4		
30		EA	Task Stool (v1)	8		
31		EA	Task Stool (v2)	2		
32		EA	Task Chair (v1)	21		
33		EA	Task Chair (v2)	20		
Total (GST/HST not included)						

## ANNEX "C"

### EVALUATION CRITERIA

#### MANDATORY REQUIREMENTS:

Bids MUST meet the mandatory requirements specified below. To demonstrate that all requirements of the technical specifications are respected bidders MUST respond with complete specifications and/or descriptive literature of the equipment being offered.

Any proposal which fails to meet all mandatory requirements will be deemed non-responsive. Each requirement should be addressed separately.

Note: Bidders are required to provide OEM items or equivalent products as per SACC B3000T (2006-06-16).

When offering equivalent products, the bidder must fully demonstrate how the form, fit and function of suggested products are fully interchangeable with the item specified.

The evaluation will only be based on the information provided with the bid. References to Internet sites or information that is not included will not be evaluated.

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
1		<u>Standard Lab Shelving (v1)</u>  Description: Adjustable, 650 lbs to 1,775 pound capacity (4 shelves)  Dimensions (Height/Width/Depth): 72 to 75 inches / 42 inches / 18 inches  Colour: Light Blue  OEM: Pucel  Part Number: DR-1842		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
2		<b><u>Standard Lab Shelving (v2)</u></b>		
		Description: Adjustable, 650 lbs to 1,775 pound capacity (4 shelves)		
		Dimensions (Height/Width/Depth): 72 to 75 inches / 48 inches / 24 inches		
		Colour: Light Blue		
		OEM: Pucel		
3		Part Number: DR-2448		
		<b><u>Roll-Out Shelving (v1)</u></b>		
		Description: 1,500lbs per shelf capacity (3 shelves)		
		Dimensions (Height/Width/Depth): 80 inches / 57 inches / 32 inches		
		Colour: Light Blue		
		OEM: Vestil		
		Part Number: VRSOR-54		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
4		<b><u>Roll-Out Shelving (v2)</u></b>		
		Description: 1,500lbs per shelf capacity (6 shelves)		
		Dimensions (Height/Width/Depth): 80 inches / 114 inches / 32 inches		
		Colour: Light Blue		
		OEM: Vestil		
5		Part Number: VRSOR-14		
		<b><u>Extra Shelf</u></b>		
		Description: For Roll-Out VRSOR shelving		
		Dimensions (Width/Depth): 114 inches / 32 inches		
		Colour: Light Blue		
		OEM: Vestil		
		Part Number: VRSOR-SLF		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
6		<b><u>Sound-Reducing Cabinet (v1)</u></b> Description: Attenuates up to 20.7 dB(A) - 44u Dimensions (Height/Width/Depth): 85 inches / 24 inches / 41 inches Colour: Dark Grey OEM: Rackmount Solutions Part Number: AQ772036		
7		<b><u>Sound-Reducing Cabinet (v2)</u></b> Description: Attenuates up to 20.7 dB(A) - 44u Dimensions (Height/Width/Depth): 85 inches / 24 inches / 47 inches Colour: Dark Grey OEM: Rackmount Solutions Part Number: AQ772042		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
8		<b><u>Blanketing Panel</u></b> Description: Blanketing Panel for Sound-reducing Cabinets (1u) Dimensions (Width/Depth): 19 inches / 8 inches OEM: Upsite Technologies Part Number: HotLok-10031 1U BP		
9		<b><u>Storage Bin Cabinet</u></b> Description: High Density Storage & Security; multiple, durable bins to hold small, medium and large components inside of a lockable storage unit. Dimensions (Height/Width/Depth): 72 inches / 36 inches / 24 inches Colour: Grey OEM: Vestil Part Number: VSC-3501-132		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
10		<p><b><u>Storage Cabinet</u></b></p> <p>Description: Eye-level storage cabinet with 7 drawers of usable height (5", 7" and 9") and 66 compartments distributed over the 7 drawers.</p> <p>Dimensions (Height/Width/Depth): 59.5-60 inches / 40.25-42 inches / 22.5-24 inches</p> <p>Colour: Blue</p> <p>OEM: Lista</p> <p>Part Number: XSHS1350-0702</p>		
11		<p><b><u>Adjustable Workbench (v1)</u></b></p> <p>Description: Crank adjustable height</p> <p>Dimensions (Height/Width/Depth): 30-42 inches / 48 inches / 36 inches</p> <p>Colour: F63A31</p> <p>OEM: Proline</p> <p>Part Number: ELH4836SM</p> <p>Note: Top - Maple</p>		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
12		<b><u>Adjustable Workbench (v2)</u></b>		
		Description: Crank adjustable height		
		Dimensions (Height/Width/Depth): 30-42 inches / 60 to 64 inches / 30 inches		
		Colour: F63A31		
		OEM: Proline		
13		Part Number: ELH6030SM		
		Note: Top - Maple		
		<b><u>Adjustable Workbench (v3)</u></b>		
		Description: Crank adjustable height		
		Dimensions (Height/Width/Depth): 30-42 inches / 72 inches / 30 inches		
		Colour: F63A31		
		OEM: Proline		
		Part Number: ELH7230SM		
		Note: Top - Maple		



Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
14		<b><u>Fixed Workbench (v1)</u></b> Description: Standard workbench 2,750 to 5,000 pound capacity Dimensions (Height/Width/Depth): 30 inches / 60 inches / 30 inches Colour: F63A31 OEM: Proline Part Number: HD6030M Note: Top - Maple		
15		<b><u>Fixed Workbench (v2)</u></b> Description: Standard workbench - 2,750 to 5,000 pound capacity Dimensions (Height/Width/Depth): 30 inches / 72 inches / 36 inches Colour: F63A31 OEM: Proline Part Number: HD7236M Note: Top - Maple		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
16		<b><u>Power Supply</u></b> Description: 12 outlets, 15 amp 120 Volt OEM: Proline Part Number: ES48		
17		<b><u>Mounting Rail</u></b> Description: For Power Supply OEM: Proline Part Number: ESMR60		
18		<b><u>Bin Holder (v1)</u></b> Description: Heavy gauge formed steel which mounts to upright system for unlimited adjustments of bins. Dimensions (Width): 58 to 60 inches OEM: Proline Part Number: BH60		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
19		<p><b><u>Bin Holder (v2)</u></b></p> <p>Description: Heavy gauge formed steel which mounts to upright system for unlimited adjustments of bins.</p> <p>Dimensions (Width): 72 inches</p> <p>OEM: Proline</p> <p>Part Number: BH72</p>		
20		<p><b><u>Ground Wrist Strap</u></b></p> <p>Description: Includes Electrostatic Discharge (ESD) wrist strap (one size fits all), and a 6 foot long cord that plugs into Ground Kit (see Line Item 21).</p> <p>OEM: Proline</p> <p>Part Number: SGS-4</p>		
21		<p><b><u>Ground Kit</u></b></p> <p>Description: For Conductive Stations includes Ground Bolt, Ground Wire and (2) Banana Jacks</p> <p>Dimensions (Height/Width/Depth): 3 inches / 6 inches / 8 inches</p> <p>OEM: Proline</p> <p>Part Number: SGK-J2</p>		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
22		<b><u>Upright Supports (2 per or 3 per)</u></b> Dimensions (Length): 48 inches Colour: F63A31 OEM: Proline Part Number: UR60		
23		<b><u>Overhead Light</u></b> Description: Frame with 2 bulb fixture Powder-coated steel construction. Dimensions (Height/Width/Depth): 6 inches / 60 inches / 16 inches Colour: F63A31(or a light grey) OEM: Proline Part Number: OLF60		
24		<b><u>Cantilever Shelf</u></b> Description: Laminate cantilever shelf; load bearing 125lbs. Dimensions (Width/Depth): 60 inches / 12 inches OEM: Proline Part Number: CSPL1260P		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
25		<b><u>Cantilever Shelf</u></b> Description: Laminate cantilever shelf; load bearing 125lbs. Dimensions (Width/Depth): 72 inches / 12 inches OEM: Proline Part Number: CSPL1272P		
26		<b><u>Shelf Riser</u></b> Description: 6 Outlets, ESD Laminate surface Dimensions (Height/Width/Depth): 18 inches / 60 inches / 12 inches Colour: F63A31 OEM: Proline Part Number: R6012-3ESD		
27		<b><u>Overhead Light Frame</u></b> Description: Frame with bulb fixtures; powder coated steel. Dimensions (Height/Length/Depth): 24 inches / 72 inches / 6 inches Colour: F63A31 OEM: Proline Part Number: OLF72		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
28		<b><u>Casters (4pkg)</u></b> Description: Stem Caster (with brake) - max 400lbs capacity OEM: Proline Part Number: C-4		
29		<b><u>Workbench-in-a-box</u></b> Description: 6" drawer, bin holder, power supply, overhead light, shelf Dimensions (Height/Width/Depth): 30-42 inches / 60 inches / 30 inches Colour: Light Blue OEM: Proline Part Number: BIB15 Note: Top - Plastic Laminate (White)		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
30		<p><b><u>Task Stool (v1)</u></b></p> <p>Description: Adjustable Height Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <div><div>Back Size</div><div>: 17.25" W x 17.75" H</div></div> <div><div>Overall Depth</div><div>: 26.25"</div></div> <div><div>Overall Height</div><div>: 44.5" – 48.74"</div></div> <div><div>Overall Width</div><div>: 26.25"</div></div> <div><div>Seat Height</div><div>: 27.25" – 31.50"</div></div> <div><div>Seat Size</div><div>: 19" W x 17.75" D</div></div> <p>Colour: A04 - Navy</p> <p>OEM: OFM</p> <p>Part Number: 130-DK</p>		

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**
31		<p><b><u>Task Stool (v2)</u></b></p> <p>Description: Adjustable Height Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <div><div>Back Size</div><div>: 17.25" W x 17.75" H</div></div> <div><div>Overall Depth</div><div>: 26.25"</div></div> <div><div>Overall Height</div><div>: 44.5" – 48.74"</div></div> <div><div>Overall Width</div><div>: 26.25"</div></div> <div><div>Seat Height</div><div>: 27.25" – 31.50"</div></div> <div><div>Seat Size</div><div>: 19" W x 17.75" D</div></div> <p>Colour: A03 - Red</p> <p>OEM: OFM</p> <p>Part Number: 130-DK</p>		



Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**																
32		<p><b><u>Task Chair (v1)</u></b></p> <p>Description: With Arms Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <table><tr><td>Arm Height</td><td>: 26" – 33"</td></tr><tr><td>Back Size</td><td>: 17.25" W x 17.75" H</td></tr><tr><td>Base Size</td><td>: 25"</td></tr><tr><td>Overall Depth</td><td>: 26.25"</td></tr><tr><td>Overall Height:</td><td>38.50" – 42.75"</td></tr><tr><td>Overall Width</td><td>: 26.25"</td></tr><tr><td>Seat Height</td><td>: 19.25" – 23.50"</td></tr><tr><td>Seat Size</td><td>: 19" W x 17.75" D</td></tr></table> <p>Colour: A04 - Navy</p> <p>OEM: OFM</p> <p>Part Number: 130-AA3</p>	Arm Height	: 26" – 33"	Back Size	: 17.25" W x 17.75" H	Base Size	: 25"	Overall Depth	: 26.25"	Overall Height:	38.50" – 42.75"	Overall Width	: 26.25"	Seat Height	: 19.25" – 23.50"	Seat Size	: 19" W x 17.75" D		
Arm Height	: 26" – 33"																			
Back Size	: 17.25" W x 17.75" H																			
Base Size	: 25"																			
Overall Depth	: 26.25"																			
Overall Height:	38.50" – 42.75"																			
Overall Width	: 26.25"																			
Seat Height	: 19.25" – 23.50"																			
Seat Size	: 19" W x 17.75" D																			

Item	Part #	Description	OEM items offered Yes / No	Equivalent Brand Proposed**																
33		<p><b><u>Task Chair (v2)</u></b></p> <p>Description: With Arms Comfort, Ergonomic Mesh-backed chair with 3" seat and 250lbs weight capacity.</p> <p>Dimensions:</p> <table><tr><td>Arm Height</td><td>: 26" – 33"</td></tr><tr><td>Back Size</td><td>: 17.25" W x 17.75" H</td></tr><tr><td>Base Size</td><td>: 25"</td></tr><tr><td>Overall Depth</td><td>: 26.25"</td></tr><tr><td>Overall Height:</td><td>38.50" – 42.75"</td></tr><tr><td>Overall Width</td><td>: 26.25"</td></tr><tr><td>Seat Height</td><td>: 19.25" – 23.50"</td></tr><tr><td>Seat Size</td><td>: 19" W x 17.75" D</td></tr></table> <p>Colour: A03 - Red</p> <p>OEM: OFM</p> <p>Part Number: 130-AA3</p>	Arm Height	: 26" – 33"	Back Size	: 17.25" W x 17.75" H	Base Size	: 25"	Overall Depth	: 26.25"	Overall Height:	38.50" – 42.75"	Overall Width	: 26.25"	Seat Height	: 19.25" – 23.50"	Seat Size	: 19" W x 17.75" D		
Arm Height	: 26" – 33"																			
Back Size	: 17.25" W x 17.75" H																			
Base Size	: 25"																			
Overall Depth	: 26.25"																			
Overall Height:	38.50" – 42.75"																			
Overall Width	: 26.25"																			
Seat Height	: 19.25" – 23.50"																			
Seat Size	: 19" W x 17.75" D																			

\*\* WHEN EQUIVELANT PRODUCTS ARE PROPOSED, THE BIDDER SHOULD INDICATE PAGE REFERENCE NUMBER FOR SPECIFICATIONS PROVIDED SUPPORTING THE EQUIVELANCY OF THE PROPOSED PRODUCT.

---

**ANNEX "D"**

**ELECTRONIC PAYMENT INSTRUMENTS**

The Bidder accepts any of the following Electronic Payment Instrument(s):

- ( ) VISA Acquisition Card;
- ( ) MasterCard Acquisition Card;
- ( ) Direct Deposit (Domestic and International);
- ( ) Electronic Data Interchange (EDI);
- ( ) Wire Transfer (International Only);
- ( ) Large Value Transfer System (LVTS) (Over \$25M)

---

**ANNEX "E"**

**INTEGRITY PROVISIONS – LIST OF DIRECTORS**

Please provide list of names of the following entities, according to the ownership nature of the company

1. For a Corporation - each current member of the Bidder's Board of Directors;

---

---

---

---

2. For a Partnership, General Partnership or Limited Partnership - the names of all current partners;

---

---

---

---

3. For a Sole Proprietorship or an individual doing business under a firm name - the name of the sole proprietor or individual;

---

4. In the case of a joint venture - For a Joint Venture - the names of all current members of the Joint venture;

---

---

5. For an individual - the full name of the person

---