

REAL PROPERTY SERVICES
Western Region
SERVICES IMMOBILIERS
Région de l'ouest


**REPUBLIC
ARCHITECTURE
INC**

385 St. Mary Avenue
Winnipeg, MB R3C 0N1

T 204 989 0102

F 204 989 0094

www.republicarchitecture.ca



4	ISSUED FOR CONSTRUCTION	2019/10/29
3	ISSUED FOR 99% REVIEW	2019/08/28
2	ISSUED FOR 66% REVIEW	2019/05/09
1	ISSUED FOR 33% REVIEW	2019/03/14
Revision	Description	Date
Client	client	client

PSPC

**10025 JASPER AVE
EDMONTON, ALBERTA, T5J 1S6
PH. 780-919-9445**

Project title	Projet
JASPER STAFF HOUSING CONSTRUCTION	

5-PLEX

**902 PATRICIA STREET,
JASPER, AB, T0E 1E0**

Designed by RM	Conçu par
-------------------	-----------

Drawn by JA	Dessin? par
----------------	-------------


Approved by RP	Approuv? par
-------------------	--------------

PWGSC Project Manager	Administrateur de Projets TPSGC
PWGSC-PM	

Drawing title	Titre du dessin
---------------	-----------------


SITE GRADING PLAN

Project no./No. du projet	Drawing no./No. du dessin	Revision no.
R.100429.001	C0.3 OF	4



STANDARD TRENCH BEDDING FOR CIRCULAR PIPES


SCALE: N.T.S.



NOTES:
 -CONCRETE: CLASS C2, 32 MPa @28 DAYS, 0.40 MAX WATER CONTENT, 5-8% AIR CONTENT, 20mm MAX AGGREGATE SIZE AS PER CSA A23.1
 -CRACK CONTROL JOINTS 3-5mm WIDE, 25mm DEEP @3m MAX SPACING.
 -REBAR INSTALLATION AS PER CSA G30.18
 -REFER TO GEOTECHNICAL REPORT FOR BACKFILL AND SUB GRADE MATERIAL INSTALLATION SPECIFICATIONS.


STANDARD BARRIER CURB

SCALE: N.T.S.



TRENCH BACKFILL

SCALE: N.T.S.



MANUFACTURING TOLERANCES:

± 2mm	FOR INDICATED CASTING DIMENSIONS OF 190mm OR LESS
± 3mm	FOR INDICATED CASTING DIMENSIONS OF 191mm TO 280mm
± 4mm	FOR INDICATED CASTING DIMENSIONS OF 281mm TO 380mm

NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE SPECIFIED.
2. MINIMUM 300mm OF THREADS AVAILABLE FROM TOP SECTION
TO BOTTOM SECTION FOR RAISING AND LOWERING.

VALVE CASING

SCALE: N.T.S.

