



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions → TPSGC**
10th Floor, 4900 Yonge Street /
10e étage, 4900 rue Yonge
Toronto
Ontario
M2N 6A6

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Address inquiries to the Contracting Authority at
Hussain.Noor@pwgsc-tpsgc.gc.ca

Title - Sujet Erosion Function Apparatus	
Solicitation No. - N° de l'invitation W0114-190008/A	Date 2019-11-24
Client Reference No. - N° de référence du client W0114-190008	
GETS Reference No. - N° de référence de SEAG PW-\$TOR-007-7853	
File No. - N° de dossier TOR-9-42066 (007)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-01-06	Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Noor, Hussain	Buyer Id - Id de l'acheteur tor007
Telephone No. - N° de téléphone (647) 295-3458 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE CFB Kingston 5 SOMME AVE PO Box 17000, Stn Forces KINGSTON Ontario K7K7B4 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
Ontario Region
10th Floor, 4900 Yonge Street
Toronto
Ontario
M2N 6A6

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT	2
1.2 DEBRIEFINGS	2
1.3 TRADE AGREEMENTS	2
1.4 EPOST CONNECT SERVICE	2
PART 2 - BIDDER INSTRUCTIONS	2
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2 SUBMISSION OF BIDS.....	2
2.3 ENQUIRIES - BID SOLICITATION.....	3
2.4 APPLICABLE LAWS.....	3
PART 3 - BID PREPARATION INSTRUCTIONS.....	3
3.1 BID PREPARATION INSTRUCTIONS	3
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	5
4.1 EVALUATION PROCEDURES.....	5
4.2 BASIS OF SELECTION.....	7
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	7
5.1 CERTIFICATIONS REQUIRED WITH THE BID	7
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	7
PART 6 - RESULTING CONTRACT CLAUSES	8
6.1 SECURITY REQUIREMENTS	8
6.2 REQUIREMENT	8
6.3 STANDARD CLAUSES AND CONDITIONS.....	8
6.4 TERM OF CONTRACT	8
6.5 AUTHORITIES	8
6.6 PAYMENT	9
6.7 INVOICING INSTRUCTIONS	10
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	10
6.9 APPLICABLE LAWS.....	10
6.10 PRIORITY OF DOCUMENTS	10
6.11 SACC MANUAL CLAUSES.....	11
ANNEX "A"	12
REQUIREMENT	12
ANNEX "B"	14
BASIS OF PAYMENT	14
ANNEX "1" TO PART 6 OF THE BID SOLICITATION.....	15
ELECTRONIC PAYMENT INSTRUMENTS.....	15

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under Article 6.2 of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA) and the Canadian Free Trade Agreement (CFTA).

1.4 epost Connect service

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2019-03-04) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2.2 Submission of Bids

Bids must be submitted only to the Public Works and Government Services Canada (PWGSC) Bid Receiving Unit specified below by the date and time indicated on page 1 of the bid solicitation:

Bid Receiving – PWGSC

10th Floor, 4900 Yonge Street

Toronto, Ontario, M2N 6A6

TPSGC.orreceptiondessoumissions-orbidreceiving.PWGSC@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

Facsimile number: 416-952-1256

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 10 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

- If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid
Section II: Financial Bid
Section III: Certifications

- If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (1 hard copy)

Section III: Certifications (1 hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

- If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.
Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex “1” Electronic Payment Instruments, to identify which ones are accepted.

If Annex “1” Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

[C3011T](#) (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

Bidders must provide published documentation demonstrating that their proposed product meets all the technical specifications detailed below for an Erosion Function Apparatus (Soil Erosion Testing Machine).

Item #	Mandatory Technical Evaluation Criteria. Bidders must demonstrate each of the following:	Cross Reference: In this column, Bidders should cross-reference where this criteria is indicated in their supporting documents.
M1	Must have a minimum of 7" touch screen interface.	
M2	Must record and tabulate test data.	
M3	Must have graphs flow rate vs. time, as well as water temperature vs. time.	
M4	System must automatically be able to fill the water tank using water level sensors.	
M5	System must automatically be able to cycle between water sump and water fill during tests to maintain lower water temperatures.	
M6	If connected to the internet, the machine must be able to auto update with available firmware updates.	
M7	Must be able to export test data to USB stick for transfer to PC for analysis using a dedicated software.	
M8	Motor must be able to push the sample to any specific distance customizable by the user.	

M9	Flow rate must be 0 to 8 meters per second.	
M10	Must be able to accept Shelby Tube Soil Samples (76.22 x 73mm).	
M11	<p>The EFA must use either of the variants of the SRICOS method:</p> <ol style="list-style-type: none"> 1. The Extended SRICOS Method: <ul style="list-style-type: none"> • Calculate the maximum depth of scour; • Collect soil samples at the site; • Test samples in the EFA to obtain the erosion rate vs. the hydraulic shear stress applied; • Prepare the velocity hydrograph for the bridge; and • Use the SRICOS program with test sample in the EFA to obtain the erosion rate vs. the hydraulic shear stress applied and prepare the velocity hydrograph for the bridge, as input and generate the depth of scour vs. time over the period covered by the chosen hydrograph. 2. The Simple SRICOS Method: <ul style="list-style-type: none"> • Calculate the maximum depth of scour; • Collect soil samples at the site; • Test samples in the EFA to obtain the erosion rate vs. the hydraulic shear stress applied; • Calculate the equivalent time for a given design life of the bridge and for the design velocity; and • Using known equations, calculate the scour depth at the end of the design life. 	

4.1.2 Financial Evaluation

4.1.2.1 Bidders must submit pricing in accordance with Annex B, Basis of Payment in Canadian Funds. Pricing must be provided for all line items.

4.1.2.2 The total evaluated price is the aggregate of the extended prices at Annex B – Basis of Payment, calculated as Quantity multiplied by Firm Unit Price offered by the bidder, for the firm requirement.

4.1.2.3 SACC Manual Clause [A0220T](#) (2014-06-26), Evaluation of Price – Bid

4.2 Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2018-06-21), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.3.2 Supplemental General Conditions

4001 (2015-04-01) – Hardware Purchase, Lease and Maintenance; and
4003 (2010-08-16) – Licensed Software, apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Period of the Contract

The period of the Contract is from date of Contract to 30 April 2020 inclusive.

6.4.2 Delivery Date

All the deliverables must be received on or before 27 March 2020.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Hussain Noor
Supply Officer
Public Works and Government Services Canada
Procurement Directorate

Solicitation No. - N° de l'invitation
W0114-190008/A
Client Ref. No. - N° de réf. du client
W0114-190008

Amd. No. - N° de la modif.
File No. - N° du dossier
TOR-9-42066

Buyer ID - Id de l'acheteur
TOR007
CCC No./N° CCC - FMS No./N° VME

10th Floor, 4900 Yonge Street
Toronto, ON
M2N 6A6

Telephone: 647-295-3458
E-mail address: Hussain.Noor@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority *(to be inserted at contract award)*

The Project Authority for the Contract is:

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone : ____ _
Facsimile: ____ _
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative *(to be completed by bidder)*

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone : ____ _
Facsimile: ____ _
E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price as specified in Annex B, Basis of Payment, for a cost of \$ _____. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.6.2 SACC Manual Clauses

H1000C Single Payment (2008-05-12)

6.6.3 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);
- f. Large Value Transfer System (LVTS) (Over \$25M)

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
 - b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled authorities of the Contract.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____ (*Insert the name of the province or territory as specified by the Bidder in its bid, if applicable*).

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the supplemental general conditions:
 - 4001 (2015-04-01) – Hardware Purchase, Lease and Maintenance; and
 - 4003 (2010-08-16) – Licensed Software, apply to and form part of the Contract;

Solicitation No. - N° de l'invitation
W0114-190008/A
Client Ref. No. - N° de réf. du client
W0114-190008

Amd. No. - N° de la modif.
File No. - N° du dossier
TOR-9-42066

Buyer ID - Id de l'acheteur
TOR007
CCC No./N° CCC - FMS No./N° VME

- (c) the general conditions 2010A (2018-06-21), General Conditions – Goods (Medium Complexity);
- (d) Annex A, Requirement;
- (e) Annex B, Basis of Payment;
- (f) the Contractor's bid dated _____. *(to be inserted at contract award)*

6.11 SACC Manual Clauses

B1501C (2006-06-16) – Electrical Equipment; and
G1005C (2016-01-28) – Insurance.

ANNEX "A"

REQUIREMENT

A1. Objective

Royal Military College of Canada (RMC), Department of Civil Engineering has a requirement to acquire an Erosion Function Apparatus for scour and soil erosion related research and to support undergraduate and graduate level classes and laboratories.

A2. Background

Soil erosion is a major cause for bridges, dams, and roads' failures. In the United States and Canada, bridge scour is one of the three main causes of bridge failure (the others being collision and overloading). It is the most common cause of highway bridge failure (more than 50%). To understand the characteristics of these failures, it is important to examine, under the lab conditions, all the hydraulic, geotechnical, and structural conditions in relation to failure modes. This is a key area of interest to the civil Engineering Department. Research in this area is of utmost importance to the Department of National Defence (DND), as several structures on DND properties need to be maintained and protected from scours and soil erosion resulting from flooding or high flows caused by severe weather events, soil erosion and scours. This threatens safe operations when the risks are not recognized or adequately mitigated.

The Erosion Function Apparatus (EFA) was designed and built to prevent bridge failures by measuring the erodibility of soils. Used in conjunction with the SRICOS (Scour Rate in Cohesive Soil) scour prediction method, the EFA can provide more accurate erodibility measurements and scour predictions than previously obtainable. Applications for its use include: scour at bridges, piping of dams, beach erosion and surface erosion problems. In the case of scour at bridges, the EFA leads to improved accuracy on scour depth predictions, offering several advantages over previous test methods. These advantages include: minimum sample disturbance; measurement of erosion rate vs. shear stress; measurement of critical shear stress, and incorporation of the test results from the SRICOS scour prediction method.

A3. Firm Requirement

The contractor must supply, deliver and install an Erosion Function Apparatus (Soil Erosion Testing Machine) with the following specifications:

One (1) Erosion Function Apparatus (Soil Erosion Testing Machine):

- Must have a minimum of 7" touch screen interface;
- Must Record and tabulate test data;
- Must have graphs flow rate vs. time, as well as water temperature vs. time;
- System must automatically be able to fill the water tank using water level sensors;
- System must automatically be able to cycle between water sump and water fill during tests to maintain lower water temperatures;
- If connected to the internet, the machine must be able to auto update with available firmware updates;
- Must be able to export test data to USB stick for transfer to PC for analysis using a dedicated software;
- Motor must be able to push the sample to any specific distance customizable by the user;

- Flow rate must be 0 to 8 meters per second;
- Must be able to accept Shelby Tube Soil Samples (76.22 x 73mm); and
- The EFA must use either of the variants of the SRICOS method:

3. The Extended SRICOS Method:

- Calculate the maximum depth of scour;
- Collect soil samples at the site;
- Test samples in the EFA to obtain the erosion rate vs. the hydraulic shear stress applied;
- Prepare the velocity hydrograph for the bridge; and
- Use the SRICOS program with test sample in the EFA to obtain the erosion rate vs. the hydraulic shear stress applied and prepare the velocity hydrograph for the bridge, as input and generate the depth of scour vs. time over the period covered by the chosen hydrograph.

4. The Simple SRICOS Method:

- Calculate the maximum depth of scour;
 - Collect soil samples at the site;
 - Test samples in the EFA to obtain the erosion rate vs. the hydraulic shear stress applied;
 - Calculate the equivalent time for a given design life of the bridge and for the design velocity; and
 - Using known equations, calculate the scour depth at the end of the design life.
- Must include minimum one (1) year parts and labour warranty for Erosion Function Apparatus (Soil Erosion Testing Machine).

A4. Delivery and Installation

All the firm deliverables must be delivered to the following address:

Royal Military College of Canada Department of Civil Engineering
13 General Crerar Cres.
Kingston, Ontario
K7K 7B4
Canada

Solicitation No. - N° de l'invitation
W0114-190008/A
Client Ref. No. - N° de réf. du client
W0114-190008

Amd. No. - N° de la modif.
File No. - N° du dossier
TOR-9-42066

Buyer ID - Id de l'acheteur
TOR007
CCC No./N° CCC - FMS No./N° VME

ANNEX "B"

BASIS OF PAYMENT

Firm, all-inclusive price in Canadian Funds. F.O.B destination including all delivery and installation charges, Canadian Customs Duties and excise taxes included as applicable. The total amount of Goods and Services Tax (GST) or Harmonized Sales Tax (HST) is to be shown separately, if applicable.

B1. Firm Prices

Item #	Description	Quantity	Firm Unit Price	Extended Price
1	For the supply, delivery and installation of Erosion Function Apparatus (Soil Erosion Testing Machine), as per Annex 'A' – Requirement.	1	\$ _____	\$ _____
Total Cost				\$ _____

Solicitation No. - N° de l'invitation
W0114-190008/A
Client Ref. No. - N° de réf. du client
W0114-190008

Amd. No. - N° de la modif.
File No. - N° du dossier
TOR-9-42066

Buyer ID - Id de l'acheteur
TOR007
CCC No./N° CCC - FMS No./N° VME

ANNEX "1" to PART 6 OF THE BID SOLICITATION

ELECTRONIC PAYMENT INSTRUMENTS

As indicated in Part 6, clause 6.6.3, the Bidder must identify which electronic payment instruments they are willing to accept for payment of invoices.

The Bidder accepts any of the following Electronic Payment Instrument(s):

- VISA Acquisition Card;
- MasterCard Acquisition Card;
- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);
- Large Value Transfer System (LVTS) (Over \$25M)