


NORTH

WINDOW AND ELEVATION KEYNOTES:


- 1 REMOVE SASH FROM FROM WINDOW FRAMES AND CAREFULLY REMOVE EXISTING PAINT FINISH FROM SASH, MUNTINS AND GLAZING COMPOUND. WHERE GLAZING COMPOUND IS CRACKED, SHRINKING AND/OR DAMAGED BY PAINT REMOVAL PROCESS, PROVIDE NEW TO MATCH EXISTING. PREP TO RECEIVE NEW PAINT FINISH; COORDINATE COLOUR SELECTION WITH DEPARTMENTAL REPRESENTATIVE.
- 2 CAREFULLY REMOVE EXISTING PAINT FINISH FROM COMPLETE WINDOW/DOOR FRAMES AND TRIMS. REPORT ANY DAMAGE OR ROT OF EXISTING FRAME TO DEPARTMENTAL REPRESENTATIVE PRIOR TO APPLICATION OF NEW PAINT FINISH. PREP TO RECEIVE NEW FINISH; COORDINATE COLOUR WITH DEPARTMENTAL REPRESENTATIVE. REFER TO PLAN A-2 FOR SPECIFIC FRAME REPAIRS.
- 3 PROVIDE BACKER ROD AND SEALANT AROUND WINDOW/DOOR JAMBS AND HEADS. SEALANT COLOUR TO MATCH WINDOW/DOOR FRAME.
- 4 CAREFULLY REMOVE EXISTING GLAZING COMPOUND AND REMOVE CRACKED/DAMAGED WINDOW PANE. PROVIDE NEW SINGLE GLAZED FLAT GLASS TO MATCH EXISTING COMPLETE WITH NEW GLAZING COMPOUND. INSTALL TO MATCH EXISTING LEVEL OF EXECUTION AND PRECISION. PREP SASH TO RECEIVE NEW PAINT FINISH; COORDINATE COLOUR SELECTION WITH DEPARTMENTAL REPRESENTATIVE.
- 5 PROVIDE NEW NEOPRENE GASKET AT INSIDE FACE OF WINDOW STOP AT ALL CLERESTORY AND GABLE WINDOWS PRIOR TO RE-INSTALLATION. PROVIDE NEW SASH CHAINS AT ALL WINDOWS WHERE NOT EXIST.
- 6 REMOVE EXISTING SASH FROM DOUBLE HUNG WINDOWS AND CAREFULLY REMOVE EXISTING PAINT FINISH FROM SASH, MULLIONS AND GLAZING COMPOUND. WHERE GLAZING COMPOUND IS CRACKED, SHRINKING AND/OR DAMAGED BY PAINT REMOVAL PROCESS, PROVIDE NEW TO MATCH EXISTING LEVEL OF EXECUTION AND PRECISION. PREP TO RECEIVE NEW PAINT FINISH. COORDINATE COLOUR WITH DEPARTMENTAL REPRESENTATIVE.
- 7 REFER TO DOOR SCHEDULE/DOOR ELEVATIONS FOR SCOPE OF REPAIRS AND PAINTING.
- 8 REMOVE BUG SCREENS FROM GABLE WINDOWS AND CAREFULLY REMOVE EXISTING PAINT FINISH. REPAIR/REPLACE DAMAGED SCREEN MATERIAL WHERE REQUIRED FRAME. PAINT COLOUR TO MATCH EXISTING; COORDINATE COLOUR WITH DEPARTMENTAL REPRESENTATIVE.
- 9 CAREFULLY REMOVE EXISTING OVER PAINT FROM SANDSTONE AT ALL EXISTING WINDOWS AND DOORS.
- 10 PROVIDE NEW SOLID WOOD FASCIA'S AT SLOPED ROOF EDGES. PROFILE AND DIMENSIONS TO MATCH EXISTING. PAINT FINISH; COLOUR TO BE COORDINATED WITH DEPARTMENTAL REPRESENTATIVE. REFER TO ROOF EDGE DETAIL(S) FOR ADDITIONAL INFORMATION.
- 11 PROVIDE NEW EXTERIOR MOUNTED WOOD FRAMED INSECT SCREEN; FRAME MATERIALS, DIMENSIONS, MOUNTING HARDWARE, AND PROFILE TO MATCH EXISTING GABLE WINDOW SCREENS. PREP FRAME TO RECEIVE PAINT FINISH. COLOUR TO BE COORDINATED WITH DEPARTMENTAL REPRESENTATIVE.
- 12 INSTALL NEW CEDAR SHINGLES; SHINGLES TO BE PRE-FINISHED PRIOR TO INSTALLATION WITH TINTED STAIN. COORDINATE COLOUR WITH DEPARTMENTAL REPRESENTATIVE. SHINGLE PATTERN TO BE DOUBLE COURSE EVERY THIRD ROW. REFER TO DETAILS FOR ADDITIONAL INFORMATION.
- 13 PROVIDE NEW LEAD FLASHINGS AT CHIMNEY PERIMETER; REFER TO DETAILS FOR ADDITIONAL INFORMATION.
- 14 PROVIDE NEW METAL VALLEY FLASHING WHERE ROOFS INTERSECT. REFER TO DETAILS FOR ADDITIONAL INFORMATION. COLOUR TO BE COORDINATED WITH DEPARTMENTAL REPRESENTATIVE.
- 15 PROVIDE NEW SASH CHAINS HINGES AND LATCHING HARDWARE AT INTERIOR OF WINDOWS. MODIFY EXISTING SASHES AND FRAMES AS REQUIRED TO ACCEPT NEW HARDWARE. NEW HARDWARE TO MATCH GENERAL APPEARANCE AND FINISH OF EXISTING ADJACENT. INSTALL SASH CHAINS TO MATCH ADJACENT EXISTING.
- 16 REPAIR EXISTING MASONRY AND AS ASSOCIATED BUILDING ASSEMBLY REQUIRED WHERE ELECTRICAL CONDUIT HAS BEEN REMOVED/RELOCATED. PROVIDE DEPARTMENTAL REPRESENTATIVE WITH REPAIR PROCEDURE PER GENERAL CONSTRUCTION NOTE #20 ON A-0.
- 17 NEW BOARD-AND-BATTEN WOOD SIDING TO MATCH AND BLEND INTO EXISTING WHERE MECHANICAL VENT REMOVED. EXISTING CONDITIONS AND WALL ASSEMBLY TO BE REVIEWED AND DOCUMENTED BY DEPARTMENTAL REPRESENTATIVE PRIOR TO CONSTRUCTION OF INFILL. PROVIDE REPAIR PROCEDURE FOR PROPER REPAIR/INFILL. PAINT ENTIRE GABLE TO MATCH EXISTING; COORDINATE COLOUR WITH DEPARTMENTAL REPRESENTATIVE.
- 18 CAREFULLY REMOVE PAINT FROM GABLE TRIMS ON SITE AND PREP FOR NEW PAINT FINISH, COLOUR TO BE COORDINATED WITH DEPARTMENTAL REPRESENTATIVE.
- 19 CAREFULLY REMOVE WOOD STORM WINDOW AND RETURN TO CLIENT. PREP OPENING TO RECEIVE NEW WOOD WINDOW.
- 20 REMOVE EXISTING SASH CHAINS, ASSOCIATED FASTENERS, TEMPORARILY LATCHES AND HINGES TO FACILITATE CONSERVATION WORK. STORE IN SAFE, DRY LOCATION UNTIL READY FOR RE-INSTALLMENT. CLEAN HARDWARE AS REQUIRED TO REMOVE OVERPAINT AND RUST. RE-INSTALL IN SAME LOCATION AS REMOVED.
- 21 SCARF EXISTING DOOR FRAME AND TRIMS TO REMOVE SPLIT AND ROTTED AREAS AT DOOR THRESHOLD AND PATCH IN NEW MATERIAL TO BE HARDWOOD, SPECIES, DIMENSIONS AND PROFILE TO MATCH EXISTING REMOVED. PATCH AND REPAIR EXISTING FRAME WITH WOOD REPAIR SYSTEM; SEE SPECIFICATIONS.

GENERAL WINDOW ELEVATION NOTES:


1. ALL EXISTING WINDOW SASHES, DOOR PANELS, WINDOW/DOOR FRAMES AND ASSOCIATED WOOD TRIMS TO BE CAREFULLY STRIPPED OF PAINT FINISH ON ALL FACES.
2. WOOD SUBSTRATE OF ALL EXISTING SASHES, DOOR PANELS, WINDOW/DOOR FRAMES AND ASSOCIATED TRIMS TO BE PATCHED, REPAINTED AND RESTORED AS NOTED. REPORT CONDITIONS OF DETERIORATED MATERIALS FOUND DURING PAINT REMOVAL TO DEPARTMENTAL REPRESENTATIVE.
3. ALL PATTERNED, SEMI-OPAQUE AND OR BROKEN GLASS TO BE REPLACED. REFER TO NOTES FOR ADDITIONAL INFORMATION.
4. ALL WINDOWS TO BE FULLY OPERATIONAL. PROVIDE NEW HARDWARE AND INSECT SCREENS AS NOTED. REMOVE EXISTING QUARTER ROUND MOULDING FROM FRAMES AS REQUIRED TO FACILITATE OPERATION OF WINDOWS.



0	ISSUED FOR TENDER	NOV 08 2019
revisions		date
project		projet
REHABILITATION BATH HOUSE FUNDY NATIONAL PARK ALMA, NB ALBERT COUNTY		
drawing		dessin
ELEVATIONS		
designed MJW		conçu
date		
drawn BAB		dessiné
date 1/21/2018		
approved		approuvé
date		
Tender	2019/11/20	Submission
PWOSC Project Manager	Administrateur de projets TPSC	
project number		no. du projet
R.087633.001		
drawing no.		no. du dessin
A-15		




ELEVATION SOUTH
SCALE : 1:50
0m 1m 2m 3m 4m 5m



ELEVATION NORTH
SCALE : 1:50
0m 1m 2m 3m 4m 5m



ELEVATION EAST
SCALE : 1:50
0m 1m 2m 3m 4m 5m



ELEVATION WEST
SCALE : 1:50
0m 1m 2m 3m 4m 5m