



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Réception des soumissions - TPSGC / Bid Receiving
- PWGSC

1550, Avenue d'Estimauville

1550, D'Estimauville Avenue

Québec

Québec

G1J 0C7

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du

fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

TPSGC/PWGSC

601-1550, Avenue d'Estimauville

Québec

Québec

G1J 0C7

Title - Sujet Snowplow Truck / Blanc Sablon	
Solicitation No. - N° de l'invitation T3033-2024KD/A	Date 2019-12-17
Client Reference No. - N° de référence du client T3033-2024KD	
GETS Reference No. - N° de référence de SEAG PW-\$QCN-034-17830	
File No. - N° de dossier QCN-9-42163 (034)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-01-28	Time Zone Fuseau horaire Heure Normale du l'Est HNE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Tremblay, Marial	Buyer Id - Id de l'acheteur qcn034
Telephone No. - N° de téléphone (418) 690-1459 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Transports Canada / Transport Canada Aéroport de Blanc Sablon / Blanc Sablon Airport Route de l'aéroport / Airport Road Lourdes-de-Blanc-Sablon (Québec), Canada G0G 1W0	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) Signature Date	

FOUR WHEEL DRIVE SNOWPLOW TRUCK AND ITS SNOW REMOVAL ACCESSORIES

BLANC SABLON AIRPORT, QUEBEC

TABLE OF CONTENTS (applicable only for the Document 2 of 2)

PART 1 - GENERAL INFORMATION.....	5
1.1 Requirement	5
1.2 Debriefings	5
1.3 Trade Agreements	5
1.4 epost Connect service	5
PART 2 - BIDDER INSTRUCTIONS.....	6
2.1 Standard Instructions, Clauses and Conditions.....	6
2.2 Submission of Bids	6
2.3 Enquiries - Bid Solicitation	7
2.4 Applicable Laws	7
PART 3 - BID PREPARATION INSTRUCTIONS.....	8
3.1 Submit the Bid.....	8
3.1.1 Submit the Bid Electronically	8
3.1.2 Submit the Bid in Hard Copies	8
3.2 Format Instruction for the Preparation of the Bid.....	9
3.2.1 Section I: Technical Bid	9
3.2.2 Section II: Financial Bid	9
3.2.2.1 Electronic Payment of Invoices – Bid.....	9
3.2.3 Section III: Certifications	10

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION 11

4.1	Evaluation Procedures.....	11
4.1.1	Technical Evaluation	11
4.1.1.1	Mandatory Technical Criteria	11
4.1.2	Financial Evaluation	11
4.2	Basis of Selection - Mandatory Technical Criteria.....	11

PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION..... 12

5.1	Certifications Required with the Bid.....	12
5.1.1	Integrity Provisions - Declaration of Convicted Offences	12
5.2	Certifications Precedent to Contract Award and Additional Information.....	12
5.2.1	Integrity Provisions - Required Documentation.....	12
5.2.2	Federal Contractors Program for Employment Equity - Bid Certification.....	13
5.2.3	OEM Certification	13

PART 6 - RESULTING CONTRACT CLAUSES 14

6.1	Requirement	14
6.2	Standard Clauses and Conditions	14
6.2.1	General Conditions.....	14
6.2.1.1	Warranty Period	14
6.2.1.2	Optional Warranty Period.....	15
6.3	Term of Contract.....	16
6.3.1	Period of the Contract.....	16
6.3.2	Delivery Period	16
6.3.3	Training Period	16
6.3.4	Liquidated Damages.....	16
6.4	Authorities	17
6.4.1	Contracting Authority - PWGSC	17
6.4.2	Transport Canada Authorities	17
6.4.2.1	Administrative Authority – Transport Canada	17
6.4.2.2	Technical Authority – Transport Canada	17
6.4.3	Contractor's Representatives	18
6.5	Payment.....	19

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

6.5.1	Basis of Payment - Firm Lot Prices	19
6.5.2	SACC Manual Clauses	19
6.6	Electronic Payment of Invoices – Contract	19
6.7	Invoicing Instructions	20
6.8	Certifications and Additional Information	20
6.8.1	Compliance	20
6.9	Applicable Laws	20
6.10	Priority of Documents	20
6.11	SACC Manual Clauses	21
6.12	Preparation, Delivery, and Unloading	21
6.12.1	Preparation for Delivery	21
6.12.2	Shipping Instructions - Delivery at Destination	21
6.12.3	Delivery and Unloading	22
6.13	Inspection and Acceptance	22
ANNEX A - REQUIREMENT		23
A.1	Introduction	23
A.2	Certification	23
A.3	Dynamometer Report	23
A.4	Cabin Audiometry Certification	23
A.5	Cooling System Certification	23
A.6	Safely Accessing, Entering and Exiting the Cab and Engine Block	24
A.7	Maintenance of Chassis and Auxiliary Engine Fluids	24
A.8	Safety Equipment	24
A.9	Systems	24
A.10	Attachments	24
A.11	Periodic Maintenance Chart	24
A.12	Manuals and CD/DVD/USBkey	25
A.13	Operator and Mechanic Training	25
ANNEX B - MINIMUM PERFORMANCE CHARACTERISTICS OF EQUIPMENT		26

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

ANNEX C - BASIS OF PAYMENT	31
C.1 Pricing	31
C.1.1 Pricing - Truck and Accessories	31
C.1.2 Pricing - Additional Warranty Period	32
C.2 Evaluated Price of the Bid	33
 ANNEX D - MANDATORY TECHNICAL CRITERIA	 34
D.1 Mandatory Technical Criterion # 1 - Minimum Performance Characteristics of Equipment.....	34
 ANNEX E - ELECTRONIC PAYMENT INSTRUMENTS	 45
 ANNEX F - ORIGINAL EQUIPMENT MANUFACTURER (OEM) CERTIFICATION FORM	 46
 ANNEX G - PRESENTATION OF YOUR BID.....	 47
G.1 Check List	47

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under Article 6.1 of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of the World Trade Organization Agreement on Government Procurement (WTO-AGP), the North American Free Trade Agreement (NAFTA), the Canada-European Union Comprehensive Economic and Trade Agreement (CETA), the Canadian Free Trade Agreement (CFTA), Comprehensive and Progressive Agreement for Trans-Pacific Partnership (CPTPP), and the Chile, Colombia, Honduras, Korea, Panama, Peru, Ukraine Trade Agreements with Canada.

1.4 epost Connect service

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2019-03-04) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/1/2003/24>

2.2 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

You can submit your bid:

- (a) By using the epost Connect service provided by Canada Post Corporation (https://www.canadapost.ca/web/en/products/details.page?article=epost_connect_send_a)
The email address of PWGSC Quebec region Bid Receiving Unit is:
TPSGC.RQReceptionSoumissions-QRSupplyTendersReception.PWGSC@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions 2003, or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

- (b) by fax transmission number: 418-648-2209; or
(c) by mail at the following address:

Bid Receiving Unit
Public Works and Government Services Canada (PWGSC)
1550 D'Estimauville Avenue
Quebec City, Quebec, Canada, G1J 0C7

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec, Canada.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Submit the Bid

3.1.1 Submit the Bid Electronically

If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I:	Technical Bid
Section II:	Financial Bid
Section III:	Certifications

3.1.2 Submit the Bid in Hard Copies

If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I:	Technical Bid (3 hard copies)
Section II:	Financial Bid (1 hard copy)
Section III:	Certifications (1 hard copy)

If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

3.2 Format Instruction for the Preparation of the Bid

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

1. use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
2. use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

3.2.1 Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

3.2.2 Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

3.2.2.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete [Annex E - Electronic Payment Instruments](#), to identify which ones are accepted.

If [Annex E - Electronic Payment Instruments](#) is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

Solicitation No. - N° de l'invitation

T3033-2024KD/A

Amd. No. - N° de la modif.

File No. - N° du dossier

Client Ref. No. - N° de réf. du client

T3033-2024KD

Buyer ID - Id de l'acheteur

qcn034

CCC No./N° CCC - FMS No./N° VME

QCN-9-42163

3.2.3 Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

Mandatory technical criteria are included in Annex D.

4.1.2 Financial Evaluation

1. Bidders must submit firm prices, customs duties and excise taxes included, and Applicable Taxes excluded.
2. Unless the bid solicitation specifically requires bids to be submitted in Canadian currency, bids submitted in foreign currency will be converted to Canadian currency for evaluation purposes. The rate given by the Bank of Canada in effect on the bid solicitation closing date, or on another date specified in the bid solicitation, will be applied as a conversion factor to the bids submitted in foreign currency.
3. Bidders must provide prices Delivered Duty Paid (DDP), **Transport Canada, Blanc Sablon Airport, Airport Road, Lourdes-de-Blanc-Sablon, Québec, Canada G0G 1W0**, Incoterms 2010 for shipments from a commercial contractor. Bids will be assessed on a DDP basis.

4.2 Basis of Selection - Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price **(the evaluated price will be equal to the sum of the two sections C.1.1 + C.1.2 of Annex C, as added in section C.2)** will be recommended for award of a contract.

PART 5 - CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, if applicable, the declaration form available on the Forms for the Integrity Regime website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions - Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the Ineligibility and Suspension Policy (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the Employment and Social Development Canada (ESDC) - Labour's website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

5.2.3 OEM Certification

- (a) Any Bidder that is not the Original Equipment Manufacturer (OEM) for every item of hardware proposed as part of its bid is required to submit the OEM's certification (**Annex F**) regarding the Bidder's authority to provide and maintain the OEM's hardware, which must be signed by the OEM (not the Bidder). No Contract will be awarded to a Bidder who is not the OEM of the hardware it proposes to supply to Canada, unless the OEM certification has been provided to Canada. Bidders are requested to use the OEM Certification Form (**Annex F**) included with the bid solicitation. Although all the contents of the OEM Certification Form are required, using the form itself to provide this information is not mandatory. For Bidders/OEMs who use an alternate form, it is in Canada's sole discretion to determine whether all the required information has been provided.
- (b) If the hardware proposed by the Bidder originates with multiple OEMs, a separate OEM certification is required from each OEM.
- (c) For the purposes of this bid solicitation, OEM means the manufacturer of the hardware, as evidenced by the name appearing on the hardware and on all accompanying documentation.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

Notice: Numbering will be revised at contract award

6.1 Requirement

The Contractor must provide one (1) four wheel drive snowplow truck and its snow removal accessories, in accordance with the Requirement at Annex A.

6.2 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.2.1 General Conditions

2010A (2018-06-21), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/3/2010A/18>

6.2.1.1 Warranty Period

Section 09 entitled Warranty of General Conditions 2010A (2018-06-21) is amended as follows:

1. At subsection 1, the warranty period of ~~12 months~~ is replaced by a warranty period of 60 months.
2. Delete subsection 2 in its entirety and replace with the following:

The Contractor must pay the transportation cost associated with returning the Work or any part of the Work to the Contractor's plant for replacement, repair or making good. The Contractor must also pay the transportation cost associated with forwarding the replacement or returning the Work or part of the Work when rectified to the to the delivery point specified in the Contract or to another location as directed by Canada. If, in the opinion of Canada, it is not expedient to remove the Work from its location, the Contractor must carry out any necessary repair or making good of the Work at that location. In such cases, the

Contractor will be responsible for all Costs (including travel and living expenses) incurred in so doing, Canada will not reimburse these Costs.

If action to effect repairs under warranty cannot be initiated within three (3) working days and completed within a reasonable length of time or if the Contractor has no repair facilities in the immediate vicinity (within 100 kilometres) of the specified delivery destinations (consignees), Canada reserves the right to make such repairs and be reimbursed by the Contractor at the rate of \$110 per hour for labour and the cost for replaced parts.

3. The Contractor shall provide detailed information on the current manufacturer's warranty for the vehicle/equipment and components that exceed the minimum guarantee period specified in the contract. Additional standard warranty from the manufacturer of components/subset of the original equipment manufacturer will be part of the contract.

All other provisions of the warranty section remain in effect.

6.2.1.2 Optional Warranty Period

The Contractor grants to Canada the irrevocable option to acquire an additional warranty period of 36 months, as described in section C1.2 of Annex C of the Contract under the same conditions and at the prices and/or rates stated in the Contract. The option may only be exercised by the Contracting Authority and will be evidenced, for administrative purposes only, through a contract amendment.

The Contracting Authority may exercise the option at any time before June 30, 2021 by sending a written notice to the Contractor.

6.3 Term of Contract

6.3.1 Period of the Contract

The period of the Contract is from date of Contract to June 30, 2021.

6.3.2 Delivery Period

All the deliverables except training must be received within a period of three hundred and fifty (350) calendar days after the contract is awarded.

6.3.3 Training Period

The training must have been given no later than 3 weeks after the delivery of goods.

6.3.4 Liquidated Damages

1. If the Contractor fails to deliver the goods and perform the services within the time specified in the Contract, the Contractor agrees to pay to Canada liquidated damages in the amount of \$500.⁰⁰ for each calendar day of delay. The total amount of the liquidated damages must not exceed 10 percent of the contract price.
2. Canada and the Contractor agree that the amount stated above is their best pre-estimate of the loss to Canada in the event of such a failure, and that it is not intended to be, nor is it to be interpreted as, a penalty.
3. Canada will have the right to hold back, drawback, deduct or set off from and against the amounts of any monies owing at any time by Canada to the Contractor, any liquidated damages owing and unpaid under this section.
4. Nothing in this section must be interpreted as limiting the rights and remedies which Canada may otherwise have under the Contract.

6.4 Authorities

6.4.1 Contracting Authority - PWGSC

The Contracting Authority for the Contract is:

Name: Marial Tremblay
Title: Supply specialist
Telephone: 418-690-1459
E-mail address: Marial.Tremblay@pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.4.2 Transport Canada Authorities

6.4.2.1 Administrative Authority – Transport Canada

For all information related to invoicing and/or payments you may communicate with:

(to be completed at contract award by PWGSC)

Name: _____
Title: _____
Telephone No.: _____
Facsimile No.: _____
E-mail Address: _____

6.4.2.2 Technical Authority – Transport Canada

The Technical Authority for the Contract is:

(to be completed at contract award by PWGSC)

Name: _____
Title: _____
Telephone No.: _____
Facsimile No.: _____
E-mail Address: _____

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

The Technical Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.4.3 Contractor's Representatives

Name and telephone number of the person responsible for :

(a) Contract Manager:

Name: _____
Title: _____
Telephone No.: _____
Facsimile No.: _____
E-mail Address: _____

(b) Delivery and Training Follow up:

Name: _____
Title: _____
Telephone No.: _____
Facsimile No.: _____
E-mail Address: _____

(c) After-sales service:

The following dealer and/or agent is authorized to provide after sales service, maintenance and warranty repairs; and a full range of repair parts for the vehicle/equipment offered:

Distance between the delivery location and the dealer and/or agent: _____ km

Name: _____
Title: _____
Telephone No.: _____
Facsimile No.: _____
E-mail Address: _____

6.5 Payment

6.5.1 Basis of Payment - Firm Lot Prices

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid the firm lot prices, as specified in Annex C for a cost of \$_____ (to be completed at contract award by PWGSC). Customs duties are included, and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.5.2 SACC Manual Clauses

Number	Date	Title
C2000C	2007-11-30	Taxes - Foreign-based Contractor https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/C/C2000C/1
H1001C	2008-05-12	Multiple Payments https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/H/H1001C/2

6.6 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

(to be completed at contract award by PWGSC).

- Visa Acquisition Card;
- MasterCard Acquisition Card;
- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only).

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:

The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec, Canada.

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2018-06-21), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Minimum Performance Characteristics of Equipment;
- (e) Annex C, Basis of Payment; and
- (f) the Contractor's bid dated _____ (to be completed at contract award by PWGSC).

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

6.11 SACC Manual Clauses

Number	Date	Title
A1009C	2008-05-12	Work Site Access https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/A/A1009C/2
A9049C	2011-05-16	Vehicle Safety https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/A/A9049C/2
A9068C	2010-01-11	Government Site Regulations https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/A/A9068C/2
G1005C	2016-01-28	Insurance - No Specific Requirement https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual/5/G/G1005C/3

6.12 Preparation, Delivery, and Unloading

6.12.1 Preparation for Delivery

1. The vehicle/equipment shall be serviced, adjusted and delivered in condition for immediate use. The interior and exterior must be cleaned before leaving the factory and being released to the inspection authority or consignee at the final delivery location.
2. All vehicles/equipment are to be delivered by appointment only. Any attempt by the carrier to deliver the vehicles/equipment without an appointment may be refused. When the carrier is required to return due to its failure to make an appointment for delivery, Canada will not be liable, to pay for any additional costs.
3. If transportation is by boat, the vehicles/equipment shall be packaged adequately. Although the transportation is done in part by boat, the Contractor remains responsible for delivering vehicle/equipment to the destination specified in the following clause.

6.12.2 Shipping Instructions - Delivery at Destination

Goods must be consigned to the destination specified in the Contract and delivered Delivered Duty Paid (DDP):

Transport Canada
Blanc Sablon Airport
Airport Road
Lourdes-de-Blanc-Sablon, Québec, Canada
G0G 1W0

Incoterms 2010 for shipments from a commercial contractor.

Solicitation No. - N° de l'invitation

T3033-2024KD/A

Amd. No. - N° de la modif.

File No. - N° du dossier

QCN-9-42163

Buyer ID - Id de l'acheteur

qcn034

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

6.12.3 Delivery and Unloading

Delivery trucks must be equipped with an unloading device which will permit unloading at sites with no hydraulic, stationary or other type of unloading facility.

6.13 Inspection and Acceptance

The Technical Authority or his representative is the Inspection Authority. All reports, deliverable items, documents, goods and all services rendered under the Contract are subject to inspection by the Inspection Authority or representative. Should any report, document, good or service not be in accordance with the requirements of the Equipment Specifications and to the satisfaction of the Inspection Authority, as submitted, the Inspection Authority will have the right to reject it or require its correction at the sole expense of the Contractor before recommending payment.

ANNEX A - REQUIREMENT

A.1 Introduction

Transport Canada requires the supply and delivery of a snowplow truck that will be used in an airport environment. The truck must be delivered to the Blanc Sablon airport.

- ✓ The truck must meet all of the minimum performance characteristics of equipment described in Annex B.

A.2 Certification

The certificates must indicate the equipment model and where the components and parts were installed (ex. Engine, transmission). They must also confirm that the manufacturer's components are certified and approved for the equipment's applications. The certificates must be provided after the contract is granted but before the delivery of the equipment. A letter certifying the compliance will be accepted.

A.3 Dynamometer Report

The dynamometer test must include a minimum 20 minute engine test, at minimum 90% the output force. The test must also include the equipment's serial number. This sample will check that such testing is the manufacturer's standard practice. The factory test will be receivable and will be accepted. The report will be provided after the contract is granted but before the delivery of the equipment.

A.4 Cabin Audiometry Certification

The cab will be completely closed, thermally insulated and soundproof (85 decibels and under, as certified by an audiometric test conducted at 6" from the driver's ears while the vehicle is running at full capacity). The audiometry certificate will be provided after the contract is granted but before the delivery of the equipment.

A.5 Cooling System Certification

The Contractor must provide a certificate and proof of testing, signed and dated by the engine manufacturer, certifying that the cooling system offers excellent cooling capacity at an ambient temperature up to 115° C when operated at maximum force. The certification must be equal or superior to the force number indicated in this document. The certificate must be provided after the contract is granted but before the delivery of the equipment.

A.6 Safely Accessing, Entering and Exiting the Cab and Engine Block

The chassis will be designed for safe and easy access as well as the unit's disassembly by operators and personnel. The sheet metal, hood, steps and shock absorbers will not have any edges or sharp corners and will include braces and supports to prevent deformation and fissures. The handles will be installed by the personnel, as required for safe assembly and disassembly.

A.7 Maintenance of Chassis and Auxiliary Engine Fluids

In order to lighten the maintenance work, a drain system is required on the side of the vehicle. The system must include valves and hoses to drain the operational fluids. Hose accesses must be identified and installed for the chassis radiator, cooling system, auxiliary engine oil, fan case, the main fan's hydraulic tank and the servomotor oil.

A.8 Safety Equipment

The Contractor must provide the necessary safety equipment (at least one fire extinguisher and one safety triangle).

A.9 Systems

The proposed equipment must include all the hydraulic, pneumatic, mechanical, electrical and electronic systems and the controls necessary for the equipment's proper operation, according to the technical requirements.

A.10 Attachments

The contractor must include all the attachments required for the proposed equipment's proper operation.

A.11 Periodic Maintenance Chart

Provide an abbreviated maintenance list for the equipment that clearly indicates the maintenance to be performed periodically and how often they should be conducted. The list must indicate all the maintenance to be done and all the parts to be changed and when to do so.

A.12 Manuals and CD/DVD/USBkey

- a. Parts manual: two (2) hard copies per piece of equipment and the manual must list each part individually; [in English and/or in French or in both languages if available](#).
- b. Spare parts manual provided by a manufacturer: two (2) hard copies per piece of equipment, including the major parts [in English and/or in French or in both languages if available](#).
- c. Operator's manual: two (2) hard copies per piece of equipment; [in English and/or in French or in both languages if available](#).
- d. CD/DVD or USB Key for each piece of equipment: the CD/DVD or USB key must show the operations, adjustment sequences and daily maintenance required on this equipment.
- e. Furthermore, the contractor must mention if the maintenance manuals and parts lists are available on the Internet. If so, the contractor must provide the passwords to access the manufacturer's site.

A.13 Operator and Mechanic Training

The contractor must train Transport Canada's personnel at the Blanc Sablon airport. This training period will be equivalent one (1) eight (8) hour work shift during the day, in English. The instructor must be certified by the manufacturer. The training will address the proper and safe operation of the equipment. This training must be provided at the latest three (3) weeks after the delivery of the equipment.

ANNEX B - MINIMUM PERFORMANCE CHARACTERISTICS OF EQUIPMENT

The minimum performance characteristics of equipment listed in this annex are, first and foremost, the minimum requirements and do not constitute an exhaustive list.

Any characteristics of equipment required for operation of the equipment and not described in this annex are an integral part of the equipment and their cost is included in the contract value.

Table of Annex B - Minimum Performance Characteristics of Equipment		
1	Four wheel drive snowplow truck:	
	1.1	Minimum 150 inch and maximum 185 inch wheelbase.
	1.2	Double chassis frame side rails.
	1.3	Engine: <ul style="list-style-type: none"> • six (6) cylinder, • diesel, • minimum of 380 HP with 1900 (lb-ft) torque. • Engine brake not required.
	1.4	4500RDS 6-speed Allison Automatic transmission serie.
	1.5	Fabco TC-170 transfer case or approved equivalent and <ul style="list-style-type: none"> • a four-wheel drive position light in the dashboard.
	1.6	The coolant must offer protection up to -40°C.
	1.7	Must have a radiator cover approved by the manufacturer.
	1.8	Must have an engine heater.
	1.9	Front axle with a minimum capacity of 22 000 lbs.
	1.10	Rear axle with a minimum capacity of 23 000 lbs, <ul style="list-style-type: none"> • with a differential that can be locked by the driver.
	1.11	Rear suspension with air and auxiliary spring.
	1.12	Four wheeled vehicle.
	1.13	Four (4) tires must be Snowplus tires 445/65R with a height of 22.5 inches <ul style="list-style-type: none"> • with a spare tire on a rim.

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

Table of Annex B - Minimum Performance Characteristics of Equipment

1.14	Tubeless tire.
1.15	Minimum 280 litre fuel tank <ul style="list-style-type: none"> with the filling of the driver side
1.16	Four (4) Delco 1150 series batteries or approved equivalent with a starting current in cold weather of at least 3 600 amperes.
1.17	An alternator of at least 160 amperes, 12 volts.
1.18	Automatic greasing system. <ul style="list-style-type: none"> Provide the filler tool required.
1.19	Maximum height (including accessories) must not exceed 11.5 feet (138 inches).
1.20	Must be provided with electrical, hydraulic or pneumatic control in the cabin for the front plow
1.21	The equipment must be painted in orange. Urethane based paint: <ul style="list-style-type: none"> Dupont Industrial coating: 3216; or Orange Inter: 3013; or Sico : 585-762; or Chevy Orange (Barnes banner).
1.22	Air brakes must be S-Cam type front and rear.
1.23	Provide and install a Fifth Wheel tie at the back, <ul style="list-style-type: none"> four (4) feet high between the finished floor and the top plate.
1.24	Truck with a maximum total length of 33 feet from the front of the trailer at the back of the Fifth Wheel (accessories included).
1.25	Provide and install a Runaway Sweeper Broom (TENCO type SW324D) Harness from the Fifth Wheel to the inside of the cabin.
1.26	Provide three (3) complete sets of all air and oil filters.
1.27	Provide two (2) complete sets of all straps.

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

Table of Annex B - Minimum Performance Characteristics of Equipment		
2	Seasons dump body designed for:	
	2.1	Install a 4-season dump body: <ul style="list-style-type: none"> • of 142 ½ inches long, • by 97 inches wide, and • 48 inches tall.
	2.2	The body shall be provided:
	2.2.1	with a tailgate with two (2) locking tabs
	2.2.2	and opening adjustment channels.
	2.2.3	The hydraulic jack tipping the dump body must be telescopic and anti-corrosion.
	2.3	Simple operation, durability and low maintenance.
	2.4	Resistant to impact and corrosion; therefore treated or painted according to industry standards.
	2.5	Central Lubrication System.
	2.6	Tilting rear door with opening on the driver side; therefore hinges on the passenger side.
	2.7	Access Ladder.
3	Cabin:	
	3.1	Air conditioning.
	3.2	The cab will be made of aluminum for protection against rust since the vehicle will be used in the seaside, with abrasives and stored outside.
	3.3	The cabin heating must be able to maintain a temperature of 20°C when the outside temperature is -40°C.
	3.4	Heavy-duty intermittent wipers.
	3.5	Electric windows on the two (2) sides.
	3.6	Air suspension in the cab.
	3.7	Power mirrors, heated.

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

Table of Annex B - Minimum Performance Characteristics of Equipment		
	3.8	Adjustable steering wheel.
	3.9	Tinted windows with a sunshade.
	3.10	Electric horn and air horn.
	3.11	Heated fabric-covered seat on the driver's side (air ride).
	3.12	Fabric-covered seat on the passenger's side.
	3.13	Mobile VHF air band transceiver with exterior antenna (model TIL-90-6R or TMS-100).
	3.14	Car stereo or AM/FM audio system.
	3.15	Option of the air intake inside the hood.
4	Snow Removal Accessories:	
	4.1	Supply and install a snow plow:
	4.1.1	of 144 inches long by 54 inches high,
	4.1.2	tilting from left to right with three (3) carbide blade.
	4.1.3	Have a minimum of two adjustable carbide wear shoes.
	4.1.4	Have a nylon reinforced baffle with a maximum of 12 inches, bolted at the top.
	4.1.5	Install bright colored stems on each side.
	4.2	Provide and install two (2) side plow (driver and passenger sides):
	4.2.1	of 144 inches in length.
	4.2.2	Entrance of the plow 28 inches high and 38 inches output.
	4.2.3	With steel blade carbide incorporated in the moldboard.
	4.2.4	The blade should have a minimum of 2 inches of continuous wear.
	4.2.5	Have a minimum of two adjustable carbide wear shoes for each side plow.
	4.2.6	Install bright colored stems on each side.
	4.3	Minimum 30 degree inclination to the left or right.

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

Table of Annex B - Minimum Performance Characteristics of Equipment		
	4.4	Raising system built into the snow scraper.
	4.5	Quick coupling on the front scraper, if possible "Côté et fils" (HR300) brand
	4.6	Auxiliary lights on the truck (off road lights - 150 watts each).
	4.7	Target-Tech phase II Heavy Duty revolving light or approved equivalent.
	4.8	LED light, mounted on independent switch, on each side to illuminate the wings.
	4.9	LED light on the roof mounted on independent switch.
	4.10	Supply and install the complete towing connections, including: <ul style="list-style-type: none"> the electric and pneumatic connections at the very back of the frame, including the relief valve for the vehicle's pneumatic circuit.
	4.11	Provide two (2) sets of spare blades and wear shoes with bolts for the 144 inches snow plow.
	4.12	Provide four (4) sets of spare blades and wear shoes with bolts for the 144 inches side plows.

ANNEX C - BASIS OF PAYMENT

C.1 Pricing

- (a) Before submitting prices, please refer to clause **6.5 Payment** where it is mentioned, inter alia, that applicable taxes are not included in the prices.
- (b) In addition, refer to Annex A first, then to Annex B according to the sections specified in each item of the tables of this annex.

C.1.1 Pricing - Truck and Accessories

Please indicate the brand name and model of the product offered and complete the last column of the following table:

Table of Annex C - Basis of Payment		
Item	Description	Firm Lot Price
1	Four wheel drive snowplow truck and its snow removal accessories: <ul style="list-style-type: none"> Brand Name Offered: _____ Model Offered: _____ As per sections A.6 to A.10 of Annex A; and As per the minimum performance characteristics of equipment listed in Annex B. 	\$
2	Certifications and report <ul style="list-style-type: none"> As per sections A.2 to A.5 of Annex A. 	\$
3	Manuals and CD/DVD/USBkey and periodic maintenance chart <ul style="list-style-type: none"> As per section A.11 and A.12 of Annex A. 	\$

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

Table of Annex C - Basis of Payment		
Item	Description	Firm Lot Price
4	Preparation, delivery, and unloading ➤ Blanc Sablon Airport • Goods delivered to the destination indicated in clause 6.12 Preparation, Delivery, and Unloading of this document.	\$
5	Operator and mechanic training charges; training of eight (8) hours, on-site, at: ➤ Blanc Sablon Airport • As per clause 6.3.3 Training Period of this document and section A.13 of Annex A; and • labour, equipment, travel and living expenses included.	\$
6	Warranty period of 60 months ➤ Blanc Sablon Airport ➤ As per clauses 6.2.1.1 Warranty Period of this document.	\$
Contract Value:		\$

C.1.2 Pricing - Additional Warranty Period

- (a) Before submitting your price, please refer to clause **6.2.1.2 Optional Warranty Period**.
- (b) Please complete the last column of the following table:

Item	Description	Firm Lot Price
7	Additional warranty period of 36 months	\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

C.2 Evaluated Price of the Bid

- (a) The evaluated bid price will include the price of the optional warranty period. Please refer to clause **4.2 Basis of Selection - Mandatory Technical Criteria**.
- (b) For evaluation purpose only, the evaluated price of each bid will be equal to the sum of the two sections C.1.1 + C.1.2 of this annex as follows:

Section	Title	Total
C.1.1	Pricing - Truck and Accessories	\$
C.1.2	Pricing - Optional Warranty Period	\$
Evaluated Price*:		\$

*Bidders are encouraged to complete the table above to determine the evaluated price of their bid.

ANNEX D - MANDATORY TECHNICAL CRITERIA

The bid must meet the mandatory technical criteria specified in this annex. Bidders must provide the necessary documentation to support compliance with this requirement.

Bids which fail to meet the mandatory technical criteria will be declared non-responsive. Each mandatory technical criterion should be addressed separately.

D.1 Mandatory Technical Criterion # 1 - Minimum Performance Characteristics of Equipment

Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B.

1. At the bid closing date, the offered products will be evaluated on the minimum performance characteristics of equipment listed in the table of this annex.
 - (a) For some of the characteristics to evaluate, we ask Bidders to specify if the performance characteristics of their offered product are compliant or non-compliant.
 - (b) For all other characteristics, we require that Bidders provide a proof of compliance. On these characteristics, simply stating that the offered product complies or that it meets the minimum performance characteristics of equipment is not enough.

To demonstrate that their products meet all the minimum performance characteristics of equipment, Bidders must submit bid, proofs of compliance:

- Proof of compliance is defined as a document, such as a brochure and/or technical literature and/or a user manual, and/or a drawing, and/or a blueprint, and/or a third party test report provided by a nationally and/or internationally recognized testing facility and/or a report generated by a nationally and/or internationally recognized third party software.

The proofs of compliance must provide sufficient detail and explanation to allow evaluation and demonstrate that the minimum performance characteristics of equipment are met.

2. Bidders should complete the last column of the table of this annex according to the Instructions to Bidders listed in the table. When proofs of compliance are required, Bidders should indicate where in the bid the reference material can be found, including the title of the technical documents, as well as the page numbers.

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

3. If the table in this annex is not completed by the Bidders, the bid evaluation team will use the technical documents attached to their bid to evaluate their products offered.

Canada will evaluate only the documentation provided with a bidder's bid. Canada will not evaluate information such as references to Web site addresses where additional information can be found, or technical manuals or brochures not submitted with the bid.

Table of Annex D - Mandatory Technical Criteria				
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders		
		Information about the product offered: ↓		
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:	
1	Four wheel drive snowplow truck:			
1.1	Minimum 150 inch and maximum 185 inch wheelbase.	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____	
1.2	Double chassis frame side rails.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
1.3	Engine: <ul style="list-style-type: none"> • six (6) cylinder, • diesel, • minimum of 380 HP with 1900 (lb-ft) torque. • Engine brake not required. 	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____	
1.4	4500RDS 6-speed Allison Automatic transmission serie.	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____	

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria

Table of Annex D - Mandatory Technical Criteria			
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders	
		Information about the product offered: ↓	
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:
1.5	Fabco TC-170 transfer case or approved equivalent and <ul style="list-style-type: none"> a four-wheel drive position light in the dashboard. 	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.6	The coolant must offer protection up to -40°C.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.7	Must have a radiator cover approved by the manufacturer.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.8	Must have an engine heater.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.9	Front axle with a minimum capacity of 22 000 lbs.	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____
1.10	Rear axle with a minimum capacity of 23 000 lbs, <ul style="list-style-type: none"> with a differential that can be locked by the driver. 	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____
1.11	Rear suspension with air and auxiliary spring.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.12	Four wheeled vehicle.	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria

Table of Annex D - Mandatory Technical Criteria			
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders	
		Information about the product offered: ↓	
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:
1.13	Four (4) tires must be Snowplus tires 445/65R with a height of 22.5 inches <ul style="list-style-type: none"> with a spare tire on a rim. 	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.14	Tubeless tire.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.15	Minimum 280 litre fuel tank <ul style="list-style-type: none"> with the filling of the driver side 	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.16	Four (4) Delco 1150 series batteries or approved equivalent with a starting current in cold weather of at least 3 600 amps	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.17	An alternator of at least 160 amperes, 12 volts.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.18	Automatic greasing system. <ul style="list-style-type: none"> Provide the filler tool required. 	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.19	Maximum height (including accessories) must not exceed 11.5 feet (138 inches).	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____
1.20	Must be provided with electrical, hydraulic or pneumatic control in the cabin for the front plow	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria

Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders	
		Information about the product offered: ↓	
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:
1.21	The equipment must be painted in orange. Urethane based paint: <ul style="list-style-type: none"> Dupont Industrial coating: 3216; or Orange Inter: 3013; or Sico : 585-762; or Chevy Orange (Barnes banner). 	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.22	Air brakes must be S-Cam type front and rear.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.23	Provide and install a Fifth Wheel tie at the back, <ul style="list-style-type: none"> four (4) feet high between the finished floor and the top plate. 	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.24	Truck with a maximum total length of 33 feet from the front of the trailer at the back of the Fifth Wheel (accessories included).	Provide <u>proof of compliance</u> as required in mandatory technical criterion D.1	Title: _____ Page: _____
1.25	Provide and install a Runaway Sweeper Broom (TENCO type SW324D) Harness from the Fifth Wheel to the inside of the cabin.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.26	Provide three (3) complete sets of all air and oil filters.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
1.27	Provide two (2) complete sets of all straps.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria				
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders		
		Information about the product offered: ↓		
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:	
2	Seasons dump body designed for:			
2.1	Install a 4-season dump body of: <ul style="list-style-type: none"> 142 ½ inches long, by 97 inches wide, and 48 inches tall. 		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	
2.2	The body shall be provided:		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	
2.2.1	with a tailgate with two (2) locking tabs		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	
2.2.2	and opening adjustment channels.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	
2.2.3	The hydraulic jack tipping the dump body must be telescopic and anti-corrosion.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	
2.3	Simple operation, durability and low maintenance.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	
2.4	Resistant to impact and corrosion; therefore treated or painted according to industry standards.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	
2.5	Central Lubrication System.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	
			YES ____ compliant NON ____ compliant	

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria				
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders		
		Information about the product offered: ↓		
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:	
2.6	Tilting rear door with opening on the driver side; therefore hinges on the passenger side.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
2.7	Access Ladder.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
3	Cabin:			
3.1	Air conditioning.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
3.2	The cab will be made of aluminum for protection against rust since the vehicle will be used in the seaside, with abrasives and stored outside.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
3.3	The cabin heating must be able to maintain a temperature of 20°C when the outside temperature is -40°C.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
3.4	Heavy-duty intermittent wipers.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
3.5	Electric windows on the two (2) sides.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	
3.6	Air suspension in the cab.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ____ compliant NON ____ compliant	

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria

Table of Annex D - Mandatory Technical Criteria			
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders	
		Information about the product offered: ↓	
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:
3.7	Power mirrors, heated.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.8	Adjustable steering wheel.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.9	Tinted windows with a sunshade.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.10	Electric horn and air horn.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.11	Heated fabric-covered seat on the driver's side (air ride).	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.12	Fabric-covered seat on the passenger's side.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.13	Mobile VHF air band transceiver with exterior antenna (model TIL-90-6R or TMS-100).	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.14	Car stereo or AM/FM audio system.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
3.15	Option of the air intake inside the hood.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria				
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders		
		Information about the product offered: ↓		
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:	
4	Snow Removal Accessories:			
4.1	Supply and install a snow plow:		YES ___ compliant NON ___ compliant	
4.1.1	of 144 inches long by 54 inches high,	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant	
4.1.2	tilting from left to right with three (3) carbide blades.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant	
4.1.3	Have a minimum of two adjustable carbide wear shoes.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant	
4.1.4	Have a nylon reinforced baffle with a maximum of 12 inches, bolted at the top.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant	
4.1.5	Install bright colored stems on each side.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant	
4.2	Provide and install two (2) side plow (driver and passenger sides):		YES ___ compliant NON ___ compliant	
4.2.1	of 144 inches in length.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant	
4.2.2	Entrance of the plow 28 inches high and 38 inches output.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant	

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria

Table of Annex D - Mandatory Technical Criteria				
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders		
		Information about the product offered: ↓		
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:	
	4.2.3	With steel blade carbide incorporated in the moldboard.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
	4.2.4	The blade should have a minimum of 2 inches of continuous wear.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
	4.2.5	Have a minimum of two adjustable carbide wear shoes for each side plow.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
	4.2.6	Install bright colored stems on each side.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.3	Minimum 30 degree inclination to the left or right.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.4	Raising system built into the snow scraper.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.5	Quick coupling on the front scraper, if possible "Côté et fils" (HR300) brand		Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.6	Auxiliary lights on the truck (off road lights - 150 watts each).		Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.7	Target-Tech phase II Heavy Duty revolving light or approved equivalent.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.8	LED light, mounted on independent switch, on each side to illuminate the wings.		Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant

T3033-2024KD/A

qcn034

T3033-2024KD

QCN-9-42163

Table of Annex D - Mandatory Technical Criteria			
Bidders must propose products meeting all minimum performance characteristics of equipment required in Annex B and reproduced word for word hereafter: ↓		To be completed by Bidders	
		Information about the product offered: ↓	
		Instructions to Bidders for each of the characteristics of the product offered:	Title and page of the technical documents:
4.9	LED light on the roof mounted on independent switch.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.10	Supply and install the complete towing connections, including: <ul style="list-style-type: none"> the electric and pneumatic connections at the very back of the frame, including the relief valve for the vehicle's pneumatic circuit 	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.11	Provide two (2) sets of spare blades and wear shoes with bolts for the 144 inches snow plow.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant
4.12	Provide four (4) sets of spare blades and wear shoes with bolts for the 144 inches side plows.	Please specify if compliant or non-compliant; if non-compliant, specify on what?	YES ___ compliant NON ___ compliant

Solicitation No. - N° de l'invitation

T3033-2024KD/A

Client Ref. No. - N° de réf. du client

T3033-2024KD

Amd. No. - N° de la modif.

File No. - N° du dossier

QCN-9-42163

Buyer ID - Id de l'acheteur

qcn034

CCC No./N° CCC - FMS No./N° VME

ANNEX E - ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- ☐ VISA Acquisition Card;
- ☐ MasterCard Acquisition Card;
- ☐ Direct Deposit (Domestic and International);
- ☐ Electronic Data Interchange (EDI);
- ☐ Wire Transfer (International Only).

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

ANNEX F - ORIGINAL EQUIPMENT MANUFACTURER (OEM) CERTIFICATION FORM

Original Equipment Manufacturer (OEM) Certification Form	
This confirms that the original equipment manufacturer (OEM) identified below has authorized the Bidder named below to provide and maintain its products under any contract resulting from the bid solicitation identified below.	
Name of OEM	
Signature of authorized signatory of OEM:	
Print Name of authorized signatory of OEM:	
Print Title of authorized signatory of OEM:	
Address for authorized signatory of OEM:	
Telephone no. for authorized signatory of OEM:	
Fax no. for authorized signatory of OEM:	
Date signed:	
Solicitation Number:	
Name of Bidder:	

ANNEX G - PRESENTATION OF YOUR BID

G.1 Check List

Below is a checklist of the contents of your bid. This list is not an exhaustive list; it remains the Bidder's responsibility to prepare its bid in accordance with the instructions contained in the Request For Proposal (RFP) and provide a comprehensible and sufficiently detailed bid, including all requested pricing details that will permit a complete evaluation in accordance with the criteria set out in the RFP.

Table of Annex G - Presentation of Your Bid	
Pagination of <u>Document 1 of 2</u> (document of only 1 page)	
Page 1	Bidders should include with their bid, the first sheet of this RFP properly completed and signed. Refer to 2003 Standard Instructions mentioned in clause 2.1 Standard Instructions, Clauses and Conditions .
Pagination of <u>Document 2 of 2</u> (document of 48 pages)	
Page 6	Bidders must submit their bid only to the address indicated in clause 2.2 Submission of Bids .
Page 11	Bidders must pay attention on how bids will be evaluated and the winning bid selected. Refer to Part 4 - Evaluation Procedures and Basis of Selection
Page 12	<u>Applicable only if an offence has been committed</u> Bidders must provide with their bid the required documentation as indicated Clause 5.1.1 Integrity Provisions - Declaration of Convicted Offences .
Page 12	Bidders must provide with their bid or promptly thereafter a list of names as indicated in clause 5.2.1 Integrity Provisions - Required Documentation . ➤ Please refer to section " 17. Information to be provided when bidding, contracting or entering into a real property agreement " of the following Web site: http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

T3033-2024KD/A

qcn034

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

T3033-2024KD

QCN-9-42163

Table of Annex G - Presentation of Your Bid	
Pages 13 and 46	Bidders must read Certification 5.2.3 OEM Certification and should include with their bid, Annex F - Original Equipment Manufacturer (OEM) Certification Form duly completed.
Page 18	Bidders should submit with their bid, clause 6.4.3 Contractor's Representatives duly completed.
Pages 31 to 33	Bidders must include with their bid, Annex C - Basis of Payment duly completed.
Pages 34 to 44	Bidders must include with their bid, the necessary documentation to support compliance with the mandatory technical criteria and should include with their bid, Annex D - Mandatory Technical Criteria duly completed.
Page 45	Bidders should submit with their bid, Annex E - Electronic Payment Instruments duly completed.