



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Electrical & Electronics Products Division
L'Esplanade Laurier
East Tower, 4th floor,
Ottawa
Ontario
K1A 0S5

Title - Sujet FDS/GLASS BREAK DETECTORS/PIDS	
Solicitation No. - N° de l'invitation 21120-192596/A	Amendment No. - N° modif. 006
Client Reference No. - N° de référence du client CSC # 3092596	Date 2020-01-06
GETS Reference No. - N° de référence de SEAG PW-\$\$HN-336-77813	
File No. - N° de dossier hn336.21120-192596	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-01-15	
Time Zone Fuseau horaire Eastern Standard Time EST	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Bisson, Phillippe	Buyer Id - Id de l'acheteur hn336
Telephone No. - N° de téléphone (613) 295-8641 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
21120.192596/A
Client Ref. No. - N° de réf. du client
21120.192596

Amd. No. - N° de la modif.
006
File No. - N° du dossier
hn336.21120.192596

Buyer ID - Id de l'acheteur
hn336
CCC No. /N° CCC - FMS No. /N° VME

**SOLICITATION AMENDMENT 006 IS RAISED TO (1) ANSWER BIDDER
QUESTIONS AND (2) MODIFY THE CLOSING DATE, AS FOLLOWS:**

- (1) See below for questions and responses. Interested bidders must request a copy of the applicable drawings, by email, to: Phillipe.bisson@tpsgc-pwgsc.gc.ca

- (2) At solicitation cover page, section “solicitation closes” section:
Delete: 2020-01-09 at 02:00PM
Insert: 2020-01-15 at 02:00PM

**** ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED ****

Request for Proposal (RFP)

Solicitation # 21120-192596

FDS and Glass Break Detectors at Nova Institution

Question # 8 to # 18 from the industry:

QUESTION 8:

Can the Crown confirm section 1.2 point 3 The coil cord part number that the Manufacturer of the fence Sensor recommends ?

ANSWER 8:

6-conductors, Custom Philatron-25-RG59- Coil cord.

QUESTION 9:

Is there any requirement for creation or updates to documentation or as-builts?

ANSWER 9:

Yes, a new set of FDS Site as built drawings are required.

QUESTION 10:

Is there a requirement for maintenance training?

ANSWER 10:

There is no requirement for Maintenance Training

QUESTION 11:

- 1) Please confirm if the removal of the Man Gates (sector 7 & 10) with installation of replacement fabric and the modification of sector 6 fence post is to be included in this contract and carried/supervised by the security contractor.
 - a. If yes, please confirm if there is a preferred or prespecified fence contractor whom is fully aware of the details and requirements
 - b. If no, please provide specific details as to the fabric that is to be installed to replace the man gates.
 - c. If no, please detail the requested modification requirements to the sector 6 fence post.

ANSWER 11:

All Fence modifications are to be included in this contract.

- a. CSC does not have a preferred fence contractor.
- b. The Fence fabric must be 4.8mm 6 gauge, mesh size 50.8mm, average Mass of zinc coating to be not less than 610g/m² of uncoated wire. The wire fabric shall be pulled taut before fixing in place. Tautness, when fixed in place, is to be established by pull tests. The application of a 12 kg perpendicular pull at the mid-point of the mesh panel shall show a displacement of no more than 30mm from the vertical plane.
- c. Remove the nubs on the existing fence post in sector 6 that can be used as a stepping points

QUESTION 12:

Please provide drawings of the FDS system which indicate the location of Senstar FDS termination points for sectors 6,7,10.

ANSWER 12:

Drawing C1100087 SHT 01 to be forward via email. Terminations are at the end of each sector.

QUESTION 13:

- 1) Please confirm if the coil cable/bungee cable attached to both the fence and the gate is what is referenced as “non-sensor” cable on inside and outside of vehicle gates in sector one.
 - a. If no, please provide details as to what type of non-sensor cable is required to be replaced inside and outside sector 1 and how it is to be installed.
 - b. If no, please identify the termination points of the non-sensor cable.
 - c. If no, please provide drawings of sector 1 vehicle gates.

ANSWER 13:

Confirmed, the coil cable/bungee cable is the non-sensor cable that allows the gate to open and close.

QUESTION 14:

Please confirm there is sufficient inputs on the Senstar S100 to add the new alarm points for both the new and existing glass break detectors to annunciate both tamper and alarm conditions.

ANSWER 14:

As per Answer, 6 There are enough spare input point to accommodate the additional requirement for this solicitation contract.

QUESTION 15:

- 1) We would like to request a drawing of where and how the PA Speakers are to be installed for zone 17.

ANSWER 15:

Should be zone 16. Existing Zone, Drawing C1100087 SHT 02, 04 and 05 to be forward via email., Contractors are to make recommendation for the installation of the new speakers. .

QUESTION 16:

- 1) Can you please confirm there is sufficient space on the Senstar PIDS amplifier to support the addition of PA Zone 17.

ANSWER 16:

Yes, but should be part of existing zone 16. The system does not have any spare zone for zone 17.

QUESTION 17:

Can you please confirm the model number of the Senstar PIDS PA Amplifier.

ANSWER :17

Inter-M – PA 4000

QUESTION 18:

- 1) Please confirm what the software version of Senstar PIDS system that is installed.

ANSWER 18:

Version V6.19.

QUESTION 19:

- 1) Is it acceptable to tie the new speaker at FDS Zone 17 into an existing PIDS PA Zone, or will an upgrade of equipment be necessary to accommodate an additional, separate zone?

ANSWER 19:

- 1) Yes, refer to Answer 16.

