



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

**Bid Receiving Box/Boîte de Réception des  
Soumissions**

**1st Floor/1<sup>ère</sup> étage, Suite 1212**

**100-1045 Main Street**

**Moncton**

**New Brunswick**

**E1C 1H1**

**Bid Fax: (506) 851-6759**

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

Acquisitions NB/PEI (Moncton Office) – Bureau

d'acquisitions N.-B./Î.-P.-É. (Moncton)

1045 Main Street / 1045, rue Main

Moncton

New Bruns

E1C 1H1

<b>Title - Sujet</b> Pool Bathhouse Repairs - Fundy NB	
<b>Solicitation No. - N° de l'invitation</b> EC373-202055/A	<b>Amendment No. - N° modif.</b> 008
<b>Client Reference No. - N° de référence du client</b> EC373-202055	<b>Date</b> 2020-01-13
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PWJ-003-5659	
<b>File No. - N° de dossier</b> PWJ-9-42098 (003)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2020-01-16</b>	
<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Standard Time AST	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Young (PWJ), Leesa	<b>Buyer Id - Id de l'acheteur</b> pwj003
<b>Telephone No. - N° de téléphone</b> (506) 871-1716 ( )	<b>FAX No. - N° de FAX</b> (506) 851-6759
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

N° de l'invitation - Solicitation No.  
EC373-202055/A  
N° de réf. du client - Client Ref. No.  
R.087633.001

N° de la modif - Amd. No.  
008  
File No. - N° du dossier

Id de l'acheteur - Buyer ID  
PWJ003  
N° CCC / CCC No./ N° VME - FMS

---

This Solicitation Amendment No. eight (8) is raised to include the following addendum no. 008.

The following addendum to the tender documents is effective immediately. This addendum shall form part of the contract documents. All other terms and conditions remain the same.

**Title: Fundy Pool Bathhouse Rehabilitation – Fundy Park, NB**

This solicitation is hereby issued to provide the attached addendum

(2) Addendum # 004

All enquiries concerning this amendment are to be forwarded to:

Name: Leesa Young  
1045 Main Street, Moncton, NB E1C 1H1  
Telephone No: (506) 871-1716  
Facsimile No: (506-851-6759  
Email: [leesa.young@pwgsc-tpsgc.gc.ca](mailto:leesa.young@pwgsc-tpsgc.gc.ca)

## 1.1 ADDENDUM

- .1 The following changes and clarifications to the drawings and specifications are to be incorporated in the tender documents:

.1 Specifications:

.1 Section 01 52 00 – Construction Facilities

.1 1.7.1

Revise to read: "Site security and protection of all materials and building are the responsibility of the Contractor. Methods of securing site (ie. fencing, barricades, etc.) shall be coordinated with the Departmental Representative."

.2 Clarifications:

.1 Condition of Structural Steel:

While no records exist regarding assemblies of the existing bathhouse, based on limited visual observation of the structure above the existing plaster ceiling finish, it is believed that the structure is comprised of a concrete slab supported by open web steel joists that span the width of the building. Their size, loading capacity, condition, etc. is unknown.

END OF SECTION



**Part 1 - General**

**1.1 REFERENCE STANDARDS**

- .1 Canadian Standards Association (CSA International).
  - .1 CSA Z797-09(2014), Code of Practice for Access Scaffold.

**1.2 ACTION AND INFORMATIONAL SUBMITTALS**

- .1 Provide submittals in accordance with Section 01 33 00 - Submittal Procedures.

**1.3 INSTALLATION AND REMOVAL**

- .1 Prepare site plan indicating proposed location and dimensions of area to be fenced and used by Contractor, number of trailers to be used, avenues of ingress/egress to fenced area and details of fence installation.
- .2 Identify areas which have to be gravelled to prevent tracking of mud.
- .3 Indicate use of supplemental or other staging area.
- .4 Provide construction facilities in order to execute work expeditiously.
- .5 Remove from site all such work after use.

**1.4 SCAFFOLDING**

- .1 Scaffolding in accordance with CSA Z797.
- .2 Provide and maintain temporary stairs, platforms, scaffolding, ladders, ramps.

**1.5 SITE STORAGE/LOADING**

- .1 Confine work and operations of employees by Contract Documents. Do not unreasonably encumber premises with products.
- .2 Do not load or permit to load any part of Work with weight or force that will endanger Work.

**1.6 CONSTRUCTION PARKING**

- .1 Parking will be permitted on site provided it does not disrupt performance of Work or interfere with Owner's operations.
- .2 Provide and maintain adequate access to project site.

**1.7 SECURITY**

- .1 Site security and protection of all materials and building are the responsibility of the contractor. Methods of security site (ie. fencing, barricades, etc.) shall be coordinated with the Departmental Representative.

**1.8 OFFICES**

- .1 Provide office heated to 22°C, lighted 750 lx and ventilated, of sufficient size to accommodate site meetings and furnished with drawing laydown table.
- .2 Provide marked and fully stocked first-aid case in a readily available location.
- .3 Contractor and subcontractors to provide their own offices as necessary. Direct location of these offices.

**1.9 EQUIPMENT, TOOL AND MATERIALS STORAGE**

- .1 Provide and maintain, in clean and orderly condition, lockable weatherproof sheds for storage of tools, equipment and materials.
- .2 Locate materials not required to be stored in weatherproof sheds on site in manner to cause least interference with work activities.

**1.10 SANITARY FACILITIES**

- .1 Provide sanitary facilities for work force in accordance with governing regulations and ordinances.
- .2 Post notices and take precautions as required by local health authorities. Keep area and premises in sanitary condition.

**1.11 CLEAN-UP**

- .1 Remove construction debris, waste materials, packaging material from work site daily.
- .2 Clean dirt or mud tracked onto paved or surfaced roadways.
- .3 Store materials resulting from demolition activities that are salvageable.
- .4 Stack stored new or salvaged material not in construction facilities.

**Part 2 - Products**

**2.1 NOT USED**

- .1 Not Used.

**Part 3 - Execution**

**3.1 NOT USED**

- .1 Not used.

**END OF SECTION**