



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving - PWGSC / Réception des soumissions -  
TPSGC

11 Laurier St./ 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau

Québec

K1A 0S5

Bid Fax: (819) 997-9776

**Revision to a Request for a Standing Offer**

**Révision à une demande d'offre à commandes**

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**

Raison sociale et adresse du  
fournisseur/de l'entrepreneur

**Issuing Office - Bureau de distribution**

Infrastructure Maintenance and Solution Services  
Division (FK)

L'Esplanade Laurier,

East Tower 4th Floor

L'Esplanade Laurier,

Tour est 4e étage

140 O'Connor, Street

Ottawa

Ontario

K1A 0R5

<b>Title - Sujet</b> Maintenance Services	
<b>Solicitation No. - N° de l'invitation</b> W3705-21CX02/A	<b>Date</b> 2020-01-16
<b>Client Reference No. - N° de référence du client</b> HAVCX02	<b>Amendment No. - N° modif.</b> 007
<b>File No. - N° de dossier</b> fk312.W3705-21CX02	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$FK-312-78103	
<b>Date of Original Request for Standing Offer</b> Date de la demande de l'offre à commandes originale	
2019-11-27	
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2020-01-24</b>	
<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Assi, Amanda	<b>Buyer Id - Id de l'acheteur</b> fk312
<b>Telephone No. - N° de téléphone</b> (613) 297-1146 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Delivery Required - Livraison exigée</b>	
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	
<b>Security - Sécurité</b> This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Acknowledgement copy required</b> <b>Accusé de réception requis</b>	<b>Yes - Oui</b> <input type="checkbox"/>	<b>No - Non</b> <input type="checkbox"/>
<b>The Offeror hereby acknowledges this revision to its Offer.</b> <b>Le proposant constate, par la présente, cette révision à son offre.</b>		
<b>Signature</b>	<b>Date</b>	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
<b>For the Minister - Pour le Ministre</b>		

**This amendment 007 is raised to change the closing date, to replace the Appendix 5 – SUR Code Deselection and to replace wording in MT1 and MT2.**

**Closing dates**

**DELETE** : Solicitation Closes - L'invitation prend fin at – à 02:00 PM on – le  
2020-01-17 EST

**INSERT** : Solicitation Closes - L'invitation prend fin at – à 02:00 PM on – le  
2020-01-24 EST

**Appendix 5 – SUR Code Deselection**

**DELETE** the Appendix 5 – SUR Code Deselection, and

**REPLACE** with the new attached Appendix 5 – SUR Code Deselection

**Attachment 1 to part 4 – Technical Criteria**

In the Mandatory Technical Criteria : **MT1 and MT2**

**DELETE** the following paragraph:

\* Comparable size is defined as 75% of the number of assets under the management comparable to the size of the requirement specified in para 1.2.1 of Annex A Statement of Work

**REPLACE** with the following paragraph:

\* Comparable size is defined as 75% of the number of assets under the management comparable to the size of the requirement specified in para 1.3.1 of Annex A Statement of Work

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### **SECTION A - ASBESTOS - DRYWALL WITH ASBESTOS-CONTAINING JOINT COMPOU**

SOR Code	SOR Description	Unit	Base Price
HZA0400EV	Drywall with joint compound containing asbestos, remove/abate, dispose (use with HZB).	M2	42.40

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### **SECTION A - ASBESTOS - FLOORING (ASBESTOS-CONTAINING)**

SOR Code	SOR Description	Unit	Base Price
HZA0600EV	Resilient sheet flooring or vinyl floor tile containing asbestos (including underlay), remove/abate, dispose (use with HZB).	M2	48.30
HZA0615EV	Resilient sheet flooring or vinyl floor tile containing asbestos, each additional layer of flooring including underlay, remove/abate, dispose (To be used with HZA0600) (use with HZB).	M2	27.30
HZA0625EV	Resilient sheet flooring or vinyl floor tile containing asbestos (direct glued to concrete), remove/abate, dispose (includes residual glue/mastic) (use with HZB).	M2	79.70
HZA0640EV	Resilient sheet flooring or vinyl floor tile containing asbestos, per stair tread (includes nosing and underlay), remove/abate, dispose (use with HZB).	EA	45.30
HZA0645EV	Resilient sheet flooring or vinyl floor tile containing asbestos, each additional layer per stair tread (includes nosing and underlay), remove/abate, dispose (To be used with HZA0640) (use with HZB).	EA	26.90
HZA0655EV	Resilient sheet flooring or vinyl floor tile containing asbestos per stair riser, remove/abate, dispose (use with HZB).	EA	39.40
HZA0660EV	Resilient sheet flooring or vinyl floor tile containing asbestos, each additional layer per stair riser, remove/abate, dispose (use with HZB).	EA	26.50

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### SECTION A - ASBESTOS - INSULATION (ASBESTOS-CONTAINING)

SOR Code	SOR Description	Unit	Base Price
HZA0300EV	Duct wrap containing asbestos, remove/abate, dispose (including duct) (use with HZB).	M	66.60
HZA0310EV	Duct boot wrap containing asbestos, remove/abate, dispose (including boot) (use with HZB).	EA	47.80
HZA0315EV	Paper backing/sheeting containing asbestos, remove/abate, dispose (use with HZB).	M2	69.20
HZA0700EV	Air cell insulation/pipewrap containing asbestos, remove/abate, dispose (excludes removal of pipe) (use with HZB).	M	51.90
HZA0715EV	Electrical wire with insulation containing asbestos, remove/abate, dispose (use with HZB).	M	24.00
HZA0900EV	Vermiculite insulation containing asbestos (up to 200 mm (8 in) deep), remove/abate, dispose (use with HZB).	M2	97.90
HZA0910EV	Cellulose or fibreglass insulation (all forms), asbestos-contaminated, (up to 200 mm (8 in) deep), remove/abate, dispose (use with HZB).	M2	97.90
HZA0915EV	Ceiling where asbestos-impacted insulation is lying on the surface of the ceiling, remove/abate, dispose (use with HZB).	M2	116.90

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### **SECTION A - ASBESTOS - DECORATIVE COATING (ASBESTOS-CONTAINING)**

SOR Code	SOR Description	Unit	Base Price
HZA0100EV	Stucco containing asbestos (exterior), up to 25 mm (1 in) thickness, remove/abate, dispose (use with HZB).	M2	73.50
HZA0115EV	Sprayed or decorative texture finish containing asbestos (interior), including substrate, remove/abate, dispose (use with HZB).	M2	66.30
HZA0130EV	Plaster containing asbestos, including drywall backer/lath, maximum 38 mm (1 1/2 in) thickness, remove/abate, dispose (use with HZB).	M2	68.80

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### SECTION A - ASBESTOS - CEILING TILES (ASBESTOS-CONTAINING)

SOR Code	SOR Description	Unit	Base Price
HZA0200EV	Ceiling tiles containing asbestos, remove/abate, dispose (use with HZB).	M2	36.20

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### SECTION A - ASBESTOS - ROOFING (ASBESTOS-CONTAINING)

SOR Code	SOR Description	Unit	Base Price
HZA0330EV	Roofing felt containing asbestos, includes shingles, remove/abate, dispose (use with HZB).	M2	63.50



## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### SECTION A - ASBESTOS - CAULKING AND ADHESIVES (ASBESTOS-CONTAINING)

SOR Code	SOR Description	Unit	Base Price
HZA0500EV	Caulking/sealant containing asbestos, remove/abate, dispose (use with HZB).	M	26.50
HZA0505EV	Adhesive containing asbestos, remove/abate, dispose (use with HZB).	M2	63.50

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### **SECTION A - ASBESTOS - CEMENTITIOUS PRODUCTS (ASBESTOS-CONTAINING)**

SOR Code	SOR Description	Unit	Base Price
HZA0800EV	Cementitious products (siding, clapboard) containing asbestos (exterior), remove/abate, dispose (use with HZB).	M2	55.00
HZA0815EV	Cementitious products containing asbestos (interior), remove/abate, dispose (use with HZB).	M2	59.10
HZA0830EV	Cementitious piping containing asbestos (interior), remove/abate, dispose, excludes excavation (use with HZB).	M	57.40
HZA0835EV	Cementitious piping containing asbestos (exterior), remove/abate, dispose, excludes excavation (use with HZB).	M	57.40

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### SECTION A - LEAD (CONFIRMED BY SAMPLING AND ANALYSIS)

SOR Code	SOR Description	Unit	Base Price
HZA1000EV	Trim/casework with confirmed lead paint (interior), remove and dispose material (use with HZB).	M	29.80
HZA1005EV	Cabinet (includes upper and lower, doors, shelves, drawers) with confirmed lead paint, remove and dispose material per lineal metre of wall surface (use with HZB).	M	83.40
HZA1010EV	Trim/casework with confirmed lead paint (exterior), remove and dispose material (use with HZB).	M	29.80
HZA1015EV	Entry door, includes casing, trim and hardware, with confirmed lead paint (exterior), remove and dispose material (use with HZB).	EA	181.60
HZA1020EV	Siding with confirmed lead paint (exterior), remove and dispose material (use with HZB).	M2	62.70

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### SECTION A - MOULD

SOR Code	SOR Description	Unit	Base Price
HZA1200EV	Mould impacted building materials remove and dispose per Canadian Construction Association Mould Guidelines 82-2004 (use with HZB).	M2	57.60
HZA1205EV	Mould impacted surfaces clean per Canadian Construction Association, Mould Guidelines 82-2004 (use with HZB).	M2	43.60

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### SECTION A - UREA FORMALDEHYDE INSULATION FOAM (UFFI)

SOR Code	SOR Description	Unit	Base Price
HZA1300EV	UFFI (up to 200 mm (8 in) thick), remove and dispose (use with HZB).	M2	79.60

## CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

### HAZARDOUS MATERIAL ABATEMENT

#### **SECTION B - WORK PROCEDURE AND MOBILIZATION/DEMobilIZATION CODES**

SOR Code	SOR Description	Unit	Base Price
HZB3010EV	Set-up of all materials and take down, classified as type/class 1/low risk asbestos, lead, UFFI, Mobilization/Demobilization (use with any HZA code).	EA	318.80
HZB3020EV	Set-up of all materials and take down, classified as type/class 2/medium risk asbestos, mould, Mobilization/Demobilization (use with any HZA code).	EA	1,275.40
HZB3030EV	Set-up of all materials and take down, classified as type/class 3/high risk asbestos, mould, Mobilization/Demobilization (use with any HZA code).	EA	2,285.00