

DEMOLISHING LEGEND

- AREA NOT IN SCOPE
- DEMOLISH EXISTING GYPSUM CEILING TO EXPOSE U/S DECK ABOVE. MAKE READY FOR NEW CONSTRUCTION AS DELINEATED IN NEW CONSTRUCTION RCP.
- EXISTING GYPSUM BOARD CEILING/BULKHEAD TO BE MAINTAINED
- EXISTING EXPOSED CONCRETE BULKHEAD TO REMAIN
- EXISTING EXPOSED CEILING TO BE MAINTAINED.
- EXISTING 610X610 ACT CEILING. REPLACE DAMAGED TILES IN SCOPE OF WORK AREA TO MATCH EXISTING.
- EXISTING SMOKE BAFFLES TO BE MAINTAINED IN GOOD CONDITION CLEAN GLASS.
- EXISTING SPRINKLER LOCATIONS. REFERENCE MECHANICAL DRAWINGS FOR REQUIRED ALTERATIONS.
- E EXISTING PENDANT LOCATIONS TO REMAIN. REFERENCE ELECTRICAL DRAWINGS.

RCP DEMOLITION GENERAL NOTES

- REFER TO ELECTRICAL AND MECHANICAL DRAWINGS FOR REMOVAL AND/OR RELOCATION OF LIGHTING, EMERGENCY LIGHTING, EXIT LIGHTING, DIFFUSERS, SPRINKLERS, EXHAUST AND ALL OTHER MECHANICAL AND ELECTRICAL CEILING FIXTURES, FITTINGS AND EQUIPMENT.
- AT ALL AREAS WHERE GYPSUM AND ACT CEILINGS ARE BEING MAINTAINED, REMOVE ANY AREAS OF WATER DAMAGE BEYOND REPAIR FOR PATCHING IN NEW CONSTRUCTION. AREAS KNOWN TO BE DAMAGED ARE TAGGED ON THE DEMO RCP (NOTE 1). AREAS SHOWING MOISTURE DAMAGE ARE TO BE INVESTIGATED AND REPAIRED AS REQUIRED TO ENSURE THE WATER INFILTRATION IS CONTAINED PRIOR TO INSTALLATION OF NEW FINISHES.

DEMOLITION RCP PLAN NOTES

01 KNOWN AREA OF WATER DAMAGE TO CEILING.

02 (NOT USED)

03 EXISTING SUSPENDED TURTLE & SHARK EXHIBIT FEATURES TO REMAIN. PROTECT FROM DAMAGE.

04 REMOVE EXISTING REAR PROJECTION MIRROR & MIRROR SUPPORT STRUCTURE. PATCH AND REPAIR WALL SURFACES AS REQUIRED TO MAKE GOOD. EXISTING GYPSUM CEILING TO BE REMOVED TO EXPOSE U/S DECK. HEIGHT OF DECK IS UNKNOWN BUT ASSUMED TO BE SIMILAR TO EXPOSED DECK IN LOBBY 303. PREP U/S DECK FOR NEW SUSPENDED GRID BELOW. LOWER SPRINKLERS AS REQUIRED. REFERENCE NEW RCP AND NEW CONSTRUCTION PLAN, MECHANICAL AND ELECTRICAL RCP'S.

05 EXISTING SPRINKLERS IN TWO-STOREY HEIGHT AREAS TO REMAIN AS PER EXISTING. (NO CHANGES TO RCP IN THESE AREAS).

06 RELOCATE EXISTING DIFFUSERS, LIGHTING, SPRINKLERS, ETC. IN EXISTING SUSPENDED T-BAR GRID AS REQUIRED TO SUIT NEW RCP LAYOUT. REFERENCE MECHANICAL AND ELECTRICAL DRAWINGS.

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

FBM ARCHITECTURE + INTERIOR DESIGN

ASSOCIATION OF INTERIOR DESIGNERS REGISTERED Emma L. Woodhall Date: 12/12/19 060 NOVA SCOTIA

revisions		date
1	ISSUE FOR TENDER	12/12
B	ISSUE FOR 99%	11/15
A	ISSUE FOR 50%	09/06

project / projet

GC CO-WORKING SITE PILOT PROGRAM AT BIO FACILITY
1 CHALLENGER DRIVE
DARTMOUTH NS

drawing / dessin

DEMOLITION RCP

LEVEL 3
HOLLAND BUILDING

designed / conçu NLS/ELW
date
drawn / dessiné RWTW/ELW
date
approved / approuvé
date
Tender / Soumission
CL LeBlanc, Connor
PWGSC Project Manager / Administrateur de projets TPSGC
project number / no. du projet
R.101402.002
drawing no. / no. du dessin
ID-111

PWGSC A1 (2004)

0 10 20mm 40 60 80 100 120 140 160 180 200mm

E-DRM/GDD-E: 553075