

ANNEX E

C21

**MULTI-CALIBRE SNIPER
WEAPON SYSTEM**

**STATEMENT OF WORK
FOR PRE-PRODUCTION SAMPLES**



Reference Number W8476-196090

Date: 7 May 2019

Prepared by:
DSSPM 9
Technical Authority/Life Cycle Material Manager
National Defence Headquarters
Major General George R. Pearkes Building
Ottawa, Ontario
K1A 0K2



NOTICE

This documentation has been reviewed by the technical authority and does not contain controlled goods. Disclosure notices and handling instructions originally received with the document shall continue to apply.

1. **SCOPE**

1.1. **Objective**

The objective of this Statement of Work (SOW) is to describe the scope and requirements that apply to the delivery of Pre-Production Samples (PPS) and other items to the Department of National Defence (DND) in support of the Bid Evaluation of the Multi-Calibre Sniper Weapon (MCSW) System.

2. **DELIVERABLES**

2.1. **Pre-Production Sample (PPS)**

2.1.1. The Contractor must deliver quantity three (3) PPS made to the specifications of Annex C that fully represents the finished proposed MCSW except as noted in para 2.1.4. Rifles and accessories delivered under the resulting production contract must fully meet all Annex C specifications.

2.1.2. Each PPS must be prepared for and delivered in a lockable hard transit case.

2.1.3. Each PPS must include the following:

- Rifle (setup in the 7.62x51mm configuration with Barrel)
- 7.62x51mm NATO Magazine, Qty 2
- .338 Barrel, Qty 1
- .338LM Magazine, Qty 2
- Calibre Change Tool Kit
- Muzzle Brake
- Suppressor
- Operator's Tooling
- Transit Case
- Bi-Pod*
- Optical Scope System*

* Note: The Bi-Pod and Optical Scope System included in the PPS will be used during Bid Evaluation only, and will not be provided with the MCSW if the bidder is awarded a contract.

2.1.4. Exemptions for the PPS:

- a. The colour of the PPS Rifle does not have to meet Requirement 3.1.1.9 of Annex C.

Note: The PPS Rifle must be finished with CERAKOTE ELITE as per Requirement 3.1.1.8 of Annex C.

7 May 2019

- b. The PPS Transit Case does not have to meet the Requirements 3.2.1 to 3.2.15 of Annex C.
- c. The colour of the PPS Suppressor does not have to meet Requirement 3.3.3.8 of Annex C.

Note: The PPS Suppressor must be finished with CERAKOTE ELITE as per Requirement 3.3.3.7 of Annex C.

- d. The PPS Comprehensive Cleaning and Maintenance Kit does not have to meet Requirement 3.4.2 of Annex C.
- e. Markings on the PPS Suppressor do not have to meet Requirement 3.8.1 of Annex C.

2.2. **Documentation**

- 2.2.1. The Contractor must provide one (1) hard copy and one (1) electronic copy (MS Word or PDF format) of the Maintenance/Repair Manual, in English.
- 2.2.2. The Contractor must provide three (3) hard copies and one (1) electronic copy (MS Word or PDF format) of the Operator's Manual, in English

2.3. **Maintenance Tools**

- 2.3.1. The Contractor must provide any special tools required to conduct maintenance during Phase 2 and Phase 3 of Bid Evaluation.
- 2.3.2. The Contractor must provide inspection gauges to allow Canada to conduct a Safety Inspection at the start of Phase 2 of Bid Evaluation.

2.4. **Consumables and Spare Parts**

- 2.4.1. The Contractor must provide consumables and spare parts to support Phase 2 and Phase 3 of bid evaluation.