

CHECKED BY _____


DATE _____

CALCULATIONS BY _____

KFK

DATE 2019 MAR 14

[Alternate Base for Barn Swallow Shelter \(Morrison Hershfield, WP 4135-12-01, attached\)](#)



CHECKED BY

DATE

CALCULATIONS BY

KFC

DATE

2019 MAR 14

20 #10 x 3 1/2" FLAT HEAD
WOOD SCREWS TYP

2x6 TYP

2x6 BELOW
SEE
SECTION 1

2x6
BELOW

8'-0"

2x6
JOIST
HANGER

3'-11"

1'-3"

PLAN VIEW

2x6
JOIST
HANGER
TYP. ALL
4 CORNERS

8'-0" C/L OF
6x6 VERTICAL
POSTS

8'-4"
TYP

2x6
JOIST
HANGER


SECTION 1




1. CONTRACTOR SHALL WRAP THE BOTTOM 5' OF EACH POST WITH RACCOON GUARD CONSTRUCTED OF 8"Ø SMOOTH GALVANIZED METAL SHEET/PIPING.



DIMENSIONS ARE IN METRES
AND/OR MILLIMETRES
UNLESS OTHERWISE SHOWN



SHEET
1



DETAIL - A



- * ROOF FINISH:
 - PLYWOOD + ASPHALT SHINGLES
 - PLYWOOD + CEDAR SHINGLES
 - STEEL METAL SHEATING
 - CORRUGATED FIBERGLASS SHEATING (SCREWED)

BARN SWALLOW SHELTER
OPTION A – MAXIMUM PRIVACY

N.T.S.

See alternate portable base
detail attached