



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC

11 LaurierSt./ 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau

Québec

K1A 0S5

Bid Fax: (819) 997-9776

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Infrastructure Maintenance and Solution Services
Division (FK)

L'Esplanade Laurier,

East Tower 4th Floor

L'Esplanade Laurier,

Tour est 4e étage

140 O'Connor, Street

Ottawa

Ontario

K1A 0R5

| | |
|--|---|
| Title - Sujet Maintenance Services | |
| Solicitation No. - N° de l'invitation W3705-21CX02/A | Date 2020-01-28 |
| Client Reference No. - N° de référence du client HAVCX02 | Amendment No. - N° modif. 009 |
| File No. - N° de dossier fk312.W3705-21CX02 | CCC No./N° CCC - FMS No./N° VME |
| GETS Reference No. - N° de référence de SEAG PW-\$\$FK-312-78103 | |
| Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale | |
| 2019-11-27 | |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-02-03 | |
| Time Zone Fuseau horaire Eastern Standard Time EST | |
| Address Enquiries to: - Adresser toutes questions à: Assi, Amanda | Buyer Id - Id de l'acheteur fk312 |
| Telephone No. - N° de téléphone (613) 297-1146 () | FAX No. - N° de FAX () - |
| Delivery Required - Livraison exigée | |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: | |
| Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre. | |

Instructions: See Herein

Instructions: Voir aux présentes

| | | |
|--|--|---|
| Acknowledgement copy required Accusé de réception requis | Yes - Oui <input type="checkbox"/> | No - Non <input type="checkbox"/> |
| The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre. | | |
| Signature | Date | |
| Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie) | | |
| For the Minister - Pour le Ministre | | |

This amendment 009 is raised to correct information in the english Appendix 5 – SUR Code Deselection.

Appendix 5 – SUR Code Deselection

DELETE the english Appendix 5 – SUR Code Deselection, and

REPLACE with the new attached english Appendix 5 – SUR Code Deselection.

SUR Code Selection List - English

Liste des Taux Unitaires - Anglais

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - DRYWALL WITH ASBESTOS-CONTAINING JOINT COMPOU

| SOR Code | SOR Description | Unit | Base Price |
|-----------|--|------|------------|
| HZA0400EV | Drywall with joint compound containing asbestos, remove/abate, dispose (use with HZB). | M2 | 42.40 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - FLOORING (ASBESTOS-CONTAINING)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|---|------|------------|
| HZA0600EV | Resilient sheet flooring or vinyl floor tile containing asbestos (including underlay), remove/abate, dispose (use with HZB). | M2 | 48.30 |
| HZA0615EV | Resilient sheet flooring or vinyl floor tile containing asbestos, each additional layer of flooring including underlay, remove/abate, dispose (To be used with HZA0600) (use with HZB). | M2 | 27.30 |
| HZA0625EV | Resilient sheet flooring or vinyl floor tile containing asbestos (direct glued to concrete), remove/abate, dispose (includes residual glue/mastic) (use with HZB). | M2 | 79.70 |
| HZA0640EV | Resilient sheet flooring or vinyl floor tile containing asbestos, per stair tread (includes nosing and underlay), remove/abate, dispose (use with HZB). | EA | 45.30 |
| HZA0645EV | Resilient sheet flooring or vinyl floor tile containing asbestos, each additional layer per stair tread (includes nosing and underlay), remove/abate, dispose (To be used with HZA0640) (use with HZB). | EA | 26.90 |
| HZA0655EV | Resilient sheet flooring or vinyl floor tile containing asbestos per stair riser, remove/abate, dispose (use with HZB). | EA | 39.40 |
| HZA0660EV | Resilient sheet flooring or vinyl floor tile containing asbestos, each additional layer per stair riser, remove/abate, dispose (use with HZB). | EA | 26.50 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - INSULATION (ASBESTOS-CONTAINING)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|--|------|------------|
| HZA0300EV | Duct wrap containing asbestos, remove/abate, dispose (including duct) (use with HZB). | M | 66.60 |
| HZA0310EV | Duct boot wrap containing asbestos, remove/abate, dispose (including boot) (use with HZB). | EA | 47.80 |
| HZA0315EV | Paper backing/sheeting containing asbestos, remove/abate, dispose (use with HZB). | M2 | 69.20 |
| HZA0700EV | Air cell insulation/pipewrap containing asbestos, remove/abate, dispose (excludes removal of pipe) (use with HZB). | M | 51.90 |
| HZA0715EV | Electrical wire with insulation containing asbestos, remove/abate, dispose (use with HZB). | M | 24.00 |
| HZA0900EV | Vermiculite insulation containing asbestos (up to 200 mm (8 in) deep), remove/abate, dispose (use with HZB). | M2 | 97.90 |
| HZA0910EV | Cellulose or fibreglass insulation (all forms), asbestos-contaminated, (up to 200 mm (8 in) deep), remove/abate, dispose (use with HZB). | M2 | 97.90 |
| HZA0915EV | Ceiling where asbestos-impacted insulation is lying on the surface of the ceiling, remove/abate, dispose (use with HZB). | M2 | 116.90 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - DECORATIVE COATING (ASBESTOS-CONTAINING)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|---|------|------------|
| HZA0100EV | Stucco containing asbestos (exterior), up to 25 mm (1 in) thickness, remove/abate, dispose (use with HZB). | M2 | 73.50 |
| HZA0115EV | Sprayed or decorative texture finish containing asbestos (interior), including substrate, remove/abate, dispose (use with HZB). | M2 | 66.30 |
| HZA0130EV | Plaster containing asbestos, including drywall backer/lath, maximum 38 mm (1 1/2 in) thickness, remove/abate, dispose (use with HZB). | M2 | 68.80 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - CEILING TILES (ASBESTOS-CONTAINING)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|--|------|------------|
| HZA0200EV | Ceiling tiles containing asbestos, remove/abate, dispose (use with HZB). | M2 | 36.20 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - ROOFING (ASBESTOS-CONTAINING)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|--|------|------------|
| HZA0330EV | Roofing felt containing asbestos, includes shingles, remove/abate, dispose (use with HZB). | M2 | 63.50 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - CAULKING AND ADHESIVES (ASBESTOS-CONTAINING)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|---|------|------------|
| HZA0500EV | Caulking/sealant containing asbestos, remove/abate, dispose (use with HZB). | M | 26.50 |
| HZA0505EV | Adhesive containing asbestos, remove/abate, dispose (use with HZB). | M2 | 63.50 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - ASBESTOS - CEMENTITIOUS PRODUCTS (ASBESTOS-CONTAINING)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|---|------|------------|
| HZA0800EV | Cementitious products (siding, clapboard) containing asbestos (exterior), remove/abate, dispose (use with HZB). | M2 | 55.00 |
| HZA0815EV | Cementitious products containing asbestos (interior), remove/abate, dispose (use with HZB). | M2 | 59.10 |
| HZA0830EV | Cementitious piping containing asbestos (interior), remove/abate, dispose, excludes excavation (use with HZB). | M | 57.40 |
| HZA0835EV | Cementitious piping containing asbestos (exterior), remove/abate, dispose, excludes excavation (use with HZB). | M | 57.40 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - LEAD (CONFIRMED BY SAMPLING AND ANALYSIS)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|---|------|------------|
| HZA1000EV | Trim/casework with confirmed lead paint (interior), remove and dispose material (use with HZB). | M | 29.80 |
| HZA1005EV | Cabinet (includes upper and lower, doors, shelves, drawers) with confirmed lead paint, remove and dispose material per lineal metre of wall surface (use with HZB). | M | 83.40 |
| HZA1010EV | Trim/casework with confirmed lead paint (exterior), remove and dispose material (use with HZB). | M | 29.80 |
| HZA1015EV | Entry door, incudes casing, trim and hardware, with confirmed lead paint (exterior), remove and dispose material (use with HZB). | EA | 181.60 |
| HZA1020EV | Siding with confirmed lead paint (exterior), remove and dispose material (use with HZB). | M2 | 62.70 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - MOULD

| SOR Code | SOR Description | Unit | Base Price |
|-----------|---|------|------------|
| HZA1200EV | Mould impacted building materials remove and dispose per Canadian Construction Association Mould Guidelines 82-2004 (use with HZB). | M2 | 57.60 |
| HZA1205EV | Mould impacted surfaces clean per Canadian Construction Association, Mould Guidelines 82-2004 (use with HZB). | M2 | 43.60 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION A - UREA FORMALDEHYDE INSULATION FOAM (UFFI)

| SOR Code | SOR Description | Unit | Base Price |
|-----------|--|------|------------|
| HZA1300EV | UFFI (up to 200 mm (8 in) thick), remove and dispose (use with HZB). | M2 | 79.60 |

CFHA SCHEDULE OF UNIT RATES - COMOX 2020-2024

HAZARDOUS MATERIAL ABATEMENT

SECTION B - WORK PROCEDURE AND MOBILIZATION/DEMOBILIZATION CODES

| SOR Code | SOR Description | Unit | Base Price |
|-----------|---|------|------------|
| HZB3010EV | Set-up of all materials and take down, classified as type/class 1/low risk asbestos, lead, UFFI, Mobilization/Demobilization (use with any HZA code). | EA | 318.80 |
| HZB3020EV | Set-up of all materials and take down, classified as type/class 2/medium risk asbestos, mould, Mobilization/Demobilization (use with any HZA code). | EA | 1,275.40 |
| HZB3030EV | Set-up of all materials and take down, classified as type/class 3/high risk asbestos, mould, Mobilization/Demobilization (use with any HZA code). | EA | 2,285.00 |