


1 / T102 PHASE 1 – MAIN FLOOR – TECHNOLOGY – TEMPORARY CONTROL POST PLAN
1:75




3 / T102 PHASE 3 – MAIN FLOOR – TECHNOLOGY – NEW CLOSED POST CONSTRUCTION
1:75




2 / T102 PHASE 2 – MAIN FLOOR – TECHNOLOGY – NEW CLOSED POST HOARDING PLAN
1:75




3 / T102 PHASE 4 – MAIN FLOOR – TECHNOLOGY – NEW CLOSED POST HARDING DEMOLITION
1:75

## SECURITY GENERAL NOTES:

1. DEVICES SHOWN SHADED ARE EXISTING TO REMAIN. DEVICES SHOWN BOLD ARE NEW, UNLESS NOTED OTHERWISE. DEVICES SHOWN DASHED ARE TO BE REMOVED.
2. CONDUIT RUNS ARE TO BE CONFIRMED ON SITE BY CONTRACTOR. RE–USE EXISTING SECURITY CONDUIT WHERE AVAILABLE.
3. REFER TO DRAWINGS T### SECURE DOOR ELEVATIONS, DETAILS & WIRING
4. REFER TO DRAWING T201 FOR CAMERA TYPES, MOUNTING & WIRING DETAILS.
5. SUPPLY AND INSTALLATION OF DOORS, FRAME AND HARDWARE BY DIVISION 8.
6. SUPPLY AND INSTALLATION OF ALL CONDUIT, BOXES, AND ROUGH–IN BY DIVISION 26.
7. SUPPLY AND INSTALLATION OF WIRING FROM DOOR HARDWARE DEVICES TO DOOR TERMINATION CABINET BY DIVISION 26.
8. WIRING TERMINATION AT DOOR HARDWARE AND DOOR HARDWARE SIDE OF DOOR TERMINATION CABINET BY DIVISION 8. DOOR TERMINATION CABINET RAIL AND TERMINALS BY DIVISION 8.
9. SUPPLY, INSTALLATION AND TERMINATION OF 120VAC POWER TO DOOR HARDWARE EQUIPMENT LOCATIONS BY DIVISION 26.
10. SUPPLY AND INSTALLATION OF FIRE ALARM INTERFACE AND CONTROLS BY DIVISION 26.
11. SUPPLY AND INSTALLATION OF WIRING FROM DOOR TERMINATION CABINET AND SECURITY DEVICES TO SECURITY EQUIPMENT ROOM BY DIVISION 26.
12. WIRING TERMINATION ON SECURITY SIDE OF DOOR TERMINATION CABINET, AT SECURITY DEVICES, AND AT SECURITY CABINET AND EQUIPMENT ROOMS BY SECURITY CONTRACTOR.
13. SUPPLY AND INSTALLATION OF CONDUIT & WIRING FROM CAMERAS TO SECURITY ROOM BY DIVISION 26.
14. SUPPLY AND INSTALLATION OF CONDUIT & WIRING FROM INTERCOMS TO SECURITY ROOM BY DIVISION 26.
15. ALL HORIZONTAL CONDUIT TO BE RUN IN CRAWL SPACE WHERE POSSIBLE.

## KEY NOTES:

1. MOUNT CAMERA ON POLE OUTSIDE OF FENCE WITH EXTENSIONS TO ABOVE RAZOR WIRE COIL.
2. MOUNT INTERCOM ON OUTSIDE OF FENCE WITH CALL BUTTON ACCESSIBLE FROM INSIDE.

## HOME RUN SCHEDULE

1. 21mmC & 1 CAT 6 TO INTERCOM RACK IN STAIR #1
2. 21mmC & 2 CAT 6 TO INTERCOM RACK IN STAIR #1
3. 27mmC & 3 CAT 6 TO INTERCOM RACK IN STAIR #1
4. 21mmC & 1 CAT 6 TO CAMERA RACK IN STAIR #1
5. 21mmC & 6#22 SHIELDED TO DOOR CONTROL CABINET IN ELECTRICAL ROOM 200
6. 21mmC & 6#22 SHIELDED TO GUARD TOUR CABINET IN STAIR #1
7. 27mmC & 2PR #22 SHIELDED & 2#14 TO DOOR CONTROL CABINET IN ELECTRICAL ROOM 200

Public Works and Government Services Canada / Travaux publics et Services gouvernementaux Canada

REAL PROPERTY SERVICES
Western Region
SERVICES IMMOBILIERS
Région de l'ouest

GENERAL NOTES

This drawing and all it's contents are protected by copyright, and shall not be reproduced, in whole or in part without the expressed written consent of Casola Koppe Architects Ltd. These drawings are not to be scaled. All dimensions are to face of stud or sheathing unless noted otherwise. Contractor must verify all dimensions, drawings, details and specifications. Any discrepancies are to be reported to Casola Koppe Architects Ltd. prior to proceeding with work; this includes any errors or omissions.

ARCHITECT
casola koppe ARCHITECTS
#300 - 1410 1st street sw , calgary, alberta T2R 0V8
bus (403) 287-9960 fax (403) 287-9962 info@ckarch.ca

CONSULTANT
wsp
1200, 10909 Jasper Avenue NW
Edmonton, AB, Canada T5J 3L9
Tel.: +1 780-410-6740
Fax: +1 780-449-4050
wsp.com
171-04394-00

PROFESSIONAL ENGINEER
W.M. JACKSON
MEMBER 16138
13 11 13
YR. MN. DAY
SASKATCHEWAN

| Revision | Description | Date |
|---|---|---|
| 1 | ISSUED FOR TENDER | 2018/11/13 |

Client / client
CORRECTIONAL SERVICES CANADA

Project / Projet
BOW UNIT REDEVELOPMENT

Designed by / Conçu par: KK
Drawn by / Dessiné par: SMA
Approved by / Approuvé par:
PWGSC Project Manager / Administrateur de Projets TPSGC: EH

Drawing title / Titre du dessin
BOW UNIT
TECHNOLOGY
PHASING PLANS
SHEET 1

| Project no./No. du projet | Drawing no./No. du dessin | Revision no. |
|---|---|---|
| R.082215.001 | T102 | 1 |

PWGSC – B1 – 1000X707