

NOTE:
SHEET STEEL SHALL CONFORM TO ASTM A653, GRADE A STRUCTURAL QUALITY GRADE 230. GALVANIZED WITH ZINC COATING OF ZF75 AS DESIGNATED BY ASTM A635M UNO
STRUCTURAL STEEL TO BE GRADE CSA-G40.20-13/G40.21-13 GRADE 300W

OPENING INFILL 300mm WIDE OR LESS



NOTE:
SHEET STEEL SHALL CONFORM TO ASTM A653, GRADE A STRUCTURAL QUALITY GRADE 230. GALVANIZED WITH ZINC COATING OF ZF75 AS DESIGNATED BY ASTM A635M UNO
STRUCTURAL STEEL TO BE GRADE CSA-G40.20-13/G40.21-13 GRADE 300W

OPENING INFILL 600mm WIDE OR LESS



NOTE:
SHEET STEEL SHALL CONFORM TO ASTM A653, GRADE A STRUCTURAL QUALITY GRADE 230. GALVANIZED WITH ZINC COATING OF ZF75 AS DESIGNATED BY ASTM A635M UNO
STRUCTURAL STEEL TO BE GRADE CSA-G40.20-13/G40.21-13 GRADE 300W

OPENING INFILL 1800mm WIDE OR LESS



NOTE:
FABRICATOR TO ENGINEER AND PROVIDE FINALIZED SHOP DRAWINGS DETAILING REMOVEABLE HATCH
SHEET STEEL SHALL CONFORM TO ASTM A653, GRADE A STRUCTURAL QUALITY GRADE 230. GALVANIZED WITH ZINC COATING OF ZF75 AS DESIGNATED BY ASTM A635M
STRUCTURAL STEEL TO BE GRADE CSA-G40.20-13/G40.21-13 GRADE 300W

REMOVEABLE HATCH

Stantec

Stantec Consulting Ltd.
200-325 25 Street SE
Calgary, AB T2A 7H8
Tel: (403) 716-8000 • www.stantec.com

Copyright Reserved

The Contractor shall verify and be responsible for all dimensions. DO NOT scale the drawing - any errors or omissions shall be reported to Stantec without delay.
The Copyrights to all designs and drawings are the property of Stantec. Reproduction or use for any purpose other than that authorized by Stantec is forbidden.

Consultant

Notes

Revision	By	Appd	YYYY.MM.DD
ISSUED FOR TENDER	RS	RS	2020.01.2
ISSUED FOR 95% CLIENT REVIEW	RS	RS	2019.12.03

Issued	By	Appd	YYYY.MM.DD

File Name:	Dwn.	Designer Dsgn.	Chkd.	YYYY.MM.DD

Permit/Seal

PERMIT TO PRACTICE
STANTEC CONSULTING LTD.
Signature
29-Jan-2020
Date
PERMIT NUMBER: P 0258
The Association of Professional Engineers and Geoscientists of Alberta

PROFESSIONAL ENGINEER ALBERTA GERDABOLION ISSUED TO PRACTICE
2020-01-29

Client/Project Logo

Canadian Food Inspection Agency
Agence canadienne d'inspection des aliments

Client/Project
CANADIAN FOOD INSPECTION AGENCY

CFIA ROOF REPLACEMENT

3650 - 36 STREET NW
CALGARY, AB T2L 2L1

Title
GENERAL NOTES AND ROOF DETAILS

Project No.	Scale
144212105	1 : 10
Revision	Drawing No.
	S101

<PIC location in Project Information>
11/5/2019 11:19:21 AM
ORIGINAL SHEET - ARCH D