



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions  
Travaux publics et Services gouvernementaux  
Canada

Cabot Place, Phase II, 2nd Floor

Box 4600

St. John's, NF

A1C 5T2

Bid Fax: (709) 772-4603

## INVITATION TO TENDER

## APPEL D'OFFRES

**Tender To: Public Works and Government Services  
Canada**

We hereby offer to sell to Her Majesty the Queen in right of  
Canada, in accordance with the terms and conditions set  
out herein, referred to herein or attached hereto, the goods,  
services, and construction listed herein and on any attached  
sheets at the price(s) set out therefor.

### Soumission aux: Travaux Publics et Services Gouvernementaux Canada

Nous offrons par la présente de vendre à Sa Majesté la  
Reine du chef du Canada, aux conditions énoncées ou  
incluses par référence dans la présente et aux annexes  
ci-jointes, les biens, services et construction énumérés  
ici et sur toute feuille ci-annexée, au(x) prix indiqué(s).

### Comments - Commentaires

### Vendor/Firm Name and Address

Raison sociale et adresse du  
fournisseur/de l'entrepreneur

### Issuing Office - Bureau de distribution

PWGSC / TPSGC - Nfld. Region

Cabot Place, Phase II, 2nd Floor

Box 4600

St. John's, NF

A1C 5T2

<b>Title - Sujet</b> DFO-Lifting Beam	
<b>Solicitation No. - N° de l'invitation</b> F6854-190021/A	<b>Date</b> 2020-03-12
<b>Client Reference No. - N° de référence du client</b> F6854-190021	<b>GETS Ref. No. - N° de réf. de SEAG</b> PW-\$OLZ-002-7413
<b>File No. - N° de dossier</b> OLZ-9-42153 (002)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2020-04-22</b>	
<b>Time Zone</b> <b>Fuseau horaire</b> Newfoundland Daylight Saving Time NDT	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Dalton, Colleen	<b>Buyer Id - Id de l'acheteur</b> olz002
<b>Telephone No. - N° de téléphone</b> (709) 730-5114 ( )	<b>FAX No. - N° de FAX</b> (709) 772-4603
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> DEPARTMENT OF FISHERIES AND OCEANS C/O SUPPLY DEPOT SOUTHSIDE RD P.O.BOX 5667 ST JOHNS Newfoundland and Labrador A1C5X1 Canada	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b> See Herein	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## Spreader/ Lifting Beam Requirements

The Canadian Coast Guard Fleet OPS in St. John's are requesting two (2) spreader beams.

- 50 Ton lifting capacity, Minimum length 10' - Maximum length 26'
- 110 Ton lifting capacity, Minimum length 12 - Maximum Length 36'

Spreader beams must be adjustable and modular with interchangeable components that are adjustable to length configurations of 10' to 26' at 50 tons; and 12' to 36' at 110 tons to meet requirements of lifting various fleet vessels.

The spreader beam must have a pair of end units with a pair of drop links that can accept a 35 ton shackle.

Each end of the drop link and struts will have a flange face that bolts together.

Must be easy to handle, transport and store by minimal manpower.

Yearly certification must be able to be completed locally in St. John's, Newfoundland.

Associated costs to be incurred by The Canadian Coast Guard.

### **Will not accept :**

Sliding lifting beam that the center of gravity is adjusted by moving a center shackle to different place on the beam.

Non-Adjustable to meet different lengths.