

ALBERTA PERMIT TO PRACTICE
NUMBER-11944
MARCH 6, 2020

2300, 411 1st Street SE,
Calgary, Alberta, Canada T2G 4Y5
norr.com

NORR ARCHITECTS ENGINEERS PLANNERS
A Partnership of Limited Companies

Yvonne Smith, Architect, A.A.A., B.Arch, M.A.S.C.
Bruce McKenzie, Architect, A.A.A., B.Arch, M.A.S.C.
A. Silvio Saldamando, Architect, A.A.A., B.Arch, M.A.S.C.
Amin Toohidi, P.Eng., A.P.E.G.A.
Chris Pat, P.Eng., A.P.E.G.A.

5	ISSUED FOR CONSTRUCTION	2020-03-06
4	ISSUED FOR ADDENDUM E01	2019-11-19
3	95% CLIENT REVIEW	2019-08-29
2	66% CLIENT REVIEW	2019-05-09
1	33% CLIENT REVIEW	2019-03-14

Client: **PSPC**

10025 JASPER AVE
EDMONTON, AB, T5J 1S6
PH. 780-919-9445

Project Title: **JASPER STAFF HOUSING CONSTRUCTION**

DUPLEX

**720 PATRICIA STREET
JASPER, AB, T0E 1E0**

Designed by: **R.ALLEN**

Drawn by: **F.HAK**

Approved by: **D.HIDER**

Project Manager / Administrateur de Projets: **ROB HAFER**


Drawing Title: **POWER & LIGHTING PLAN - BASEMENT**

POWER & LIGHTING PLAN - BASEMENT

Project Number: **R.100429.001**

E2.0
OF
5

- GENERAL NOTES:**
- REFER TO DRAWING E4.0 FOR PANEL SCHEDULES
 - REFER TO DRAWING E4.0 FOR LUMINAIRE SCHEDULES.
 - REFER TO MECHANICAL DRAWINGS FOR MECHANICAL EQUIPMENT SCHEDULE.
 - ALL ELECTRICAL RISER CONDUIT, AND OPENINGS TO BE COORDINATED WITH ARCHITECTURAL AND STRUCTURAL PRIOR TO ROUGH IN.
 - ELECTRICAL CONTRACTOR SHALL SUBMIT SLEEVING DRAWINGS INDICATING THE LAYOUT AND SIZING OF ALL INTENDED PENETRATIONS, THROUGH STRUCTURAL ELEMENTS, INCLUDING EMBEDDED ITEMS, FOR REVIEW BY CONSULTANT WELL IN ADVANCE OF COMPLETING THE WORK.
 - MECHANICAL/ELECTRICAL SYSTEMS, THEIR SUPPORTS AND THE LIKE, MUST BE DESIGNED AND DETAILED TO ACCOMMODATE THE ANTICIPATED MOVEMENTS NOTED UNDER 'SERVICEABILITY CRITERIA' ON STRUCTURAL DRAWINGS.
 - DESIGN AND DETAIL ALL NECESSARY SEISMIC RESTRAINTS FOR MECHANICAL / ELECTRICAL SYSTEMS SHOWN ON THE CONTRACT DOCUMENTS. SUBMIT SHOP DRAWINGS PREPARED BY A PROFESSIONAL ENGINEER, LICENSED TO PRACTICE IN THE PROVINCE OF ALBERTA, FOR REVIEW BY CONSULTANTS.
 - ELECTRICAL EQUIPMENT SHOWN REPRESENTS GENERAL EQUIPMENT CONFIGURATION AND SIZING. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT FINAL SELECTED WILL FIT IN LOCATIONS INDICATED.
 - PROVIDE FIRE STOPPING ON ALL CABLE PENETRATIONS THROUGH RATED WALL AND FLOOR ASSEMBLIES.
 - ALL RECEPTACLES TO BE CONNECTED TO ARC FAULT BREAKERS AS PER CEC 2018.
 - ALL RECEPTACLES NOT INSTALLED BEHIND KITCHEN EQUIPMENT SHALL BE TAMPER RESISTANT AS PER CEC 2015.
 - KITCHEN COUNTER RECEPTACLES SHALL BE 20A T-SLOT AS PER CEC 2015.
 - COORDINATE LOCATIONS AND MOUNTING HEIGHTS OF RECEPTACLES, INCLUDING MICROWAVE, WITH ARCHITECTURAL.
 - DO NOT INSTALL OULET BOXES BACK TO BACK IN WALLS. OFFSET OULETS HORIZONTALLY A MINIMUM OF 406mm AS PER CODE. OULET BOXES TO BE SEALED.
 - INSTALL EXTERIOR RECEPTACLES HORIZONTALLY COMPLETE WITH WEATHER PROOF COVERS AS PER CEC 2018.
 - ALL GFCI AND AFCI BREAKERS TO MATCH THE RECEPTACLES.
 - SUPPLY AND INSTALL GFCI BREAKERS AND RECEPTACLES TO MEET REQUIREMENTS OF CEC 2018.
 - COORDINATE LOCATIONS AND HEIGHT OF LUMINAIRES WITH ALL MECHANICAL DUCTWORK, PIPING AND STRUCTURAL MEMBERS.
 - IN SUITE CIRCUITING REPRESENTS GENERAL COORDINATION AND GROUPING OF CIRCUITS. REFER TO PANEL SCHEDULE THAT CORRESPONDS TO SPECIFIC SUITE TYPE.



1 POWER & LIGHTING PLAN - BASEMENT
SCALE: 1 : 50

