



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

PWGSC/TPSGC Acquisitions Bid Receiving  
Box/Boîte de Réception des Soumissions  
Bid Receiving Box/Boîte de Récepti  
1st Floor/1<sup>ère</sup> étage, Suite 1212  
100-1045 Main Street  
Moncton  
New Brunswick  
E1C 1H1  
Bid Fax: (506) 851-6759

**Revision to a Request for a Standing Offer**

**Révision à une demande d'offre à commandes**

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**

Raison sociale et adresse du  
fournisseur/de l'entrepreneur

**Issuing Office - Bureau de distribution**

Acquisitions NB/PEI (Moncton Office) – Bureau  
d'acquisitions N.-B./Î.-P.-É. (Moncton)  
1045 Main Street / 1045, rue Main  
Moncton  
New Bruns  
E1C 1H1

<b>Title - Sujet</b> RISO Air Filters		
<b>Solicitation No. - N° de l'invitation</b> W6898-200493/A		<b>Date</b> 2020-03-23
<b>Client Reference No. - N° de référence du client</b> W6898-200493		<b>Amendment No. - N° modif.</b> 002
<b>File No. - N° de dossier</b> MCT-9-42151 (015)	<b>CCC No./N° CCC - FMS No./N° VME</b>	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$MCT-015-5716		
<b>Date of Original Request for Standing Offer</b> Date de la demande de l'offre à commandes originale		2020-03-02
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2020-04-14</b>		<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Daylight Saving Time ADT
<b>Address Enquiries to: - Adresser toutes questions à:</b> Drisdelle, Charlotte J.		<b>Buyer Id - Id de l'acheteur</b> mct015
<b>Telephone No. - N° de téléphone</b> (506) 962-5329 ( )		<b>FAX No. - N° de FAX</b> (506) 851-6759
<b>Delivery Required - Livraison exigée</b>		
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>		
<b>Security - Sécurité</b> This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Acknowledgement copy required</b> <b>Accusé de réception requis</b>	<b>Yes - Oui</b> <input type="checkbox"/>	<b>No - Non</b> <input type="checkbox"/>
<b>The Offeror hereby acknowledges this revision to its Offer.</b> <b>Le proposant constate, par la présente, cette révision à son offre.</b>		
<b>Signature</b>	<b>Date</b>	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
<b>For the Minister - Pour le Ministre</b>		

---

## Solicitation Amendment No. 002

**Title: RISO - Air Filters**

*This solicitation is hereby amended as follows:*

(1) Reference: **Annex B – Basis of Payment – List of Products**

**DELETE** all previous Annex B; *and*

**INSERT** instead **Annex B revised March 23 2020**

**The product description for Line Items no. 43 to 46 are revised.**

**And;**

(2) Reference: **Period of standing offer**

The revised standing offer periods will be from **June 1<sup>st</sup> to May 31<sup>st</sup>** as indicated on revised Annex B.

Annex B, last revised March 23 2020 should be submitted with the offer.

**NOTE:** A copy of the revised Annex B in Word format can be obtained from the Standing Offer Authority to submit an offer instead of handwriting the information required.

All other terms and conditions of the solicitation document remain unchanged remain unchanged.

All enquiries concerning this amendment are to be forwarded to:

Charlotte Drisdelle  
Supply Officer / Agente d'approvisionnement  
Phone / Téléphone - (506) 851-6948  
Facsimile / télécopieur - (506) 962-5329  
Email: [charlotte.drisdelle@pwgsc-tpsgc.gc.ca](mailto:charlotte.drisdelle@pwgsc-tpsgc.gc.ca)

**Annex « B » - Basis of Payment – List of Products - Mandatory Specifications and Requirements**  
**Revised March 23 2020 – Amendment No. 002**

Item	Description	Product Number	Estimated Quantity	Unit of Issue	Price Year 1 June 1 <sup>st</sup> 2020 May 31 <sup>st</sup> 2021 including delivery	Price Year 2 June 1 <sup>st</sup> 2021- May 31 <sup>st</sup> 2022 including delivery
		<b>Items No. 1 to No. 42:</b> All Amerseal products must be a minimum of MERV 8 efficiency. <b>(Dimensions shown are nominal dimensions)</b>				
<b>1</b>	20" x 100" (2 Ply) 5 Link		80	each		
<b>2</b>	24" x 120" (2 Ply) 6 Link		30	each		
<b>3</b>	25" x 96" (2 Ply) 6 Link		30	each		
<b>4</b>	20" x 120" (2 Ply) 6 Link		120	each		
<b>5</b>	20" x 96" (2 Ply) 6 Link		40	each		
<b>6</b>	24" x 72" (2 Ply) 3 Link		132	each		
<b>7</b>	25" x 120" (2 Ply) 6 Link		30	each		
<b>8</b>	20" x 80" (2 Ply) 4 Link		100	each		
<b>9</b>	24" x 96" (2 Ply) 4 Link		20	each		
<b>10</b>	16" x 100" (2 Ply) 4 Link		10	each		
<b>11</b>	16" x 60" (2 Ply) 3 Link		50	each		
<b>12</b>	16" x 75" (2 Ply) 3 Link		100	each		
<b>13</b>	16" x 80" (2 Ply) 4 Link		20	each		
<b>14</b>	20" x 48" (2 Ply) 2 Link		80	each		

**Annex « B » - Basis of Payment – List of Products - Mandatory Specifications and Requirements**  
**Revised March 23 2020 – Amendment No. 002**

<b>15</b>	12" x 76" (2 Ply) 3 Link		50	each		
<b>16</b>	20" x 32" (2 Ply) 2 Link		50	each		
<b>17</b>	20" x 40" (2 Ply) 2 Link		100	each		
<b>18</b>	20" x 72" (2 Ply) 3 Link		130	each		
<b>19</b>	20" x 140" (2 Ply) 7 Link		40	each		
<b>20</b>	24" x 36" (2 Ply) 3 Link		120	each		
<b>21</b>	20" x 50" (2 Ply) 2 Link		80	each		
<b>22</b>	14" x 14" (1 Ply)		100	each		
<b>23</b>	20" x 60" (2 Ply)		200	each		
<b>24</b>	20" x 20" (2 Ply)		100	each		
<b>25</b>	12" x 32" (1 Ply)		40	each		
<b>26</b>	25" x 80" (2 Ply) 4 Link		50	each		
<b>27</b>	24" x 24" (2 Ply)		500	each		
<b>28</b>	16" x 50" (2 Ply) 2 Link		40	each		
<b>29</b>	20" x 24" (2 Ply)		120	each		
<b>30</b>	20" x 25" (2 Ply)		300	each		
<b>31</b>	24" x 48" (2 Ply) 2 Link		50	each		

**Annex « B » - Basis of Payment – List of Products - Mandatory Specifications and Requirements**  
**Revised March 23 2020 – Amendment No. 002**

32	12" x 24" (2 Ply)		150	each		
33	16" x 20" (2 Ply)		80	each		
34	16" x 25" (2 Ply)		150	each		
35	8" x 29" (1 Ply)		20	each		
36	10" x 13" (1 Ply)		20	each		
37	8-1/2" x 44" (1 Ply)		20	each		
38	11" x 58" (1 Ply)		20	each		
39	10-1/2" x 13-1/2" (1 Ply)		50	each		
40	25" x 60" (2 Ply) 3 Link		40	each		
41	48" x 50' x 1" Paint Pocket Roll		10	each		
42	20" x 25" x 1" Paint Pocket Filters		300	each		
		<b>Items No. 43 to No. 46:</b> Varicel Filters must have a 6" deep construction with a minimum of 125 square feet of media per four square feet of face area. (same as AAF varicel m-pak*) These Items must be constructed of a polystyrene frame same as the AAF varicell m-pak* <b><u>OR EQUIVALENT</u></b> <b>GeoPleat Merv 11, 4" with single header.</b>				
43	20" x 24" x 6" 60% Single Header Varicel Filter		320	each		
44	20" x 20" x 6" 60% Single Header Varicel Filter		100	each		
45	24" x 24" x 6" 60% Single Header Varicel Filter		100	each		
46	12" x 24" x 6" 60% Single Header Varicel Filter		100	each		

**Annex « B » - Basis of Payment – List of Products - Mandatory Specifications and Requirements**  
**Revised March 23 2020 – Amendment No. 002**

	<b>Items No. 47 to No. 51:</b> 30-35% Pleated Metal Frame Rated to 260 degrees Celsius					
<b>47</b>	20" x 25" x 2" High Temperate Filter		100	each		
<b>48</b>	16" x 20" x 2" High Temperate Filter		130	each		
<b>49</b>	24" x 24" x 2" High Temperate Filter		70	each		
<b>50</b>	20" x 20" x 2" High Temperate Filter		50	each		
<b>51</b>	20" x 24" x 2" High Temperate Filter		50	each		
	<b>Items No. 52 to No. 68:</b> Must be Merv 8 Rating (Minimum Efficiency Reporting Value)					
<b>52</b>	24" x 24" x 2" Pleated Filter		200	each		
<b>53</b>	16" x 25" x 2" Pleated Filter		250	each		
<b>54</b>	16" x 25" x 1" Pleated Filter		40	each		
<b>55</b>	16" x 20" x 2" Pleated Filter		130	each		
<b>56</b>	16" x 20" x 4" Pleated Filter		40	each		
<b>57</b>	20" x 24" x 2" Pleated Filter		240	each		
<b>58</b>	20" x 20" x 2" Pleated Filter		400	each		

**Annex « B » - Basis of Payment – List of Products - Mandatory Specifications and Requirements**  
**Revised March 23 2020 – Amendment No. 002**

<b>59</b>	20" x 20" x 4" Pleated Filter		100	each		
<b>60</b>	20" x 25" x 2" Pleated Filter		200	each		
<b>61</b>	20" x 20" x 1" Pleated Filter		20	each		
<b>62</b>	26" x 20" x 1" Pleated Filter		50	each		
<b>63</b>	24" x 24" x 4" Pleated Filter		120	Each		
<b>64</b>	20" x 25" x 4" Pleated Filter		50	each		
<b>65</b>	20" x 24" x 4" Pleated Filter		70	each		
<b>66</b>	16" x 25" x 4" Pleated Filter		120	each		
<b>67</b>	12" x 25" x 4" Pleated Filter		50	each		
<b>68</b>	12" x 24" x 4" Pleated Filter		120	each		
<b>69</b>	Miscellaneous items not listed herein: _____% discount from your published price list.		\$2,000.00	each	_____ %	_____ %

Bidders must quote on each and every items. Quantities are estimates and are to be used for evaluation purposes only. Prices are to remain constant during the period of the Standing Offer.