



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Public Works and Government Services Canada
Canada Place/Place du Canada
10th Floor/10e étage
9700 Jasper Ave/9700 ave Jasper
Edmonton
Alberta
T5J 4C3
Bid Fax: (780) 497-3510

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada
Canada Place / Place du Canada
10th Floor / 10e étage
9700 Jasper Ave / 9700 ave Jasper
Edmonton
Alberta
T5J 4C3

Title - Sujet Jasper Staff Housing Project	
Solicitation No. - N° de l'invitation EW038-202718/A	Amendment No. - N° modif. 005
Client Reference No. - N° de référence du client PCA-EW038-202718	Date 2020-04-22
GETS Reference No. - N° de référence de SEAG PW-\$PWU-201-11819	
File No. - N° de dossier PWU-9-42246 (201)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-04-28	Time Zone Fuseau horaire Mountain Daylight Saving Time MDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ho (RPC), Hector	Buyer Id - Id de l'acheteur pwu201
Telephone No. - N° de téléphone (780) 901-0989 ()	FAX No. - N° de FAX (780) 497-3510
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
EW038-202718/A

Amd. No. - N° de la modif.
005

Buyer ID - Id de l'acheteur
pwu201

Client Ref. No. - N° de réf. du client
PWU- EW038-202718

File No. - N° du dossier
PWU-9-42246

CCC No./N° CCC - FMS No./N° VME

This amendment has been raised to make the following changes:

Attach:

Addendum #005

QUESTION:

Will it be acceptable to use NMD throughout the buildings as it is wood construction?

If not throughout, will it be acceptable to use NMD instead of AC90 or flex for drops to devices and light fixtures?

ANSWER:

See Addendum #005

JASPER STAFF HOUSING CONSTRUCTION

ADDENDUM No. 5

CLARIFICATIONS

- A.** Refer to Structural Note 6.1 “Slab on Grade” on Sheet S1.1 of the 5plex and duplex drawings and revise as follows:
- a. Under slab base course shall consist of a minimum of 150mm thickness of free-draining compacted granular material. The fill shall be minus 19mm crushed gravel, with not more than 10% passing the #4 sieve and no more than 5% passing the #10 sieve. Compacted to 100% SPMDD.
- B.** Answer to Question Q6 on Addendum No. 4 is revised as follows (Question is repeated unchanged):
- Q6** Specification; Section 32 11 16 Granular Sub-base; is radon rock with radon barrier required underneath the slab on grade? Specification refer to the clean crushed gravel only with 6 mil poly vapour barrier. Structural Drawings S 3.1 (slab on grade) refer to the radon mitigation detail on Arch.Dwg. which is not designated. Please, clarify.
- A6** Specification Section 32 11 16 is for exterior works. Refer to Addendum 5 Clarification A (above) for basement slab on grade gravel base requirements. Refer to Detail 4/M1.2 (5-plex) and 3/M1.2 (duplex) for radon depressurization system.
-

QUESTIONS and ANSWERS

- Q1** Will it be acceptable to use NMD throughout the buildings as it is wood construction? If not throughout, will it be acceptable to use NMD instead of AC90 or flex for drops to devices and light fixtures?
- A1** Lumex (NMD90) cabling is acceptable to be used throughout for any cabling that is of size #2 or smaller. For cabling larger than #2, teck cable would be required.
-

END OF ADDENDUM No. 5

(Total 1 pages)