



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Furniture Division/Division des ameublements
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7^e étage,
140 O'Connor, Street,
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Title - Sujet Furniture for LTDLC	
Solicitation No. - N° de l'invitation EN439-202866/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client 20202866	Date 2020-05-07
GETS Reference No. - N° de référence de SEAG PW-\$\$PQ-991-78611	
File No. - N° de dossier pq991.EN439-202866	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-05-19	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ouimet, Daphné	Buyer Id - Id de l'acheteur pq991
Telephone No. - N° de téléphone (343) 551-0104 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: See Herein	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 003 is raised to replace Annex A-1 – Detailed Product Requirements, CATEGORY A Section and to answer questions received from industry as follows:

1. Replace Annex A-1 – Detailed Product Requirements, Category A Section as follows:

DELETE IN ITS ENTIRETY:
CATEGORY A

REPLACE BY:

CATEGORY A

1A - COLLABORATIVE MEETING TABLE (WITH POWER) (ITEM 1A & 1B MUST BE FROM SAME BIDDER, MANUFACTURER AND SERIES)


- Description:
 - Must be a rectangular large meeting table with table top power module and open storage feature
 - Must accommodate collaboration of approx. 10-14 people
- Dimensions:
 - Must be 2997mm - 3048mm W x 1524mm D x 914mm – 991mm H (118-120" W x 60" D x 36-39" H)
- Construction:
 - Table top must be one piece with rounded corners (not squared)
 - Must have power module and open storage feature to be centrally located on table top and flush with surface.
 - Power module must have a minimum of four (4) electrical outlets and four (4) USB outlets
 - Open storage feature must accommodate small stationery (i.e.: markers, pens, sticky notes, remotes, etc.)
 - Table must have four (4) angled legs (no end gables or base)
 - Table must accommodate counter height stools on all four sides
 - Horizontal cable management must be provided with the table
- Finishes:
 - Table top surface must be High Pressure Laminate
 - Center power module and open storage feature must be of plastic, metal or high pressure laminate finish
 - Legs must be painted or brushed metal
- Standards:
 - Deflection of tables must meet the acceptable levels as described in CAN/CGSB 44.227 in the following manners:
 - Deflection: Table surfaces must deflect no more than its overall length (L) divided by 180 (L/180) when tested in accordance with the detailed requirements of tables.

1B - COLLABORATIVE MEETING TABLE (NO POWER) (ITEM 1A & 1B MUST BE FROM SAME BIDDER, MANUFACTURER AND SERIES)

- Description:
 - Must be rectangular large meeting table
 - Must have table top open storage feature (no power)
 - Must accommodate collaboration of approx. 10-14 people
- Dimensions:
 - Must be 2997mm - 3048mm W x 1524mm D x 914mm – 991mm H (118-120" W x 60" D x 36-39" H)
- Construction:
 - Table top must be one piece with rounded corners (not squared)
 - Must have open storage feature to be centrally located on table top and flush with surface
 - Open storage feature must accommodate small stationery (i.e.: markers, pens, sticky notes, remotes, etc.)
 - Table must have four (4) angled legs (no end gables or base)
 - Table must accommodate counter height stools on all four sides
- Standards:
 - Deflection of tables must meet the acceptable levels as described in CAN/CGSB 44.227 in the following manners:
 - Deflection: Table surfaces must deflect no more than its overall length (L) divided by 180 (L/180) when tested in accordance with the detailed requirements of tables.

Delivery information for Items 1A and 1B

- **Due to its dimensions, a stair carry delivery is required for products 1A and 1B. The products must fit inside the staircase's dimensions below:**




Escalier "D" / Staircase "D"
25 Eddy, Gatineau, QC

Note: Portes doubles au rez-de-chausée /
Double doors on ground floor.


← Plateformes d'escaliers du rez-de-chausée au 3^e étage / Staircase landings
from ground floor to 3rd floor.

Entre les mains-courantes /
Between handrails: 64.5"



Escalier "D" / Staircase "D"
25 Eddy, Gatineau, QC

← Plateformes du 3e au 6e étage /
 Landings from the 3rd to the 6th floor:



Escalier "D" / Staircase "D"
25 Eddy, Gatineau, QC

← Plateforme du 6e étage /
 6th floor stair landing

* Dimensions de la porte /
 Door dimensions: 34" x 81"

Entre les mains-courantes /
 Between handrails: 64.5"

2. QUESTIONS AND ANSWERS

Question 1

Do we have to apply and have product testing completed on the furniture or will supplier data for the raw materials be sufficient?

Answer 1

All testing must be for the completed product. Products to be tested are described in the Request for Proposal at Annex A – Statement of Requirement. Therefore, the suppliers data for the raw material is not acceptable for testing because the raw material is not considered the product.

Question 2

Will custom pieces be accepted?

Answer 2

As long as the entire finished products meets the specifications, testing and standards listed in the RFP, then custom pieces may be accepted.

Question 3

Will there be any leeway in timing given for producing final drawing sets and cut sheets if awarded the contract, given these would not be off-the-shelf?

Answer 3

No.

Question 4

In regards to the units themselves, is there any current preference from the end user for colour schemes

Answer 4

Finishes will be selected upon award.

Question 5

Category A – Item 1A and 1B – Collaborative Meeting Tables

There is a concern a single piece tabletop width 118-120" will not fit the turn radius for a stair carry.

- a) Please confirm if these tables are to be installed on the 6th floor?
- b) Please provide the interior dimensions of the staircase, at the landing, and door clearance to ensure a single piece table top will fit in order to provide an accurate Delivery and Installation charge.
- c) If a single piece table top does not fit inside the staircase and the turn radius, would a surface in two sections be acceptable?

Answer 5

- a) Yes, on the 6th floor.
- b) Please refer to the amended Annex A-1 - Detailed Product Requirements, CATEGORY A Section above.
- c) Two sections will not be accepted.

Question 6

Category A – Item 1A – Collaborative Meeting Tables

- a) Would you accept a low profile open organizer that is not affixed to the table and can be removed as required?
- b) Please clarify the open storage feature requirement on the table.

Answer 6

- a) No.
- b) The requirement is to have an open, recessed / integrated storage feature in the center of the table that can hold whiteboard erasers, markers, pens, sticky-notes or other supplier than can be used during meetings. This storage feature can be a part of or combined with the electrical requirement of the table.

All other terms and conditions are to remain unchanged.