



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving Public Works and Government Services Canada/Réception des soumissions/Travaux publics et Services gouvernementaux Canada  
See herein for bid submission instructions/

Voir la présente pour les instructions sur la présentation d'une soumission

NA

Ontario

...

**Revision to a Request for Supply Arrangement - Révision à une demande pour un arrangement en matière d'approvisionnement**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**

Raison sociale et adresse du fournisseur/de l'entrepreneur

**Issuing Office - Bureau de distribution**

Public Works and Government Services / Travaux publics et services gouvernementaux  
Kingston Procurement  
Des Acquisitions Kingston  
86 Clarence Street, 2nd floor  
Kingston  
Ontario  
K7L 1X3

<b>Title - Sujet</b> Multi Purpose Training Facility Svc		
Solicitation No. - N° de l'invitation W3048-21KJ02/A	Date 2020-06-18	
Client Reference No. - N° de référence du client W3048-21-KJ02	Amendment No. - N° modif. 001	
File No. - N° de dossier KIN-0-54018 (519)	CCC No./N° CCC - FMS No./N° VME	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$KIN-519-8082		
Date of Original Request for Supply Arrangement Date de demande pour un arrangement en matière d'app. originale		2020-06-02
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-07-13</b>		Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
Address Enquiries to: - Adresser toutes questions à: Choquette, Herb	Buyer Id - Id de l'acheteur kin519	
Telephone No. - N° de téléphone (613) 536-4874 ( )	FAX No. - N° de FAX (613) 545-8067	
<b>Delivery Required - Livraison exigée</b>		
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> Department of National Defence Ottawa, ON		
<b>Security - Sécurité</b> This revision does not change the security requirements of the solicitation. Cette révision ne change pas les besoins en matière de sécurité de l'invitation.		

**Instructions: See Herein**

**Instructions: Voir aux présentes**

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
<b>The Offeror hereby acknowledges this revision to its Offer.</b> <b>Le proposant constate, par la présente, cette révision à son offre.</b>		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
<b>For the Minister - Pour le Ministre</b>		

Solicitation No. — N° de l'invitation W3048-21KJ02/A	Amd. No. — N° de la modif. 01	Buyer ID — Id de l'acheteur KIN519
Client Ref. No. — N° de réf. du client W3048-21-KJ02	File No. — N° du dossier KIN-0-54018	CCC No./N° CCC — FMS No./N° VME

---

## Bidder's Questions and Answers from Canada

**Q1:** Section 3.5.3 Allow for both live fire ammunition and simmunition; - Can you please clarify on this need request?

**A1:** *DND wants to have the ability to conduct training using both live ammunition and non-lethal training ammunition (Simmunition).*

**Q2:** Section 3.5.4 Allow for the use of live explosives for breaching of doors, walls and windows – Will the need be of concrete exterior or interior building walls?

**A2:** *Breaching will be done on various building materials not just concrete and could also include masonry block, brick, wood, etc. Breaching can be interior and/or exterior.*

**Q3:** Sections 3.7 and 3.8 – Is the request for defined controlled air space?

**A3:** *No, The Contractor does not have to provide controlled air space but needs to be able to assist DND in obtaining NOTAMs. Refer to amended Section 3.8*

**Q4:** Section 3.9.8 Medical facilities – Is this request for designated space or equipped space?

**A4:** *The Contractor must provide equipped space.*

## PART 3 - ARRANGEMENT PREPARATION INSTRUCTIONS

### 3.1 Arrangement Preparation Instructions

#### Delete:

The Supplier must submit its arrangement electronically in accordance with section 08 of the 2008 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation. The arrangement must be gathered per section and separated as follows:

- Section I: Technical Arrangement
- Section II: Financial Arrangement
- Section III: Certifications
- Section IV: Additional Information

Arrangements transmitted by facsimile or hardcopy will not be accepted.

#### Insert:

The Supplier must submit its arrangement electronically in accordance with section 08 of the 2008 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation. The arrangement must be gathered per section and separated as follows:

- Section I: Technical Arrangement
- Section III: Certifications
- Section IV: Additional Information

Arrangements transmitted by facsimile or hardcopy will not be accepted.

Solicitation No. — N° de l'invitation  
W3048-21KJ02/A  
Client Ref. No. — N° de réf. du client  
W3048-21-KJ02

Amd. No. — N° de la modif.  
01  
File No. — N° du dossier  
KIN-0-54018

Buyer ID — Id de l'acheteur  
KIN519  
CCC No./N° CCC — FMS No./N° VME

---

## **ANNEX "A", STATEMENT OF WORK**

### **3 Scope of Work**

**Delete the following section in its entirety:**

- 3.8 To support high altitude parachuting, the facility must have:
  - 3.8.1 Controlled airspace up to 25,000 feet and 20 kilometers from the designated drop zone; and
  - 3.8.2 Markers and windsock to designate the drop zone.

**Insert the following section:**

- 3.8 To support high altitude parachute training, the Contractor must:
  - 3.8.1 Be capable of planning and coordinating airspace up to 25,000 feet and 20 kilometers from the designated drop zone while parachute training is occurring; and
  - 3.8.2 Provide markers and a windsock to designate the drop zone.