



GENERAL NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETERS. SITE VERIFY BEFORE PROCEEDING WITH WORK.



Issued for Tender	Mar 27 2020
revisions	date


project
MACTAQUAC BIODIVERSITY FACILITY ADMINISTRATION BUILDING RENOVATIONS FRENCH VILLAGE, N.B.

drawing
EXISTING AND NEW REFLECTED CEILING PLAN


designed	conçu
date	
drawn	dessiné
date	
approved	approuvé
date	
Tender	Soumission

PWSC Project Manager	Administrateur de projets TPSC
project number	no. du projet
R.104486.001	
drawing no.	no. du dessin


A3



- CEILING LEGEND**
- EXISTING SUSPENDED ACOUSTIC PANEL CEILING. REMOVE AND REINSTATE AS REQUIRED BY THE WORK.
 - EXCEPT WHERE NOTED FOR ROOM 103, EXISTING PAINTED PLASTER CEILING TO REMAIN. (CONTAINS ASBESTOS)
 - REMOVE EXISTING SUSPENDED ACOUSTIC CEILING SYSTEM INCLUDING HANGERS, FIXTURES AND FASTENERS.
 - EXISTING LIGHT FIXTURE TO BE REMOVED PER ELECTRICAL.
 - EXISTING DIFFUSER TO BE REMOVED PER MECHANICAL.



1 EXISTING REFLECTED CEILING PLAN
SCALE: 1:50



- CEILING LEGEND**
- EXISTING SUSPENDED ACOUSTIC PANEL CEILING. REMOVE AND REINSTATE AS REQUIRED BY THE WORK.
 - EXCEPT WHERE NOTED FOR ROOM 103, EXISTING PAINTED PLASTER CEILING TO REMAIN. (CONTAINS ASBESTOS)
 - NEW FIRE RATED SUSPENDED ACOUSTIC PANEL CEILING SYSTEM.
 - MAINTAIN INTEGRITY OF REQUIRED 1-HOUR FIRE SEPARATION. FIRE STOP ALL NEW PENETRATIONS AND OPENINGS CREATED BY REMOVALS.
 - EXISTING ELECTRICAL FIXTURE TO REMAIN.
 - NEW LIGHTING FIXTURE PER ELECTRICAL.
 - NEW CEILING DIFFUSER PER MECHANICAL. FIELD ADJUST POSITION AS NEEDED TO FIT DUCTWORK FEEDING THE DIFFUSER INTO THE ROOF JOIST SPACE.



2 NEW REFLECTED CEILING PLAN
SCALE: 1:50

