



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
Halifax
Nova Scotia
B3J 1T3
Bid Fax: (902) 496-5016

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
Halifax
Nova Scot
B3J 1T3

Title - Sujet ACOA Fredericton Workspace Furnitur	
Solicitation No. - N° de l'invitation EC096-210365/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client EC096-21-0365	Date 2020-07-03
GETS Reference No. - N° de référence de SEAG PW-\$HAL-207-11009	
File No. - N° de dossier HAL-0-85043 (207)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-07-23	
Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Grieve, Bronwen	Buyer Id - Id de l'acheteur hal207
Telephone No. - N° de téléphone (902) 943-2394 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 001 is raised to:

- 1. Extend Solicitation Closing Date;**
- 2. Answer bidder questions;**
- 3. Amend Part 1: Product Categories: 1, 2 and 5, Table 1;**
- 4. Amend Part 4 to separate items 4-8 and non-SA items 1-2 into new table called Product Table Category 6B – Mobile Lounge; and**
- 5. Amend Annex D.**

1. Extend Solicitation Closing Date:

Under Cover page – Solicitation Closes:

DELETE: 2020-07-09

INSERT: [2020-07-23](#)

2. Bidder Questions and Answers

Q1: The inclusion of magnetic wire management is a brand-specific specification that will prevent reasonable competitive bidding. Wire management can be attached in a number of ways that are semi-permanent and secure power and data cables safely – will vertical wire management be considered that use other semi-permanent adhesion methods?

A1: We will change this requirement to “***With Vertical Wire Management Chain”. Please see amendments below for Part 1: Product Categories 1, 2 and 5, items 9-13.

Q2: There seems to be a repetitive requirement for power by using the fence and a power bar and the table mounted power. This can be achieved by the height adjustable benching which is an SA product and the privacy screens can also be attached and the power is incorporated much cleaner

A2: The client does not want any panels in front of the sit-stands, only a privacy/modesty screen. The power requirement is for the middle beam panels which has a fixed surface attached to it. With the benching systems you need to have a minimum of two Sit-Stands back to back with a middle panel and there is only one area which this is possible.

Layout cannot be achieved with height adjustable benching.

Q3: In Category 1A you are asking for a Fabric Surface Mounted Privacy Screen while in the NSA Products section you are requesting the Elevated Beam Panel “with frosted glass privacy screen above track. Can these be fabric?

A3: The beam upper add on panel must be frosted glass.

Q4: In Annex D – 1. Specifications for CAT 1, Non SA items 1 to 5” section .1.2 you are referring to “A fabric divider screen shall be mounted to the top of the horizontal beam while in the NSA products you are referring to “with frosted glass privacy screen above track.” Can this be fabric?

A4: It cannot be fabric, but will correct to “frosted glass divider screen”. See amendment below.

Q5: Grommet placement is understandable, however the requirement for metal grommet covers adds unnecessary additional cost without any benefit over standard plastic grommet covers. With that in mind, please advise if standard grommet covers are acceptable?

A5: Yes this standard grommets covers are acceptable, please see amendment below.




3. Under Part 1: Product Categories: 1, 2 and 5, Table 1 – Product Table:

DELETE: in its entirety

INSERT:

Table 1 – Product Table

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i> <i>**Pictures to be only used as a reference..</i>	Qty	** Provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
Category 1A- See Annex C for Location							
1	1bCPSXXS XXL48XFA NNN	48" Surface Mounted Privacy Screen. Must be mounted to accommodate a clamped dual monitor arm. 	46	No		\$	\$
2	1bCPSXXS XXL54XFA NNN	54" Surface Mounted Privacy Screen Must be mounted to accommodate a clamped dual monitor arm 	6	No		\$	\$
3	1bCPSXXS XXL30XFA NNN	30" Surface Mounted Privacy Screen to be mounted on the side of the surfaces	32	No		\$	\$

							
Category 1B- See Annex C for Location							
4	1bFFHREG 24L66WNO LNY	24x66 return surface with rectangular standard plastic grommet covers (must be available in white/grey and black) with door. Grommet located at center-edge  Grommet location	31	No			
5	1bFFHREG 24L72WNO LNY	24x72 return surface with rectangular standard plastic grommet covers (must be available in white/grey and black) with door. Grommet located at center-edge  Grommet location	14	No			
6	1bFFHREG 24L78WNO LNY	24x78 return surface with rectangular standard plastic grommet covers (must be available in white/grey and black) with door. Grommet located at center-edge  Grommet location	21	No			
7	1bCFHLX2 0L72XBFB FKX	20x72 Credenza with box/file drawers on both sides.  (Location: Office 604)	1	No			
Category 2- See Annex C for Location							
8	2WSSREXX L24L48BE LXX	24x48 Electric Sit-Stand **With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed.	38	Yes- Wire Management		\$	\$

		(Location: 7 in 5th floor open space/ 26 in 6th floor open space)					
9	2WSSREXX L24L54BE LXX	24x54 Electric Sit-Stand **With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed. (Location: 11 in 6th floor open space)	6	Yes- Wire Management		\$	\$
10	2WSSREXX L24L60BE LXX	24x60 Electric Sit-Stand **With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed. (location: 8 in 6th floor open space)	8	Yes- Wire Management		\$	\$
11	2WSSREXX L30L48BE LXX	30x48 Electric Sit-Stand **With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed. (Location: 6 in 5th floor open space/ 12 in 6th floor open space)	18	Yes- Wire Management		\$	\$

12	2WSSREXX L30L60BE LXX	30x60 Electric Sit-Stand** With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed. (Location: 14 in 5th floor open space/ 1- room 507/ 1- room 624/ 1- room 626/ / 1- room 620/ 1- room 618/ 1- room 609/ 1- room 607/ 1- room 603/ 1- room 612/ 1- room 604)	24	Yes- Wire Management		\$	\$
----	-----------------------------	---	----	----------------------	--	----	----




Category 5

13	5PMOWKSM TACUSBXX XXX	Power Module-Clamped on power module with 2 power and 1 USB (location: on every sit-stand desk- clamped at the back top edge) Picture to show location only:	94	No			
----	-----------------------------	--	----	----	--	--	--



14	5PMOWKSM TACUSBXX XXX	Power Bar-To be mounted on underside of every sit-stand. To have min of 2 duplex (No USB).	94	Yes			
----	-----------------------------	--	----	-----	--	--	--



****Please provide additional information:**
 Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.

NSA products
 The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID			
#	NSA Product(s) Description	Qty	**Please provide additional	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$

			information (Yes/No)			
1	<p>Equivalent to 1bCPSXXSXXL54XFANNN but with a length of 60" Must be mounted to accommodate a clamped dual monitor arm.</p> 	32	No		\$	\$
2	<p>**See Annex D for Specifications Elevated beam panel with power and usb on both sides. Casters are not required and unit should be 48" long (see annex C for location and connectivity) connected by pac poles. **with frosted glass privacy screen above track. Location: Work Area 622</p> 	2	Yes		\$	\$
3	<p>**See Annex D for Specifications Elevated beam panel with power and usb on both sides. Casters are not required and unit should be 66" long (see annex C for location and connectivity) connected by pac poles. **with frosted glass privacy screen above track.</p> 	14	Yes			
4	<p>**See Annex D for Specifications Elevated beam panel with power and usb on both sides. Casters are not required and unit should be 72" long (see annex C for location and connectivity) connected by pac poles. **with frosted glass privacy screen above track.</p>	8	Yes			

						
5	<p>**See Annex D for Specifications Elevated beam panel with power and usb on both sides. Casters are not required and unit should be 78" long (see annex C for location and connectivity) connected by pac poles. **with frosted glass privacy screen above track.</p> 	11	Yes			
6	<p>Shared storage credenza with cushion top 21" high (+-2 inches) "18x42 shared credenza" with digital lockable drawers on opposite sides.</p>  <p style="text-align: center;">front view</p>  <p style="text-align: center;">back view</p> <p>(Location: 1 on each floor)</p>	2	Yes			
7	<p>Shared storage credenza with cushion top 21" high (+-2 inches) "20x48 shared credenza" with digital lockable drawers on opposite sides.</p>  <p style="text-align: center;">front view</p>  <p style="text-align: center;">back view</p> <p>(Location: 4 in 5th floor open space/ 9 in 6th floor open space)</p>	13	Yes			
8	<p>Shared storage credenza with cushion top 21" high (+-2 inches) "20x60 shared credenza" with digital lockable drawers on opposite sides.</p>	1	Yes			

 front view  back view (Location: 1 in 5th floor open space)					
				Product Total	\$
**Please provide additional information: Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.					


4. Under PART 4: CATEGORY 6B – Lounge (SA)




DELETE: in its entirety

INSERT:

PART 4a: CATEGORY 6B – Lounge (SA)

Table 1 – Product Table Category 6B- Lounge

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Qty	**Please provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
1	6SSOTWXX LUW4XXXQ NNN	26x72 banquette- no arms-no power. Regular back height  Seat and back must be available in both upholstery and Vinyl and should be one continuous piece without any gap to allow for easy cleaning. Must be compatible with Non-Sa item 1 and 2 below. CAT 6B. The banquettes and the table must fit in a 2020mmx1900mm area.	3	No		\$	\$

		 <p>(Location: huddle booth 638 and 637)</p>					
2	6SSOTWXX LUW4XXXQ NNN	26x72 banquette. Regular back height: With power module mounted at edge of seat (2 powers and 2 usb) Seat and back must be available in both upholstery and Vinyl and should be one continuous piece without any gap to allow for easy cleaning.  <p>(Location: room 601)</p>	3	No		\$	\$
3	6SSOTWXX LUW4XXXQ NNN	26x54 banquette. Regular back height- **with power module mounted at edge of seat (2 powers and 2 usb)  <p>Seat and back must be available in both upholstery and Vinyl and should be one continuous piece without any gap to allow for easy cleaning (Location: Lounge 634)</p>	3	No		\$	\$
9	6SBAINXX LUW1G19L LNN 6SBATHXX LUW5G19L LNN 6SMORBXX LU25G19L NNN	L shaped unit containing (sizes +- 2"): A) 2-55 long by 34 deep, low back and no arms. B) 1-28 long by 34 deep, low back and no arms. C) 1-34x34 corner piece no arms and no back.	1	Yes			

								Product Total	\$

****Please provide additional information:**
 Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-3, and 9	81 Regent Street Fredericton, NB E3B 3W3 (Floor 5 and 6)	Delivered by 2020/09/01	8am to 6pm	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-3, and 9	81 Regent Street Fredericton, NB E3B 3W3 (Floor 5 and 6)	2020/09/01 completed by 2020/09/18	8am to 6pm	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Installation Total:	\$

- Table 4 – Optional Product Not Applicable
 Table 5 – Optional Delivery Not Applicable
 Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	Canada's Facilities to Accommodate the Delivery
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>
2.1	Loading Dock/Location
A	Location N/A
B	Dock N/A
C	Lift N/A
D	Door N/A

E	Freight Elevator	Main Entrance - regular Elevator only (no Freight) - Location 5th & 6th Floors
F	Other (specify, if any)	
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$


* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	

PART 4b: CATEGORY 6B – Mobile Lounge

Table 1: Product Table Category 6B Mobile Lounge

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Qty	**Please provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
4	6STCWRXXL UXXXXXXXXNN X	Tablet arm chair **with interchangeable tablet arm and swivel base. Right Handed (Location: 1- room 621/ 1- room 619/ 2- room 606)	4	No		\$	\$
5	6STCWLXXL UXXXXXXXXNN X	Tablet arm chair **with interchangeable tablet arm and swivel base. Left Handed (Location: 2- room 621/ 2- room 619/ 1- room 606)	5				
6	6SUSSQXXL UX8XXXXLXX X	24x24 square modular ottoman on glides.  (Location: 3- room 507/ 5- room 505/ 2- room 510/ 2- room 624/ 3- room 626/ 3- room 620/ 3- room 618/ 3- room 612/ 3- room 609/ 3- room 607/ 5- room 608/ 3- room 604/ 3- room 634)	41	No		\$	\$
7	6SUSROXXL UX8XXXXLXX X	Upholstered Ottoman with casters- 24" Diameter. Approximately 18" high.  (location: 1- room 502/ 1- room 503/ 2- open area 508/ 2- room 623/ 1- room 625/ 2- room 628/ 1- huddle 638/ 1- huddle 637/ 1- room 631/ 1- room 603/ 2- entrance 602/ 1- room 617)	16	No		\$	\$
8	6SLCWAXXF UXXXXXXXXMX X	Lounge Chairs 	2	No		\$	\$


	(Location: room 503 and 625)				
--	------------------------------	--	--	--	--

****Please provide additional information:**

Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.

NSA products (must not exceed 30% of the firm quantity by category)

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	Qty	**Please provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
1	<p>Equivalent to 6MMTMDREOL36L72WYNX but with the following modifications: table base to be disc base to accommodate banquettes on each side. Table height to be 29" with attached monitor on 36" side of the table. Wire management track to be provided.</p>  <p>Must be compatible with SA item 1 from CAT 6B. The banquettes and the table must fit in a 2020mmx1900mm area. This item is to be the same product as Non-Sa item below.</p>  <p>(location: Huddle Booth 637)</p>	1	Yes		\$	\$
2	<p>Equivalent to 6MMTMDREOL36L72WYNX but with the following modifications: table base to be disc base to accommodate banquettes on each side. Table height to be 27" with attached monitor on 36" side of the table. Wire management track to be provided.</p>	1	Yes		\$	\$

 <p>Must be compatible with SA item 1 from CAT 6B. The banquettes and the table must fit in a 2020mmx1900mm area. This item is to be the same product as Non-Sa item above.</p> <p>(location: Huddle Booth 638)</p>			
			Product Total \$

****Please provide additional information:**
 Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
4-8, non-SA 1-2	81 Regent Street Fredericton, NB E3B 3W3 (Floor 5 and 6)	Delivered by 2020/09/01	8am to 6pm	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>	Delivery Total:	\$
---	-----------------	----

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
4-8, non-SA 1-2	81 Regent Street Fredericton, NB E3B 3W3 (Floor 5 and 6)	2020/09/01 completed by 2020/09/18	8am to 6pm	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>

	<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	N/A
B	Dock	N/A
C	Lift	N/A
D	Door	N/A
E	Freight Elevator	Main Entrance - regular Elevator only (no Freight) - Location 5th & 6th Floors
F	Other (specify, if any)	
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	
5	Optional Delivery Total (Table 5)	
6	Optional Installation Total (Table 6)	
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	

5. Under ANNEX D, Additional Specifications, Certifications, 1. Specifications for CAT1, Non SA items 1 to 5, .1 Description

DELETE: in its entirety

INSERT

- .1 Description
 - .1 A separate, freestanding, UL Certified power and data distribution beam panels system.
 - .2 A **frosted glass** divider screen shall be mounted to the top of the horizontal beam, matching the width of the adjustable table work surface (+/- 2") and shall cover the full ANSI/BIFMA height range of 22"-48" (+/- 2") travel of the table.
 - .4 The total height of a *seated privacy height* panel can be achieved with a *base panel height* and one *panel add-on module*. Must not exceed 1372mm (54 in.) high.
 - .5 The vertical post between and at the end of beams shall have 4 access points (one on each side of square post leg) to allow the system to be arranged in a straight line, L-shape, T shape or X shape configuration with a single universal jumper cable connecting the electrical system from beam to beam.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED