



## RETURN BIDS TO:

## RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

## SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

### Comments - Commentaires

### Vendor/Firm Name and Address

Raison sociale et adresse du  
fournisseur/de l'entrepreneur

### Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique  
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

<b>Title - Sujet</b> ACOA Fredericton Workspace Furnitur	
<b>Solicitation No. - N° de l'invitation</b> EC096-210365/A	<b>Amendment No. - N° modif.</b> 004
<b>Client Reference No. - N° de référence du client</b> EC096-21-0365	<b>Date</b> 2020-07-21
<b>GETS Reference No. - N° de référence de SEAG</b> PW-SHAL-207-11009	
<b>File No. - N° de dossier</b> HAL-0-85043 (207)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2020-07-28</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Daylight Saving Time ADT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Grieve, Bronwen	<b>Buyer Id - Id de l'acheteur</b> hal207
<b>Telephone No. - N° de téléphone</b> (902) 943-2394 ( )	<b>FAX No. - N° de FAX</b> (902) 496-5016
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

---

**Amendment 001 is raised to:**

- 1. Extend Solicitation Closing Date**
- 2. Answer bidder questions**
- 3. Amend Part 1: Product Categories: 1, 2 and 5, Table 1 – Product Table**
- 4. Amend Part 2: Category 6, Table 1 – Product Table**
- 5. Amend Part 4b: Category 6B, Table 1 – Product Table**

**1. Extend Solicitation Closing Date:**

Under Cover page – Solicitation Closes:

DELETE: 2020-07-23

INSERT: **2020-07-28**

**2. Bidder Questions and Answers**

Q1: In Amendment 002 in Table 1 – Product Table – NSA products items 2 to 5 you are indicating “Elevated beam panel with power and USB on both sides” while in Annex D there is no reference to a USB requirement. Do you have a requirement for USB in the beam?

A1: No we do not. The USB requirement will be removed from the “elevated beam panels” as it was not requested in Annex D. See amendment below.

Q2: In Amendment 002, Under Part 2: Category 6, Table 1, NSA products you are asking for a Laminate Top for Filing cabinet – 144” Long. Our supplier doesn’t product one piece surfaces longer than 120” primarily because of elevator restrictions. Since this top is spanning 4 – 36” filing cabinets can we supply 2 – 72” long laminate tops instead?

A2: Yes, 2 – 72” long laminate tops are acceptable.

Q3: CAT 6 Part 2 NSA items 1, 2 & 3. Please advise if the file top is acceptable in low-pressure laminate.

A3: No, we will not accept low-pressure laminate.

Q4: CAT6 Part 4 Item 3 would a length of 48.5" be acceptable?

A4: No, required length is maximum 54 inches with a 2” variance so the minimum length would be 52”

Q5: CAT6 Part 4 Item 4, a tablet arm chair with swivel base is not on the SA, should this be Non-SA or will you accept a chair on four swivel casters?

A5: Swivel base can be as per SA : Must have a minimum of two casters and two legs or four casters. Two casters must be lockable.

Q6: CAT6 part 4 item 6, would you accept a dimension of 22x22 to align the consistency of the offered series?

A6: Yes, that is acceptable.

Q7: CAT6 part 4 item 7, would you accept a dimension of 20" to align the consistency of the offered series?



A7: Yes, that is acceptable





### 3. Under PART 1a: Product Categories 1, 2 and 5, Table 1 – Product Table:




DELETE: In its entirety





INSERT:

**Table 1 – Product Table**

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA) <b>**Pictures to be only used as a reference..</b>	Qty	** Provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
<b>Category 1A- See Annex C for Location</b>							
1	1bCPSXXSXX L48XFANNN	48" Surface Mounted Privacy Screen. Must be mounted to accommodate a clamped dual monitor arm. 	48	No		\$	\$
2	1bCPSXXSXX L54XFANNN	54" Surface Mounted Privacy Screen Must be mounted to accommodate a clamped dual monitor arm 	6	No		\$	\$
3	1bCPSXXSXX L30XFANNN	30" Surface Mounted Privacy Screen to be mounted on the side of the surfaces	32	No		\$	\$

							
<b>Category 1B- See Annex C for Location</b>							
4	1bFFHREG24 L66WNOLNY  Or  1bFFHREL24 L66WNOANY (for fixed workspace where there is no beam panel)	24x66 return surface with rectangular standard plastic grommet covers (must be available in white/grey and black) with door. Grommet located at center-edge  	31	No			
5	1bFFHREG24 L72WNOLNY	24x72 return surface with rectangular standard plastic grommet covers (must be available in white/grey and black) with door. Grommet located at center-edge  	14	No			
6	1bFFHREG24 L78WNOLNY  Or  1bFFHREL24 L78WNOANY (for fixed workspace where there is no beam panel)	24x78 return surface with rectangular standard plastic grommet covers (must be available in white/grey and black) with door. Grommet located at center-edge  	21	No			
<b>Category 2- See Annex C for Location</b>							
8	2WSSREXXL2 4L48BELXX	24x48 Electric Sit-Stand <b>**With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed.</b>	38	Yes- Wire Management		\$	\$

		(Location: 7 in 5th floor open space/ 26 in 6th floor open space) 					
9	2WSSREXXL2 4L54BELXX	24x54 Electric Sit-Stand <b>**With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed.</b> (Location: 11 in 6th floor open space) 	6	Yes- Wire Management		\$	\$
10	2WSSREXXL2 4L60BELXX	24x60 Electric Sit-Stand <b>**With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed.</b> (location: 8 in 6th floor open space) 	8	Yes- Wire Management		\$	\$
11	2WSSREXXL3 0L48BELXX	30x48 Electric Sit-Stand <b>**With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed.</b> (Location: 6 in 5th floor open space/ 12 in 6th floor open space)	18	Yes- Wire Management		\$	\$




							
12	2WSSREXXL3 0L60BELXX	<p>30x60 Electric Sit-Stand**<b>With Vertical Wire Management Chain – Must accommodate existing clamped-on monitor arms and privacy panels above. A groove in the surface can be added if needed.</b></p> <p>(Location: 14 in 5th floor open space/ 1- room 507/ 1- room 624/ 1- room 626/ / 1- room 620/ 1- room 618/ 1- room 609/ 1- room 607/ 1- room 603/ 1- room 612/ 1- room 604)</p> 	24	Yes- Wire Management		\$	\$
<b>Category 5</b>							
13	5PMOWKSMTA CUSBXXXXX	<p>Power Module-Clamped on power module with 2 power and 1 USB (location: on every sit-stand desk- clamped at the back top edge) Picture to show location only:</p> 	94	No			
14	5PMOWKSMTA CUSBXXXXX	<p>Power Bar-To be mounted on underside of <u>every</u> sit-stand. To have min of 2 duplex (<b>No USB</b>).</p> 	94	Yes			



**\*\*Please provide additional information:**

Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.

**NSA products**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NSA Product(s) Description	Qty	**Please provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
1	<p>Equivalent to 1bCPSXXSXXL54XFANNN but with a length of 60" Must be mounted to accommodate a clamped dual monitor arm.</p> 	32	No		\$	\$
2	<p><b>**See Annex D for Specifications</b> Elevated beam panel with power on both sides. Casters are not required and unit should be 48" long (see annex C for location and connectivity) connected by pac poles. **with frosted glass privacy screen above track. Location: Work Area 622</p> 	2	Yes		\$	\$
3	<p><b>**See Annex D for Specifications</b> Elevated beam panel with power on both sides. Casters are not required and unit should be 66" long (see annex C for location and connectivity) connected by pac poles. **with frosted glass privacy screen above track.</p> 	14	Yes			

4	<p><b>**See Annex D for Specifications</b></p> <p>Elevated beam panel <b>with power on both sides</b>. Casters are not required and unit should be <b>72" long</b> (see annex C for location and connectivity) connected by pac poles.</p> <p><b>**with frosted glass privacy screen above track.</b></p> 	8	Yes			
5	<p><b>**See Annex D for Specifications</b></p> <p>Elevated beam panel <b>with power on both sides</b>. Casters are not required and unit should be <b>78" long</b> (see annex C for location and connectivity) connected by pac poles.</p> <p><b>**with frosted glass privacy screen above track.</b></p> <p><i>Can be achieved through a combination of a 42" long and a 36" wide beams with a single 78" long frosted glass panel.</i></p> 	11	Yes			
				Product Total	\$	
<p><b>**Please provide additional information:</b></p> <p>Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.</p>						







**4. Under Part 2: Category 6, Table 1 – Product Table:**




DELETE: in its entirety

INSERT:

**Table 1 – Product Table Category 6 Tables**

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA) <b>**Pictures to be only used as a reference.</b>	Qty	**Please provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
1	6CLTVAREXLW7<36ONXX	Laptop Table (location: 1- Room 507/ 2- Room 505/ 1- Room 624/ 1- Room 626/ 1- Room 620/ 1- Room 618/ 1- Room 612/ 1- Room 609/ 1- Room 607/ 2- Room 608/ 1- Room 604/ 3- Room 601/ 1- Room 634/ 2in chat 614)	19	No		\$	\$
2	6CSTVAROPL18XXJNXX	18" round side table laminated top (location: 1- Room 503/ 1- Room 625)	2	No		\$	\$
3	6MMTMDREN48L96WYNX	48x96 Meeting Room table with angular legs <b>**Without power and data</b> (location: room 631)	1	No		\$	\$
4	6MMTLGREN48144WYNX	48x144 Meeting Room table with power module. Middle leg should be smaller to allow for leg room <b>**and vertical wire management</b>  snake (location: 1 in room 505 and 1 in room 608)	2	Yes- Wire Management		\$	\$
5	6CMUSHRERL48L78WYXX	48x78 Multimedia Table with monitor mount, integrated power module and wire management. (location: room 623/ room 628)	2	No		\$	\$

							
6	6CCTVAROPL36X XXJNXX	36" Coffee Table laminated top (location: 1 in room 606,621,619)	3	No		\$	\$
7	6MTRFTRECL30L 72WYYY	30x72 flip-top table **no power module, no grommet hole and no modesty panel (location: Room 601)	8	No		\$	\$
8	6MMTSMROPL36X XXWNNX	36" round table **with 4 post legs on casters (location: room 604 and 612)	2	No		\$	\$
9	6MMTSMOPL30L 30WNNX	Kitchen tables 30x30 square with pedestal base  (Location: Kitchen 634)	4	No			
10	6CKIVAREWL30L 72TNXX	Kitchen Island with waterfall legs- Counter high. 30x72.  (Location: Kitchen 634)	2	No			
<p><b>**Please provide additional information:</b></p> <p>Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.</p> <p><b>NSA products (must not exceed 30% of the firm quantity by category)</b></p> <p>The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.</p>							
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	Qty	**Please provide additional informatio n (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$	
1	Laminate Top for Filing cabinet- 108" long	5	No		\$	\$	

						
	(location: 1 in area 509/ 1 in area 130 on 6 <sup>th</sup> floor/ 1 in work area 127 on 6 <sup>th</sup> floor/ 2 in work area 613)					
2	Laminate Top for Filing cabinet- 72" long 	1	No		\$	\$
	(location: Shared equipment 610)					
3	Laminate Top for Filing cabinet- 144" long or 2 x 72" long 	1	No		\$	\$
	(location: Work area 201 on 5 <sup>th</sup> floor)					
					Product Total	\$
<p><b>**Please provide additional information:</b></p> <p>Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.</p>						




**5. Under Part 4b: Category 6B, Table 1 – Product Table:**

DELETE: in its entirety

INSERT:

**Table 1: Product Table Category 6B Mobile Lounge**

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Qty	**Please provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$

4	6STCWRXXL UXXXXXXXXN X	Tablet arm chair <b>**with interchangeable tablet arm and swivel base. Right Handed</b>  (Location: 1- room 621/ 1- room 619/ 2- room 606)	4	No		\$	\$
5	6STCWLXXL UXXXXXXXXN X	Tablet arm chair <b>**with interchangeable tablet arm and swivel base. Left Handed</b>  (Location: 2- room 621/ 2- room 619/ 1- room 606)	5				
6	6SUSSQXXL UX8XXXXLXX X	24x24 (+/- 2") square modular ottoman on glides.    (Location: 3- room 507/ 5- room 505/ 2- room 510/ 2- room 624/ 3- room 626/ 3- room 620/ 3- room 618/ 3- room 612/ 3- room 609/ 3- room 607/ 5- room 608/ 3- room 604/ 3- room 634)	41	No		\$	\$
7	6SUSROXXL UX8XXXXLXX X	Upholstered Ottoman with casters- <b>18" to 24" Diameter</b> . Approximately 18" high.    (location: 1- room 502/ 1- room 503/ 2- open area 508/ 2- room 623/ 1- room 625/ 2- room 628/ 1- huddle 638/ 1- huddle 637/ 1- room 631/ 1- room 603/ 2- entrance 602/ 1- room 617)	16	No		\$	\$
8	6SLCWAXXF UXXXXXXMXX X	Lounge Chairs    (Location: room 503 and 625)	2	No		\$	\$

**\*\*Please provide additional information:**




Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid.

**NSA products (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT


Section B – SUPPLIER'S BID

#	NON-SA Product(s)	Qty	**Please provide additional information (Yes/No)	Supplier Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
1	<p>Equivalent to 6MMTMDREOL36L72WYNX but with the following modifications: table base to be disc base to accommodate banquettes on each side. Table height to be 29" with attached monitor on 36" side of the table. Wire management track to be provided.</p>  <p>Must be compatible with SA item 1 from CAT 6B. The banquettes and the table must fit in a 2020mmx1900mm area. This item is to be the same product as Non-Sa item below.</p>  <p>(location: Huddle Booth 637)</p>	1	Yes		\$	\$
2	<p>Equivalent to 6MMTMDREOL36L72WYNX but with the following modifications: table base to be disc base to accommodate banquettes on each side. Table height to be 27" with attached monitor on 36" side of the table. Wire management track to be provided.</p>  <p>Must be compatible with SA item 1 from CAT 6B. The banquettes and the table must fit in a 2020mmx1900mm area. This item is to be the same product as Non-Sa item above.</p>	1	Yes		\$	\$

Solicitation No. - N° de l'invitation  
EC096-210365/A  
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.  
**004**  
File No. - N° du dossier

Buyer ID - Id de l'acheteur  
hal207  
CCC No./N° CCC - FMS No./N° VME

 <p>(location: Huddle Booth 638)</p>					
			Product Total	\$	
<b>**Please provide additional information:</b>					
Canada requests that bidders: provide drawings and / or images with descriptive documentation for these products with your bid					

**ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED**