

Canada

RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

See original Request for Bid

Voir l'invitation à soumissionner originale

REQUEST FOR BID AMENDMENT

MODIFICATION À L'INVITATION À SOUMISSIONNER

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No N° de la demande	Amendment No N° de modification
CSPS-RFB-20NG-0128/A	002
Solicitation closes – La demande prend fin :	File No N° de dossier
at – à 2 :00 PM EDT 14 :00 HAE	2020-0128
on – le August 7th, 2020 7 août 2020	

Canadä

Date of Solicitation Amendment – Date de la modification à la demande

No of Page/

N° de page

1 of 21

2020/07/27

Address inquiries to – Adresser toute demande de renseignement à :

See original Request for Bid

Voir l'invitation à soumissionner originale

Destination

See original Request for Bid

Voir l'invitation à soumissionner originale

Instructions:

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadians funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

Instructions:

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur
Telephone No N° de téléphone
Facsimile No N° de télécopieur
Name and title of person authorized to sign on behalf of supplier (type or print)
Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)
Signature : Date :

Amendment 002

To all bidders,

NO consideration will be given for extras and/or changes because the Bidder was not familiar with the contents of this Amendment.

This amendment 002 is raised to :

- 1) Answer questions from bidders;
- 2) Modify Annex A- Requirement and Basis of Selection.

1) Questions & Answers

Question 3: Regarding the non-SA "movable walls - Quiet Area" can you confirm that it is a quantity of one (1)? Under the Quantity column it reads "21 meter Li."

Answer 3: This item has been deleted. Please refer to revised Annex A- Requirement and Basis of Selection (see pages 4 to 21 below).

Question 4: Item 1 – Your asking for 3 Privacy Screens 54" length, but there is no surface required of this size. Do they go with Item 4 - Category 2?

Answer 4: This item will be associated with item 5 category 2. The panel is shorter than the surface.

Question 5: Item 2 - GOCUID is for a quantity of 7 surfaces of 29 x 72 that hook onto panels ... but there are no panels in the order. Can you specify your need?

Answer 5: We already have the panels and the C-legs that matches our panel system. We only need the surfaces.

Question 6: Item 10 - Can you specify the required height of removable walls as well as the height of the ceiling?

Answer 6 : Item 10 has been deleted.

Question 7: Item 12 - you are requesting 38 double lockers (therefore 2 doors high), maximum total height of 54 ". Would an 18 "wide x 20" deep x 25 "high (approximately) product be acceptable?

Answer 7: That is acceptable, as long as the maximum height of 54" is observed.

Question 8: In your plan, only 20 lockers are identified. Could you clarify?

Answer 8: We ordered extra lockers. Please refer to the quantities listed in the order and not in the floor plan as part of this RFB.

Question 9: Item 23 - I do not see this item (curved chair) in the plan. Could you clarify?

Answer 9: Please make sure you refer to the quantity indicated in the order and not in the floor plan when bidding.

Question 10: Item 32 - I don't see this item in the plan? Could you clarify?

Answer 10: Please make sure you refer to the quantity indicated in the order and not in the floor plan when bidding.

Question 11 : After reviewing the CAD document, would it be possible for the items to be identified on the plan to ensure that the specified products match?

Answer 11 : This as been added to the CAD version.

Question 12: We request that Category 6 be split into Sub-Categories as divided in the CST/product type - 1) Meeting and Collaborative Tables, 2) Soft Seating/Screens, 3) Kitchenette Seating and 4) Open Area Workspaces.

Answer 12: For compatibility reasons, we will not subdivide this category.

Question 13: Item 23 - SA criteria requires back rest to be no less than 8.5 inches from seat top. Product can qualify on SA but not meet non SA critieria for Item #33. Based on this can this item be split off the rest of Cat 6 as it incorporates a Non SA item as part of its criteria?

Answer 13: Item 33 is no longer connected to item 23 but with item 26. It won't be a curvilinear tablet it will be linear. See Annex A below (pages 4 to 21).

Question 14: Item 30 - Request is for Bent Plywood, 4 legs (GoCUID KBSBHxxLP15XXXROYX) - Would either GoCUID 6KBSBHxxSP15XXXRONX (Bent Plywood, no seat, with Sled Base) or GoCUID 6KBSBHxxLY15XXXROYX (Polymer, seat, with 4 legs) be acceptable as an alternate?

Answer 14: Yes.

Question 15: Items 34 & 35 - these products are manufacturer specific and have no equivalent with other manufacturers - can they be split off from this category?

Answer 15: Items 34 and 35 have been deleted. See Annex A below (pages 4 to 21).

2) Modify Annex A- Requirement and Basis of Selection;

DELETE: Annex A- Requirement and Basis of Selection in its entirety.

INSERT: The following Annex A- Requirement and Basis of Selection (see pages 4 to 21 below).

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

Category 1

Category 2

Category 5

* Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) prior to the

manufacturing/ordering of the products, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following category (ies) of work :

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. 🔀 Category 2 – Freestanding Height Adjustable Desk / Table Products

c. 🔀 Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

- d. Category 4 Wood Veneer Freestanding Products
- e. 🔀 Category 5 Ancillary and Lighting Products
- f. 🔀 Category 6 Support Space Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g. XSA Product(s) – <u>Category: 6</u>

2. Product and Pricing Tables

<u>Site Inspection Date:</u> To be coordinated with Project Authority after contract award. (*Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.*)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.

Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.

In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".

For Product Categories: 1b-2 and 5

Table 1 – Product Table

		Section A - IU REQUIREMENT			Sec	tion B – SUPP	LIER'S BID
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Cate	Category 1B						
1	1bCPSXXSXXL54XFRNNN	Privacy Screen Product: Component system Accessories Type of product : Privacy screens Shape : NA Support: work surface mounted Depth-width-Diameter: NA Length: 54 Height: NA Privacy screen and material: Acrylic/Glass Frosted Modesty panel: No Power/data as per specs: No Grommets: No	3	No		Ş	\$
2	1bFFHREN24L72WNOLNY	Run-offs Product: Free standing systems Type of product: fixed height work surfaces (laminate) Shape: Rectangular Support: Panel mounted Depth-width-Diameter: 24 Length: 72 Height: 29 Privacy screen and material: No Modesty panel: NA Power/data as per specs: No Grommets: Yes	7	No		\$	\$
3	1bFMB3LT30L48WFRNYN	Benching unit Product: Free standing systems Type of product: Modular benching interconnectable (laminate) Shape: 3 work surface long Support: central spine Depth-width-Diameter: 30	1	No		\$	\$

			1		1	1	
		Length: 48					
		Height: 29					
		Privacy screen and					
		material: Acrylic/glass					
		frosted					
		Modesty panel: No					
		Power/data as per					
		specs: Yes					
		Grommets: No					
Categ	gory 2						
4	2B3LREXXL24L54BELFA	Height adjustable benching	3	No		\$	\$
		Product: Modular Height					
		Adjustable Benching					
		Type of Product: 3 work					
		surface long					
		Shape: rectangular					
		Support: NA					
		Finishes: Laminate					
		Depth-Width-Diameter: 24					
		Length: 54 Height: 23 to 48.7					
		Controls: Electrical					
		Privacy screen: Fabric					
5	2WSSREXXL24L42BELXX	Adjustable height	7	No		\$	\$
0		workstation				Ŧ	Ť
		Product: Individual					
		adjustable height work					
		surfaces					
		Type of Product : sit-stand					
		Shape: rectangular					
		Support: NA					
		Finishes: Laminate					
		Depth-Width-Diameter: 24					
		Length: 42					
		Height: 23 to 48.7					
		Controls: electric					
6	2WSSREXXL30L60BELXX	Privacy screen: NA Adjustable height	3	No		\$	\$
0	ZWJJRLAALJULUUBLLAA	workstation	5	NO		Ş	Ş
		Product: Individual					
		adjustable height work					
		surfaces					
		Type of Product: sit-stand					
		Shape : rectangular					
		Support : NA					
		Finishes: Laminate					
		Depth-Width-Diameter: 30					
		Length: 60					
		Height : 23 to 48.7					
		Controls: electric					
C -t -		Privacy screen: NA					
Cate	gory 5						

7	5MOASGARMCLPMTXXXXX	Product: Monitor Arms	15	No		\$	\$
		Options: Single arm					
		Options: Clamp mount					
8	5MOADUARMCLPMTXXXXX	Product : Monitor Arms	50	No		\$	\$
		Options : Dual arm					
		Options : Clamp mount					
9	5PMOWKSMTACUSBXXXXX	Product: Power Module	68	No		\$	\$
		Options: Work surface					
		mounted					
		Options: AC and USB Power					
Cana	ovide additional information: da is requesting bidders: to provide o products	drawings and/or pictures including de	escriptive	literature for these produ	ucts with your bid su	ubmission.	
Canao NSA	da is requesting bidders: to provide o products Supplier signs, and certifies that	all the NSA products offered wil		· · · ·	and meet the test	ing requireme	
Canao NSA The S Anne	da is requesting bidders: to provide o products Supplier signs, and certifies that ex D.		l conforr	n to all specifications a	and meet the test	ing requireme tion B – SUPPI	IER'S BID
Canao NSA The S	da is requesting bidders: to provide o products Supplier signs, and certifies that	all the NSA products offered wil		· · · ·	and meet the test	ing requireme	

Table 2 – Delivery

	Section A - IU REQ	UIREMENT		Section B – S	UPPLIER'S BID
Product	Location	Desired Date**	Desired Time:	Supplier will supply	Firm Lot Price
Item #		(Y/M/D)	Normal Business	and deliver as per	\$
from			Hours	below**	
Table 1			Or		
			Outside Normal		
			Business Hours *		
1 to 9	LaSalle Academy	2020/09/16	Normal Business	: weeks	\$
	373 Sussex Drive		Hours		
	Door D0 via St-Andrew Street			Standard Lead time is	
	Ottawa, Ontario			between 6-10 weeks	
	K1N 7B1			for furniture delivery	
	Block D, level 2			and installation.	
*Normal Bu	usiness Hours 8:00 – 16:00, as per SA, A	nnex A, article 5		Delivery Total:	\$
**The Proje	ect Authority (PA) will provide the suppl				
finalized de	livery date taking into consideration the				
Canada will authorizatio	l not be responsible if the supplier choo on.	ses to proceed with	out the PA		

Table 3 – Installation

	Section A - IU REQ	Section B – S	JPPLIER'S BID		
Product	Location	Desired Date**	Desired Time:	Supplier will install as	Firm Lot Price
Item #	tem # (Y/M/D) Normal Business				\$
from			Hours		

Product Total \$

Table 1			Or Outside Normal Business Hours *		
1 to 9	LaSalle Academy 373 Sussex Drive Ottawa, Ontario K1N 7B1 Block D, level 2 CSPS employee to escort installers.	2020/09/16	Normal Business Hours	: weeks from date of supply and delivery Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proje finalized in:	usiness Hours 8:00 – 16:00, as per SA, A ect Authority (PA) will provide the supp stallation date taking into consideration anada will not be responsible if the supp on.	Installation Total:	\$		

Table 4 – Optional ProductTable 5 – Optional DeliveryTable 6 – Optional Installation

☑ Not Applicable☑ Not Applicable☑ Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes					
1.1	IU is to consult the S	Supplier's Website identified in Part 6A of the SA to view the available finishes.				
	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish					
	choices for each of t	he product(s) in Annex A.				
		deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to				
	Canada.					
2.		o Accommodate the Delivery				
		ees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to e jurisdiction where the work is being performed.				
	any laws in ejject in th	e jurisaiction where the work is being perjormed.				
	During the period of th	e contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list				
		contractors requiring access to the site to perform the work and their security statuses. Information must be provided in the				
	timeframe prescribed i	in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.				
2.1	Loading Dock/Locat	ion				
А	Location	LaSalle Academy				
		373 Sussex Drive				
		Door D0 via St-Andrew Street				
		Ottawa, ON				
		K1N 6Z2				
В	Dock	No.				
С	Lift	Does not exist				
D	Door	Double Doors				
Е	Freight Elevator	No.				
F	Other (specify, if	All deliveries of furniture to Lasalle Academy are to be done off St. Andrew's Street through the courtyard, to D-0				
	any)	of Lasalle. Only 5 ton trucks *maximum* with tailgates are permitted at this location.				
3.	Continuance of Cert	tifications				
	The Bidder certifies	that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint				
	Venture, continues	to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.				
	Canada may request	t copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.				

3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Hardware Total as per article 1.5 of Annex A-1 of SA (<i>if Applicable</i>)	\$
5	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4) [to be removed at contract award]	\$
6	Contract Price (1+2+3+4): [applicable at contract award only]	\$
7	Applicable Tax(es): [applicable at contract award only]	\$
8	Total Estimated Cost (6+7): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	

For Product Category: 3

Table 1 – Product Table

# GoCUID Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA) Q TY ** Suppler Part Provide additional Information Yes/No Firm Unit Price S Extended Total [Qty x Price] S 11 3WHDMHXXLM30D24MEXK Wardrobe Product: Wardrobes Type of product: 2 hinges doors 2 No No \$		Section A - IU F	REQUIREMENT			Section B – SUPPLIER'S BID		
123LSL2HXXLM18D20XHXSProduct: Wardrobes Type of product: 2 hinges doors Format: Medium height Finishes: laminate Width: 30 Depth: 24 Height: 34 to 43 Upholstery cushion seats: NA LockersNoImage: Comparison of the second secon	#	GoCUID	(Additional product details may be inserted, if required as per 6B.		Provide additional Information		Price	[Qty x Price]
Product: Storage lockers No Type of product: storage locker Format: Two high Format: Two high Finishes: Laminate Width: 18 Depth: 20 Height: 48 to 54 Upholstery cushion seats: NA	11	3WHDMHXXLM30D24MEXK	Product: Wardrobes Type of product: 2 hinges doors Format: Medium height Finishes: laminate Width: 30 Depth: 24 Height: 34 to 43 Upholstery cushion seats: NA	2	No		\$	\$
Product Total \$	12	3LSL2HXXLM18D20XHXS	Lockers Product: Storage lockers Type of product: storage locker Format: Two high Finishes: Laminate Width: 18 Depth: 20 Height: 48 to 54 Upholstery cushion seats:	38	No		\$	

Table 2 – Delivery

	Section A - IU REQ	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
11-12	LaSalle Academy 373 Sussex Drive Door D0 via St-Andrew Street Ottawa, Ontario K1N 7B1 Block D, level 2	2020/09/16	Normal Business Hours		\$

*Normal Business Hours 8:00 – 16:00, as per SA, Annex A, article 5	Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.		

Table 3 – Installation

	Section A - IU REC	Section B – S	UPPLIER'S BID		
Product Item # from Table 1	n # (Y/M/D) Normal Business n Hours		Supplier will install as per below**	Firm Lot Price \$	
11-12	LaSalle Academy 373 Sussex Drive Ottawa, Ontario K1N 7B1 Block D, level 2 CSPS employee to escort installers.	2020/09/16	Normal Business Hours	: weeks from date of supply and delivery Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proj finalized in	usiness Hours 8:00 – 16:00, as per SA, A ect Authority (PA) will provide the supp stallation date taking into consideration anada will not be responsible if the supp on.	Installation Total:	\$		

Table 4 – Optional Product Table 5 – Optional Delivery
 Table 6 – Optional Installation
 Not Applicable

Not Applicable Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes								
1.1	IU is to consult the S	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.							
	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's fin choices for each of the product(s) in Annex A.								
	The Contractor will d Canada.	leliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to							
2.		Accommodate the Delivery							
2.	The Supplier's employee	b Accommodate the Delivery es and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to purisdiction where the work is being performed.							
	During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the lis of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.								
2.1	Loading Dock/Location								
А	Location	LaSalle Academy							
		373 Sussex Drive							

	Door D0 via St-Andrew Street							
		Ottawa, ON						
		K1N 6Z2						
В	Dock	No.						
С	Lift	Does not exist						
D	Door	Double Doors						
Е	Freight Elevator	No.						
F	Other (specify, if	All deliveries of furniture to Lasalle Academy are to be done off St. Andrew's Street through the courtyard, to D-0						
	any)	of Lasalle. Only 5 ton trucks *maximum* with tailgates are permitted at this location.						
3.	Continuance of Cert	ifications						
	The Bidder certifies t	that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint						
	Venture, continues t	to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.						
	Canada may request	copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.						
3.1	Integrity Provisions							
3.2	Federal Contractor's Program for Employment Equity							
3.4	Product Conformance	Product Conformance						
3.5	Price Certification (In accordance with the SA, Part 6B)							

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Hardware Total as per article 1.5 of Annex A-1 of SA (<i>if Applicable</i>)	\$
5	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4) [to be removed at contract award]	\$
6	Contract Price (1+2+3+4): [applicable at contract award only]	\$
7	Applicable Tax(es): [applicable at contract award only]	\$
8	Total Estimated Cost (6+7): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract					
	Name:	Telephone:				
		E-Mail:				
		PBN:				

For Product Category: 6

Table 1 – Product Table

	Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product	Q	**	Supplier Part	Firm Unit	Extended Total	
		(Additional product details may be	TY	Provide	Number	Price	[Qty x Price]	
		inserted, if required as per 6B. 4.1		additional		\$	\$	
		of the SA)		Information				
10				Yes/No			4	
13	6MMTSMREPL30L60WNNX	Meeting- training room table	2	No		\$	\$	
		Product Meeting and training	3	No				
		room tables						
		Type of product Meeting						
		Size small						
		Shape Rectangular						
		Support Pedestal						
		Material Laminate						
		Depth Width-diameter 30						
		Length 60						
		Height 29						
		Power/data No						
		Modesty Panel No						
		Locking casters NA						
14	6MMTMDRENL36L72WYNX	Meeting- training room table	4	No		\$	\$	
		Product Meeting and training						
		room tables						
		Type of product Meeting						
		Size Medium						
		Shape Rectangular						
		Support panel						
		Material Laminate						
		Depth Width-diameter 36						
		Length 72						
		Height 29						
		Power/data Yes						
		Modesty Panel No						
		Locking casters NA						
15	6CCTVAROPL30XXXJNXX	Collaborative tables	8	No		\$	\$	
		Product collaborative table				Ŧ	Ŧ	
		Type of product Coffee table						
		Size variable						
		Shape round						
		Support pedestal						
		Material laminate						
		Width-Depth 30						
		Length NA						
		Height 14 to 21						
		Power/Data No						
16	6CCTVASQGL30L30JNXX	Collaborative tables	1	No		\$	\$	
10		Product collaborative table	1	140		ب	Ŷ	
		Type of product Coffee table						
		Size variable						
		Shape square						
		Support end gable						
		Material laminate						
		Width-Depth 30						

			1				
		Length 30					
		Height 14 to 21					
		Power/Data No					
17	6CCTVAREGW24L48JNXX	Collaborative tables	1	No		\$	\$
		Product collaborative table					
		Type of product Coffee table					
		Size variable					
		Shape rectangular					
		Support end gable					
		Material wood veneer					
		Width-Depth 24					
		Length 48					
		Height 14 to 21					
		Power/Data No					
18	6CLTVAREXLW7<36ONXX	Collaborative tables	11	No		\$	\$
18	OCLIVAREALW/<300NAA		11	NO		Ş	Ş
		Product collaborative table					
		Type of product laptop table					
		Size variable					
		Shape rectangular					
		Support NA					
		Material Laminate					
		Width-Depth <18					
		Length <36					
		Height 24 to 36					
		Power/Data No					
19	6CMUSHDSRL54120WYXX	Collaborative tables	1	No		\$	\$
		Product collaborative table					
		Type of product multimedia					
		table					
		Size seated height					
		Shape D shape					
		Support single monitor mount					
		Material Laminate					
		Width-Depth 54					
		Length 120					
		Height 30					
		Power/Data Yes					
20	6CNTLHRELLW8606NYXX	Collaborative tables	1	Ne		ć	ć
20	OCIVILIARELLVV8000INTXX	Product collaborative tables	1	No		\$	\$
		Type of product Narrow side					
		tables					
		Size lounger height					
		Shape rectangular					
		Support 4 legs					
		Material Laminate					
		Width-Depth 12 to 18					
		Length 60 to 66					
		Height 23 to 33					
		Power/Data yes					
21	6CNTCHRELLW8606UYXX	Collaborative tables	1	No		\$	\$
		Product collaborative tables					
		Type of product Narrow side					
		tables					
		Size counter height					
		Shape rectangular					
		Support 4 legs					
1		Material Laminate					
		Width-Depth 12 to 18					
L			1		1	1	

			r	Π		
		Length 60 to 66				
		Height 34 to 42				
		Power/Data yes				
22	6CNTCHREWLW8606UYXX	Collaborative tables	2	No	\$	\$
		Product collaborative tables				
		Type of product Narrow side				
		tables				
		Size counter height				
		Shape rectangular				
		Support 4 legs				
		Material Laminate				
		Width-Depth 12 to 18				
		Length 60 to 66				
		Height 34 to 42				
		Power/Data yes	_			4
23	6SMOCBXXLU37G19LYNN	Soft seating and screens	2	No	\$	\$
		Product soft seating				
		Type of product modular				
		benching				
		Size-Attributs curvilinear				
		Back side finish NA				
		Material-Finishes Upholstered				
		Support Legs				
		Width 37 to 55				
		Depth >19				
		Height 16 to 19				
		Back height yes				
		Privacy screen No				
		Armrest No				
24			1	No	\$	\$
24	6SSOTWXXLUW4XXXQNNY	Soft seating and screens	1	NO	Ş	Ş
		Product soft seating				
		Type of product Sofas				
		Size-Attributs two seater				
		Back side finish NA				
		Material-Finishes Upholstered				
		Support Legs				
		Width 51 to 72				
		Depth NA				
		Height 27 to 33				
		Back height No				
		Privacy screen No				
		Armrest Yes				
25	6SBBTWXXLUW3G19LLNN	Soft seating and screens	6	No	\$	\$
		Product soft seating				
		Type of product banquette				
		with backrest bolster				
		Size-Attributs two seater				
		Back side finish NA				
		Material-Finishes Upholstered				
		Support Legs				
		Width 48 to 62				
		Depth >19				
		Height 16 to 20				
		Back height low back				
		Privacy screen No				
		Armrest No				

			r –			_ ,,
26	6SBBTWXXBUW3G19LMNN	Soft seating and screens	8	No	\$	\$
		Product soft seating				
		Type of product Banquette				
		with backrest bolster				
		Size-Attributs two seater				
		Back side finish NA				
		Material-Finishes Upholstered				
		Support base				
		Width 48 to 62				
		Depth >19				
		-				
		Height 16 to 20				
		Back height mid back				
		Privacy screen No				
		Armrest No				
		Note: banquette back				
		mounted worksuface is				
		required. See item #33 (off SA)				
		for more details.				
27	6SLCOAXXWUXXXXXMXXX	Soft seating and screens	17	No	\$	\$
-		Product soft seating			T	Ŧ
		Type of product lounge chair				
		Size-Attributs Without				
		Armrest-21" Wide Minimum				
		Back side finish NA				
		Material-Finishes Upholstered				
		Support swivel				
		Width NA				
		Depth NA				
		Height 27 min				
		Back height NA				
		Privacy screen NA				
		Armrest NA				
28	6SUOPRXXLUXXXXXLNNN	Soft seating and screens	5	No	\$	\$
20		Product soft seating			Ŷ	Ŷ
		Type of product upholstered				
		ottoman				
		Size-Attributs small round				
		Back side finish NA				
		Material-Finishes upholstered				
		Support legs				
		Width NA				
		Depth NA				
		Height 16 to 19				
		Back height No				
		Privacy screen No				
		Armrest No				
29	6SUOPSXXLUXXXXXLNNN	Soft seating and screens	14	No		
25		Product soft seating	1-7			
		Type of product Upholstered				
		ottoman				
		Size-Attributs small square				
		Back side finish NA				
		Material-Finishes upholstered				
		Support legs				
		Width NA				
		Depth NA				
		Height 16 to 19				
		Back height No				
L			1			

Armest No Armes			Deluciona e No	1				
30 6K85BHxkLP13XXXR0YX Hitchenette Chairs Product lich ansatus acceptable as alternate: Stybe or height Stybe or he			Privacy screen No					
These GoCUID are acceptable as alternate: GKBSBHusP15XXXR01X Product takehenette sating Type of products status Style bar height Support 1 legs Image: Style stratus Style bar height Style stratus Style bar height Style stratus Style stratus Style stratus Style with soft and Style with soft and No Style with soft and Style			Armrest No					
Type of product bar stools Type of product bar stools Image (a)	30	6KBSBHxxLP15XXXROYX	Kitchenette Chairs	9	No		\$	\$
acceptable as alternate: Support 1 sign 6K858H-vstY15XXXR0YX Support 1 sign 6K858H-vstY15XXXR0YX Material bent plywood Seat depth > 15 31 6OG/WWFFSLXC2H47XYXX Open area workspace Product open area workspace Type of product armest Seat cushine yes 1 No 31 6OG/WWFFSLXC2H47XYXX Open area workspace Type of product Group workpods 1 No \$ 32 6OG/WWFFSLXC2H47XYXX Open area workspace Type of product Group workpods 1 No \$ 32 6OFLWLFSLXC2H47XYXX Open area workspace Type of product Group workpods 3 No \$ 32 6OFLWLFSLXC3H46XYTA Individual Pods Product Open Area Workspace 3 No \$ 32 6OFLWLFSLXC3H46XYTA Individual Pods Product: fight 26 to 64 Product: fight 26 to 64 Privacy screen telight 46 to 64 Privacy screen telight 47 to 61 Privacy screen telight 47 to 64 Privacy screen telight 45 to 64 Pr			-					
6K858HexCP1SDXXR0VX Support 4 legs Material bert plywood Seat depth >15 With: NA Seat height 28 to 32 Armest without armest Seat cushinos yes I No I I 31 60GWWFFSLXC2H47XYXX Open area workspace Type of product Group workpods Solge with sofa and worksurface Shape free standing Support legs Material NA Diameter 79 to 102 Privacy screen height 47 to 61 Power and Data Yes Work surface or tablet arms NA I No \$ \$ 32 60PLWLFSLXC3H46NYTA Individual Pods Privacy screen height 47 to 61 Power and Data Yes Work surface or tablet arms NA 3 No \$ \$ 32 60PLWLFSLXC3H46NYTA Individual Pods Privacy screen height 47 to 61 Power and Data Yes Work surface Shape free standing Support legs Material: NA Diameter 72 to 102 Privacy screen height 64 to 64 Power and Data yes Work surface or tablet arms NA 3 No \$ \$ 32 60PLWLFSLXC3H46NYTA Individual Pods Privacy screen height 64 to 64 Power and Data yes Work surface or tablet arms Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen height 64 to 64 Power and Data; yes Work surface or tablet arms: Tablet arms \$ \$ \$ \$ ****rovide additional information: Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen height: 64 to 64 Power and Data; yes Work surface or tablet arms: Tablet arms \$ \$ \$ **** 1 NO*** Yes \$ \$ \$ \$ ***** 1 1 <t< td=""><td></td><td>*These GoCUID are</td><td>Type of product bar stools</td><td></td><td></td><td></td><td></td><td></td></t<>		*These GoCUID are	Type of product bar stools					
6K858HxxLY15XXXR0YX Material bent plywood Set depth 715 Width: NA Set height 28 to 32 Armrest without armrest Set cushions yes I No S 31 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace 1 No S 32 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace Product open area workspace 1 No S 33 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace Product open area workspace 1 No S 34 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace 1 No S 35 60GWWF5LXC3H46KYTA Individual Pots Prover and Data Yes Work surface or tablet arms NA No S S 32 60PLWLFSLXC3H46KYTA Individual Pots Prover and Data Yes Work surface or tablet arms Style: with Lounge Chairs Style: with counge Chairs Style: with so Lounge Chairs Style: with so		acceptable as alternate:	Style bar height					
6K858HxxLY15XXXR0YX Material bent plywood Set depth 715 Width: NA Set height 28 to 32 Armrest without armrest Set cushions yes I No S 31 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace 1 No S 32 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace Product open area workspace 1 No S 33 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace Product open area workspace 1 No S 34 60GWWFF5LXC2H47XYXX Open area workspace Product open area workspace 1 No S 35 60GWWF5LXC3H46KYTA Individual Pots Prover and Data Yes Work surface or tablet arms NA No S S 32 60PLWLFSLXC3H46KYTA Individual Pots Prover and Data Yes Work surface or tablet arms Style: with Lounge Chairs Style: with counge Chairs Style: with so Lounge Chairs Style: with so		6KBSBHxxSP15XXXRONX	Support 4 legs					
Set depth >15 Width: 1% 31 60GWWVFFSLXC2H47XYXX Open area workspace Type of product Group workspoac Type of product Group area workspace Type of product Group workspoac Style with Sofa and worksprace 1 No \$ \$ 32 60FUWUFSLXC2H47XYXX Open area workspace Type of product Group workspoac Workspoads 3 No \$ \$ 33 60GWWVFFSLXC2H47XYXX Open area workspace Type of product Group workspoats 1 No \$ \$ 34 60GWWVFFSLXC2H47XYXX Open area workspace Type of product Group workspoats 1 No \$ \$ 35 Solge fire standing Support legs Worksprace 3 No \$ \$ \$ 32 60PLWUFSLXC3H4EXYTA Individual Pods Privacy screen height 47 to 61 Privacy screen Areight: A5 to 64 Privace screen Areight: A5 to 64 Privace screen Areight: A6 to 64 Privace screen Areight: A6 to 64 Privace screen Height: 45 to 7 Privace screen Height: 45 to								
width: bin Width: bin Set height 28 to 32 Armest without armest Set height 28 to 32 Armest without armest Set unbinos yes Set height 28 to 32 31 60GWWFFSLXC2H47X0XX Open area workspace 1 No \$ \$ 7 Product open area workspace 1 No \$ \$ \$ 32 60GWWFFSLXC2H47X0XX Open area workspace 1 No \$ \$ \$ 33 60GWWFFSLXC2H47X0XX Open area workspace 1 No \$ \$ \$ 34 60GWWFFSLXC2H47X0XX Open area workspace 1 No \$ \$ \$ 35 Support legis Material NA Diameter 710 to 12 Privacy screen height 47 to 61 \$ \$ 90Worksurface NA Individual Pods 3 No \$ \$ \$ 90Worksurface NA Individual Pods \$ \$ \$ \$ \$ 90Worksurface Stape: free standing Support 14 Post Legs \$ \$ \$ \$ 90Worksurface Shape: free standing Support 14 Post Legs \$ \$ \$ \$ 90Worksurface Shape: free standi								
Seat height 28 to 32 Armrest without armrest Seat cushions yes I No S 31 60GWWFFSLXC2H47XYXX Open area workspace Type of product foroup workpods Style with sofia and worksurface Shape free standing Support legs 1 No \$ 32 60FLWUFSLXC3H46KYTA Individual Pods Product Open Area Work surface or tablet arms NA 1 No \$ 32 60FLWUFSLXC3H46KYTA Individual Pods Product Open Area Work surface or tablet arms Style: with Lounge Chairs Style: with Lounge Chairs			•					
Ammest without armost Seat cushinos yes Image of the set o								
Image: Section system			_					
31 60GWWFFSLXC2H47XYXX Open area workspace Product open area workspace Type of product Group workpods 1 No \$ \$ \$ 20 Style with sofa and worksurface Shape free standing Support legs Material NA Diameter 79 to 102 Privacy screen height 47 to 61 Power and bata Yes No \$ \$ \$ 32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Work surface or tablet arms NA 3 No \$ \$ \$ 32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Work surface 3 No \$ \$ \$ 34 No No \$ \$ \$ \$ \$ \$ 32 6OPLWLFSLXC3H46XYTA Individual Private Lounge Chairs Support: Post Legs Material: NA 3 No \$								
Product open area workspace Type of product Group workspods Style with sofa and worksurface Shape free standing Support legs Material NA Diameter 79 to 102 Privacy screen height 47 to 61 Power and Data Yes Work surface or tablet arms NA Individual Pods Product: (open Area Workspace Type of product: individual Private Lounge Chairs Shape: Free standing Support: 4 Post Legs Material: NA Diameter 72 to 102 Privacy screen height: 46 to 64 Power and Data: Yes Work surface or tablet arms 3 No \$ \$ 32 60PLWLFSLXC3H46XYTA Individual Pods Product: individual Private Lounge Chairs Style: with Lounge Chair and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: Yes Work surface or tablet arms 3 No \$ \$ **Provide additional information: Canda is requesting biddes: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. Section A - 10 REQUIREMENT Section B - SUPPLIER'S BIO Provide additional information Number Section A - 10 REQUIREMENT Section B - SUPPLIER'S BIO Provide additional information Number Section A - 10 REQUIREMENT Section B - SUPPLIER'S BIO Provide additional information Number Section B - SUPPLIER'S BIO Provide additional information Numbe								
32 6OPLWLFSLXC3H46XYTA Individual Pods Norspace 3 No \$ \$ \$ 32 6OPLWLFSLXC3H46XYTA Individual Pods Protect: Open Area Worksurface or tablet arms NA 3 No \$ \$ \$ 32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Worksurface or tablet arms NA 3 No \$ \$ \$ 32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Worksurface or tablet arms Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Counge Chairs Style: with Lounge Chairs Style: with Counge Chairs Style: Work Surface or tablet arms: Tablet arms > *** Provide additional information: Style: With Counge Chairs Style: Work Surface or tablet arms Style: With Style: Post Legs Material: NA Diameter: 42 to 60 Privacy scene Height: 46 to 64 Power and Data Privacy Scene Height: 46 to 64 Power and Data Privacy Scene Height: 56 to Style: Privace Scene = -SUPELEFS BID Style: Privace Scene = -SUPELEFS BID Style: Privace Scene = -SUPELEFS BID Numb	31	60GWWFFSLXC2H47XYXX		1	No		\$	\$
all workpods Style with sofa and worksurface Shape free standing Support legis Material NA Diameter 79 to 102 Privacy scene height 47 to 61 Privacy scene height 47 to 61 Power and Data Yes Workspace Workspace NA Individual Pods Product: Open Area Workspace 3 No \$ Style: with Lounge Chairs 3 Support: 4 bost Legis Material: NA Diameter 7.9 to 50 LUE Support: 4 bost Legis Material: NA Diameter 7.8 to 50 Legis Material: NA Diameter: 4.2 to 60 Privacy scene Height: 4.6 to 64 Power and Data: yes Work surface Support: 4 bost Legis Material: NA Diameter: 4.2 to 60 Privacy scene Height: 4.6 to 64 Power and Data: yes Work surface Tablet arms: Tablet arms Tablet arms Work surface or tablet arms: Support: 4 bost Legis Material: NA Diameter: 4.2 to 60 Privacy scene Height: 4.6 to 64 Power and Data: yes Work surface Work surface or tablet arms: Tablet arms: Tablet arms Tablet arms Material: NA Diameter: 4.2 to 60 Privacy			Product open area workspace					
style with sofa and worksurface Shape free standing Support legs Material NA Diameter 79 to 102 Privacy screen height 47 to 61 Power and Data Yes Work surface or tablet arms NA No style with sofa and worksurface 32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Workspace Type of product: individual Private Lounge Chair and Work surface Style: with Lounge Chair and Work surface 3 No \$ \$ **Provide additional information: Style: with Lounge Chair and Work surface 3 No \$ \$ **Provide additional information: Style: with Lounge Chair and Work surface or tablet arms : Tablet arms a Individual Pois \$ **Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. NSA products (must not exceed 30% of the firm quantity by category) The Suppler sign, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A IU REQUIREMENT Section P SUPULIEY SID Firm Unit. ** Provide additional information: TY Style: with all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A IU REQUIREMENT Section P SUPULIEY SID Firm Unit. ** Provide additional information: ***/Roo bore Yes *** for the sing registic provides offered will conform to all specification			Type of product Group					
worksurface Shape free standing Support legs Material NA Diameter 79 to 102 Privacy screen height 47 to 61 Power and Data Yes Power and Data Yes Work surface or tablet arms 3 No 32 60PLWLFSLXC3H46XYTA Individual Pods 3 No Product: Open Area No \$ \$ Vorkspace Type of product: individual Privacy screen height: 46 to 64 Power and Data: yes Vork surface or tablet arms: Tablet arms: Tablet arms: Tablet arms			workpods					
worksurface Shape free standing Support legs Material NA Diameter 79 to 102 Privacy screen height 47 to 61 Power and Data Yes Power and Data Yes Work surface or tablet arms 3 No 32 60PLWLFSLXC3H46XYTA Individual Pods 3 No Product: Open Area No \$ \$ Vorkspace Type of product: individual Privacy screen height: 46 to 64 Power and Data: yes Vork surface or tablet arms: Tablet arms: Tablet arms: Tablet arms			Style with sofa and					
shape free standing Support legs Material NA Diameter 79 to 102 Privacy screen height 47 to 61 Power and Data Yes Work surface or tablet arms NA No \$ \$ 32 6OPLWLFSLXC3H46KYTA Individual Pods Product: Open Area Work space Type of product: individual Private Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Shape: free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data Yes Work surface or tablet arms : Tablet arms No \$ \$ ***Provide additional information: Style: with Lounge Chairs Shape: free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data Yes Work surface or tablet arms : Tablet arms No \$ \$ ***Provide additional information: Ectors A - 10 REQUIREMENT Ectors B - SUPPLIEFS 810 Forwide additional information: Extended Total (Qty x Price) S ** NON SA Product(s) ** \$ \$ \$ ** QT ** Supple: Part Supple: Part Supple: Support is provide drawings and/or pictures including descriptive literature for these products with your bid submission. 33 Banquette back mounted worksurface Prices in: proposed product must be compatible with item #26 above. Max depth: 12-151 inches 2 Yes \$ \$			-					
Provide additional information: * Support legs A No \$ \$ 32 60PLWLFSLXC3H46KYTA Individual Pods Work surface or tablet arms NA 3 No \$ \$ \$ 32 60PLWLFSLXC3H46KYTA Individual Pods Work surface or tablet arms NA 3 No \$ \$ \$ 32 60PLWLFSLXC3H46KYTA Individual Pods Work space Type of product: individual Privace Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data; ves Work surface or tablet arms: Tablet arms I I I ***Provide additional information: Tablet arms I I I I XNSA products (must not exceed 30% of the firm quantity by category) Testent arms I I I The Suppler signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - U REQUIREMENT I I I I 4 NON-SA Product(3) I I I I 33 Banquette back mounted worksurface Precision : propsed product must be compatible with item # Zo Sabore. Max depth: 12-15 inches 2 Yes \$ \$								
Material NA Diameter 70 to 102 Privase Screen height 47 to 61 Power and Data Yes Work surface or tablet arms NA No \$ \$ 32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Workspace Type of product: individual Private Lounge Chairs and Workspace Type of product: individual Private Lounge Chair and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privasy Screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms No \$ \$ ***Provide additional information: Canada Is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. No \$ NNA Vork Surface Shape: Tree standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privasy Screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms NNA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. XEX Section A - UI REQUIREMENT Section B = SUPPLIER'S BID Yes/No # NON-SA Product(s) *** 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$								
Diameter 79 to 102 Privacy screen height 47 to 61 Power and Data Yes Work surface or tablet arms NA No S S 32 GOPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Workspace Type of product: individual Private Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms: Tablet arms No \$ \$ **Provide additional information: Tablet arms Tablet arms Image: Style: with Lounge Chairs and Work surface or tablet arms is Tablet arms Image: Style: Work surface Style: Work surface or tablet arms is Tablet arms **Provide additional information: Section A - 10 REQUIREMENT Image: Style: Work surface or tablet arms is To privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms is Image: Style: Work surface or tablet arms is Tablet arms *** No-SA products (must not exceed 30% of the firm quantity by category) Image: Style: Work Surface or tablet arms is Tablet arms Image: Style: Streen Arms ** No-SA Product(s) Section A - 10 REQUIREMENT Section B - SUPPLIER'S BID Section B - SUPPLIER'S BID Section A - 10 REQUIREMENT Image: Style: Streen Arms 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$								
Privacy screen height 47 to 61 Power and Data Yes Product sufface or tablet arms No 32 60PLWLFSLXC3H46XYTA Individual Pods 3 No \$ \$ 32 60PLWLFSLXC3H46XYTA Individual Pods 3 No \$ \$ \$ 32 60PLWLFSLXC3H46XYTA Individual Pods 3 No \$ \$ \$ 32 60PLWLFSLXC3H46XYTA Individual Pods 3 No \$ \$ \$ \$ 9 forduct: individual Pods robust: Open Area Workspace Type of product: individual Private Lounge Chair and Worksurface \$								
Power and Data Yes Work surface or tablet arms NA Power and Data Yes Work surface or tablet arms Individual Pods 3 No \$ \$ 32 5OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Workspace Type of product: individual Private Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms: Tablet arms Image: Support: 4 Post Legs Work surface Image: Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms: Tablet arms Image: Support: 4 Post Legs Work surface Image: Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms: Tablet arms Image: Supple: Support: 4 Post Legs Work surface Image: Supple: Sup								
Work surface or tablet arms NA No S S 32 60PLWLFSLXC3H46XYTA Individual Pods Product: Open Area Workspace Type of product: individual Private Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chair and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms No S \$ ***Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. NNSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - 1U REQUIREMENT Section B - SUPPLIER'S BID # NON-SA Product(s) Firm Unit Provide additional Information Yes/No Section B - SUPPLIER'S BID 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$								
NA Individual Pods 32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Workspace Type of product: individual Private Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Prower and Data: yes Work surface Work surface or tablet arms: Tablet arms								
32 6OPLWLFSLXC3H46XYTA Individual Pods Product: Open Area Workspace Type of product: individual Private Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chair and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms No \$ \$ \$ \$ ***Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. \$			Work surface or tablet arms					
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. NDN-SA Product(s) ** * *			NA					
Workspace Type of product: individual Private Lounge Chairs Style: with Lounge Chair and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface Work surface Work surface Work surface Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy Screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms: Tablet arms Tablet arms Tablet arms ***Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - IU REQUIREMENT Supplier Part Fire Retained Total # NON-SA Product(s) TY Provide additional information 'es/No Supplier Part Fire Retained Total 33 Banquette back mounted worksurface product must be compatible with item #26 above Y Yes	32	6OPLWLFSLXC3H46XYTA	Individual Pods	3	No		\$	\$
Type of product: individual Private Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chairs Style: with Lounge Chair and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Style: S			Product: Open Area					
Private Lounge Chairs Style: with Lounge Chair and Work surface Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: State in the			Workspace					
Private Lounge Chairs Style: with Lounge Chair and Work surface Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: State in the			Type of product: individual					
style: with Lounge Chair and Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Style: with Lounge Chair and Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Style: with Lounge Chair and Support: 4 Post Legs Work surface or tablet arms : Tablet arms Image: Style: with Lounge Chair and Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Style: with Lounge Chair and Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Style: with Lounge Chair and Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Style:								
Work surface Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Support: 4 Post Legs More surface or tablet arms : Tablet arms **Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - 10 REQUIREMENT Extended Total TY # NON-SA Product(s) Firm Unit Price \$ Extended Total [Qty x Price] \$ # NON-SA Product(s) Q TY Provide additional Information Yes/No Firm Unit Price \$ Extended Total [Qty x Price] \$ 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$			-					
Shape: Free standing Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet armsImage: Comparison of the firm quantity by category)**Provide additional information:Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.Image: Comparison of the firm quantity by category)NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.Section A - IU REQUIREMENTSection B - SUPPLIER'S BID#NON-SA Product(s)Extended Total Provide additional Information Yes/NoFirm Unit Price SExtended Total (Qty x Price) S#NON-SA Product(s)Q Provide additional Information Yes/NoYesSupplier Part NumberFirm Unit Price SExtended Total (Qty x Price) S#NON-SA Product(s)Q Provide additional Information Yes/NoYesSupplier Part NumberFirm Unit Price SExtended Total (Qty x Price) S33Banquette back mounted worksurface #26 above. Max depth: 12-15 inches2 VesYesS\$\$								
Support: 4 Post Legs Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data; yes Work surface or tablet arms : Tablet arms Image: Control of Control								
Material: NA Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet arms Image: Comparison of Compa								
Diameter: 42 to 60 Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms : Tablet armsIIIII**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.IIIISA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.Section B - SUPPLIER'S BIDImage: Section A - IU REQUIREMENTSection A - IU REQUIREMENTSection B - SUPPLIER'S BID#NON-SA Product(s)**Supplier Part Provide additional InformationFirm Unit Price \$Extended Total [Qty x Price] \$33Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches2Yes\$\$								
Privacy screen Height: 46 to 64 Power and Data: yes Work surface or tablet arms: Tablet arms I								
Power and Data: yes Work surface or tablet arms : Tablet arms Power and Data: yes Work surface or tablet arms : Tablet arms Image: Complex comple								
Work surface or tablet arms: Image: Constraint of the subsect of			Privacy screen Height: 46 to 64					
Tablet arms Image: Constraint of the second sec			Power and Data: yes					
 **Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - IU REQUIREMENT Section A - IU REQUIREMENT Section A - IU REQUIREMENT Supplier Part Firm Unit Provide additional Information Yes/No Yes Sanquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 			Work surface or tablet arms :					
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission. NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - IU REQUIREMENT # NON-SA Product(s) Q ** Supplier Part Firm Unit Extended Total [Qty x Price] additional Information Yes/No \$ \$ \$ 33 Banquette back mounted worksurface 2 Yes \$ \$ \$ #26 above. Max depth: 12-15 inches 2 Yes \$ \$ \$			Tablet arms					
NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - IU REQUIREMENT % NON-SA Product(s) Q TY ** Provide additional Information Yes/No Supplier Part Number Firm Unit Price \$ Extended Total [Qty x Price] \$ 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$ \$	**Pr	ovide additional information:						
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - IU REQUIREMENT # NON-SA Product(s) Q TY ** Provide additional Information Yes/No Supplier Part Number Firm Unit Price \$ Extended Total [Qty x Price] \$ 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$ \$	Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D. Section A - IU REQUIREMENT # NON-SA Product(s) Q TY ** Provide additional Information Yes/No Supplier Part Number Firm Unit Price \$ Extended Total [Qty x Price] \$ 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$ \$	NIS A	products (must not excood 20% of t	he firm quantity by category)					
Section A - IU REQUIREMENT Section B – SUPPLIER'S BID # NON-SA Product(s) Q TY ** Provide additional Information Yes/No Supplier Part Number Firm Unit Price \$ Extended Total [Qty x Price] \$ 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$ \$				م الد م	ocifications and mag	t the testing requirem	onts dotailad a	at Annex D
# NON-SA Product(s) Q ** Supplier Part Provide additional Information Yes/No Firm Unit Price \$ Extended Total [Qty x Price] \$ 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$	ine :		·	σ an sp				
W NoteSATTOduct(s) Q Provide additional Information Yes/No Number Price \$ [Qty x Price] \$ 33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$ \$			U REQUIREMENT				1	
TYadditional Information Yes/No\$\$33Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches2Yes\$	#	NON-SA Product(s)		Q				
33 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes \$ \$				ΤY		Number		
Image: state with the state with th							Ş	Ş
 Banquette back mounted worksurface Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches 2 Yes 4 Yes 5 \$ 								
Precision : proposed product must be compatible with item #26 above. Max depth: 12-15 inches	22		ulcounfo oo	2			ć	ć
#26 above. Max depth: 12-15 inches	33	-		2	res		Ş	Ş
Max depth: 12-15 inches			must be compatible with item					
Finish: laminate (wood imitation)		-						
		Finish: laminate (wood imitat	ion)					

34	Ottoman 2 steps	DELETED ITEM	
35	Ottoman 3 steps	DELETED ITEM	
Product Total \$			\$

Table 2 – Delivery

	Section A - IU REQ	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
13 to 33	LaSalle Academy 373 Sussex Drive Door D0 via St-Andrew Street Ottawa, Ontario K1N 7B1 Block D, level 2	2020/09/16	Normal Business Hours	: weeks Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proje finalized de	usiness Hours 8:00 – 16:00, as per SA, Ar ect Authority (PA) will provide the suppl livery date taking into consideration the I not be responsible if the supplier choos on.	Delivery Total:	\$		

Table 3 – Installation

	Section A - IU REC	Section B – SUPPLIER'S BID			
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
13 to 33	LaSalle Academy 373 Sussex Drive Ottawa, Ontario K1N 7B1 Block D, level 2 CSPS employee to escort installers.	2020/09/16	Normal Business Hours	: weeks from date of supply and delivery Standard Lead time is between 6-10 weeks for furniture delivery and installation.	\$
**The Proj finalized in	usiness Hours 8:00 – 16:00, as per SA, A ect Authority (PA) will provide the supp stallation date taking into consideratior anada will not be responsible if the supp on.	Installation Total:	\$		

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes				
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.				
	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.				
2 .	Canada's Facilities	to Accommodate the Delivery			
		ees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to ne jurisdiction where the work is being performed.			
	During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.				
2.1	Loading Dock/Locat	ion			
А	Location	LaSalle Academy			
		373 Sussex Drive			
		Door D0 via St-Andrew Street			
		Ottawa, ON			
		K1N 6Z2			
В	Dock	No.			
С	Lift	Does not exist			
D	Door	Double Doors			
Е	Freight Elevator	No.			
F	Other (specify, if	All deliveries of furniture to Lasalle Academy are to be done off St. Andrew's Street through the courtyard, to D-0			
	any)	of Lasalle. Only 5 ton trucks *maximum* with tailgates are permitted at this location.			
3.	Continuance of Certifications				
		that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint			
	Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.				
	Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.				
3.1	Integrity Provisions				
3.2	Federal Contractor'	s Program for Employment Equity			
3.4	Product Conforman	ce			
3.5	Price Certification (n accordance with the SA, Part 6B)			

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Hardware Total as per article 1.5 of Annex A-1 of SA (<i>if Applicable</i>)	\$
5	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4) [to be removed at contract award]	\$

6	Contract Price (1+2+3+4): [applicable at contract award only]	\$
7	Applicable Tax(es): [applicable at contract award only]	\$
8	Total Estimated Cost (6+7): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	