



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scotia

B3J 1T3

Bid Fax: (902) 496-5016

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions

1713 Bedford Row

Halifax, N.S./Halifax, (N.É.)

Halifax

Nova Scot

B3J 1T3

Title - Sujet CBSA St. John's Panels & Components	
Solicitation No. - N° de l'invitation EA003-210606/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client EA003-21-0606	Date 2020-07-31
GETS Reference No. - N° de référence de SEAG PW-SHAL-207-11031	
File No. - N° de dossier HAL-0-85066 (207)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-08-13	Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Grieve, Bronwen	Buyer Id - Id de l'acheteur hal207
Telephone No. - N° de téléphone (902) 943-2394 ()	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 002 is raised to:

- 1. Answer bidder questions;**
- 2. Amend Part 1: Category 1, 2 & 5, Table 1**
- 3. Amend Part 2: Category 6A, Table 1**
- 4. Amend Part 3: Category 6B, Table 1**
- 5. Amend Part 5: Category 6D, Table 1**

1. Bidder Questions and Answers

Q1. Cat 1B, items 2 & 3: are the required dimensions nominal or actual?

A2: Sizes are nominal but ensuring they are suitable for CAT 2 height adjustable tables and can accommodate CAT 5 clamp mount power modal and clamp mount monitor arms (supplied by others)

Q2. Item CAT6A #24.

Q2 (a) The lounge chair in the image has a high back screen, please confirm the required height.

Q2 (b) Tablet worksurface is not included under the RFSA, please treat as separate GoCUID for laptop tables or as Non-SA.

A2 (a) Max. width 914mm (36") and back and side panel height ranging from 1168mm (46") to 1372mm (54")

A2 (b) See Line #43 for tablet requirement.

Q3. Item CAT6A # 28, GoCUID is for a curvilinear unit, please confirm it's to be curvilinear or rectilinear.

A3: Use GoCUID number 6SMORBXXLU25G19LNNN, rectilinear

Q4. Item CAT6B # 32.

Q4 (a) Low back or no back is not an RFSA requirement. Please allow a back, offer as a non-SA item, or procure separately.

Q4 (b) would a plywood shell be acceptable?

A4 (a) We will request this item as a non-SA item. See amendment below.

A4 (b) Yes a plywood shell would be acceptable.

Q5. Item CAT6D # 36. GoCUID is 42" but the description says 36". Should this be non-SA or do you want 42"W?

A5: Provide 42" wide credenza as per GoCUID number

Q6. Category 1B line # 2. Please confirm that you want 24" wide screens for the 30" deep height adjustable tables shown in room 103 and 129?

A6 : Yes

Q7. Category 5 line #18. Please confirm the qty. it is calling for 2 but the description is listing 2 for room 128 and 2 for room 107?

A7 : Change Quantity to 4


Q8. Non SA line 21. There are 2 laminate transaction tops called up to put on 3 high file cabinets. Are the file cabinets existing as I do not see them in the RFB?




A8: Cabinets provided by others – not in contract

2. Under Part 1: Category 1, 2 & 5, Table 1 – Product Table Category 1, 2 & 5:


DELETE: in its entirety



INSERT:




Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Qty	Supplier Series and Item Name, Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
Category 1A						
1	Refer to Annex C and Floor Plans.					\$
Category 1B						
2	1bCPSXXSXXL24XFANNN	<p>Privacy screen 610mm (24” wide)</p> <ul style="list-style-type: none">356mm to 406mm (14” to 16”) height above work surfaceWorksurface mountedInstall on ends of 610mm x 1524mm (24” x 60”) HA tablesFabric <p>Location: Room 103-7 (on one side only)</p> 	23 individual screens		\$	\$

		<p>Room 103-12, 13, 15, 16, 17, 18 (two screens)</p>  <p>762mm (30 in.) PRIVACY SCREEN</p> <p>Room 129-20, 21, 22, 23, 24, 25, 26, 27, 28, 29 (One screen installed on corridor side of desk)</p>  <p>762mm (30 in.) PRIVACY SCREEN</p>				
3	1bCPSXXSXXL54XFANNN	<p>Privacy screen 54" wide</p> <ul style="list-style-type: none"> • 356mm to 406mm (14" to 16") height above work surface • Fabric • Worksurface mounted  <p>1372 mm (54 in.) PRIVACY SCREEN</p> <p>Location: Room 129-20, 21, 22, 23, 24, 25, 26, 27, 28, 29 On site storage room: 6 panels for future use in area 103 Marine</p>	16		\$	\$
4	1bFFHREG30L48WNOLN Y	<p>Freestanding table</p> <ul style="list-style-type: none"> • 1219mm x 762mm (48 in. x 30 in.) • Two gables and part height modesty for access to electrical and data • Grommet in desktop • Leveling glides <p>Location: Room 128</p>	2		\$	\$
5	1bCPSXXNXXL24XCLNNN	<p>Privacy Screens</p> <ul style="list-style-type: none"> • Panel Mounted • Clear / transparent • Width 610mm (24") • For use with CAT 1A panels. Privacy screen height to change as needed to meet overall panel height requirement of 1372 (54") 	10		\$	\$
6	1bCPSXXNXXL30XCLNNN	<p>Privacy Screens</p> <ul style="list-style-type: none"> • Panel Mounted • Clear / transparent • Width 762mm (30") 	1		\$	\$

		<ul style="list-style-type: none"> For use with CAT 1A panels. Privacy screen height to change as needed to meet overall panel height requirement of 1372 (54") 				
7	1bCPSXXNXXL36XCLNNN	Privacy Screens <ul style="list-style-type: none"> Panel Mounted Clear / transparent Width 915mm (36") For use with CAT 1A panels. Privacy screen height to change as needed to meet overall panel height requirement of 1372 (54")	10		\$	\$
8	1bCPSXXNXXL42XCLNNN	Privacy Screens <ul style="list-style-type: none"> Panel Mounted Clear / transparent Width 1067mm (42") For use with CAT 1A panels. Privacy screen height to change as needed to meet overall panel height requirement of 1372 (54")	2		\$	\$
9	1bCPSXXNXXL48XCLNNN	Privacy Screens <ul style="list-style-type: none"> Panel Mounted Clear / transparent Width 1220mm (48") For use with CAT 1A panels. Privacy screen height to change as needed to meet overall panel height requirement of 1372 (54")	9		\$	\$
10	1bCPSXXNXXL54XCLNNN	Privacy Screens <ul style="list-style-type: none"> Panel Mounted Clear / transparent Width 1372mm (54") For use with CAT 1A panels. Privacy screen height to change as needed to meet overall panel height requirement of 1372 (54")	3		\$	\$
11	1bCHHLX20L48XOSDDKX	Credenza <ul style="list-style-type: none"> Right side open Left side closed Laminate 1 high Min height 457mm (18") Max. height 559mm (22") NOTE: After contract award the 20% upgrade will be used to provide a cushion top for	1		\$	\$

		<p>this unit. This upgrade option must be available.</p>  <p>Location: Room 115</p>				
Category 2						
12	2WSSREXXL24L72BELXX	<p>Electric height adjustable table</p> <ul style="list-style-type: none"> 610 mm (24 in.) x 1829 mm (72 in.) Digital height display <p>Location: Room 103 – 3, 4, 5, 6, 8, 9, 10 ,11, 14 Room 129 – 19 Room 113</p> <p>NOTE: table must be able to accommodate clamp mount monitor arms either centre of off centre mounted.</p>	11		\$	\$
13	2WSSREXXL30L48BELXX	<p>Electric height adjustable table</p> <ul style="list-style-type: none"> 762 mm (30 in.) x 1219 mm (48 in.) Digital height display <p>Location: Room 103 – 3, 4, 5, 6, 8, 9, 10 ,11, 14 Room 129 – 19 Room 113 (2)</p> <p>NOTE: table must be able to accommodate clamp mount monitor arms either centre of off centre mounted.</p>	12		\$	\$
14	2WSSREXXL30L54BELXX	<p>Electric height adjustable table</p> <ul style="list-style-type: none"> 762 mm (30 in.) x 1372 mm (54 in.) Digital height display <p>Location: Room 103-7, 1, 2</p> <p>NOTE: table must be able to accommodate clamp mount monitor arms either centre of off centre mounted.</p>	3		\$	\$
15	2WSSREXXL30L60BELXX	<p>Electric height adjustable table</p> <ul style="list-style-type: none"> 762 mm (30 in.) x 1524 mm (60 in.) Digital height display <p>Location:</p>	8		\$	\$

		Room 103 – 12, 13, 15, 16, 17, 18 Room 115 Room 116 NOTE: table must be able to accommodate clamp mount monitor arms either centre of off centre mounted.				
16	2WSSREXXL30L72BELXX	Electric height adjustable table <ul style="list-style-type: none"> 762 mm (30 in.) x 1829 mm (72 in.) Digital height display Location: Room 129-20, 21, 22, 23, 24, 25, 26, 27, 28, 29 NOTE: table must be able to accommodate clamp mount monitor arms either centre of off centre mounted.	10		\$	\$
Category 5						
17	5PMOWKSMTACUSBXXX XX	Desktop power module Location: one per workstation – locate on 30"x 48", 54", 60" or 72" height adjustable tables. (Do not install on 24" x 72" height adjustable tables) 	34		\$	\$
18	5CPSUNWKSXXXXXXXXXX X	Computer Processor Unit Support  Location: Room 128 (2) Room 107 (2) to be used on NON-SA L-shaped height adjustable desk below.	4		\$	\$
19	5KMSWGSPUF30WSXXX XX	Keyboard & Mouse Support <ul style="list-style-type: none"> Arm to Rotate 180° under-work surface mounted Gel pad Used on standard desk (not height adjustable) Location: Room 128	2		\$	\$
NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		

#	NSA Product(s) Description	Qty	Supplier Series and Item Name, Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
20	CAT 1B NON-SA Free standing laminate desk c/w 2 gable ends and part height laminate modesty equivalent to 1bFFHREG24L48WNOLNY with the following modifications: <ul style="list-style-type: none"> Size: <ul style="list-style-type: none"> 1041mm – 1092mm (41" – 43") high 610mm (24") deep 1219mm (48") wide Modesty to be installed at the back of the desk Provide grommet centre back of table top.  Location: Room 105	1		\$	\$
21	Fixed Height Work Surfaces (Laminate) equal to 1bFFHTSN18L60XNOXNX Transaction Surface 457.2mm (18") x 1828.8mm (72") Modification: <ul style="list-style-type: none"> To be installed on top of two 457.2mm (18") x 914.4mm (36") 3h file cabinets. Secure to top of file cabinet Panel mounting hardware not required.  Location: <ul style="list-style-type: none"> Room 103 Room 103 (Marine Area) 	2			
22	CAT 2 NON-SA Electric height adjustable table same specification requirements as 2WSSREXXL30L72BELXX above with the following modifications: <ul style="list-style-type: none"> Size & shape to be: <ul style="list-style-type: none"> L-shaped Size: 72"l x 72"w x 30" deep work surface Digital height display NOTE: table must be able to accommodate clamp mount monitor arms either centre of off centre mounted.  Location: Room 107 (2)	2		\$	\$





	Product Total	\$
--	---------------	----


3. Under Part 2: Category 6A, Table 1 – Product Table:

DELETE: in its entirety

INSERT:

Table 1 – Product Table


Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Qty	Supplier Series and Item Name, Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
24	6SLCWAXXFUXXXXMXX X	Lounge chair; <ul style="list-style-type: none"> Max width: Tablet work surface to be <u>separate</u> from the chair and privacy panels Vinyl upholstery – seat and back support Crypton upholstery – sides & high back if option available   <p>NOTE: Min Weight capacity of 159 kg (325 lbs.) required</p> <p>Location: Room 103</p>	2		\$	\$
25	6SLCWAXXFUXXXXMXX X	Lounge chair 1; <ul style="list-style-type: none"> Arms Vinyl upholstery  <p>Location: Room 110</p> <p>NOTE: Min Weight capacity of 159 kg (325 lbs.) required</p>	1		\$	\$
26	6SLCOAXXFUXXXXMXX X	Lounge chair 2; <ul style="list-style-type: none"> Without Arms Vinyl upholstery  <p>Location: Room 110</p>	1		\$	\$




		NOTE: Min Weight capacity of 159 kg (325 lbs.) required				
27	6SUSSQXXLUX8XXXLXXX	Upholstered Stool <ul style="list-style-type: none"> without casters square not to exceed 508mm (20") width or rectangular not to exceed 508mm x 610mm (20" x 24") To coordinate with Lounge Chairs 1 & 2 above.	1		\$	\$
28	6SMORBXXLU25G19LNN	Benching <ul style="list-style-type: none"> no arms or back Max. length: 1067mm (42 in.) Vinyl upholstery  Location: 135 NOTE: Min Weight capacity of 159 kg (325 lbs.) required	2		\$	\$
				Product Total		\$

4. Under Part 3: Category 6B, Table 1 – Product Table Category 6B:

DELETE: in its entirety

INSERT:


Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Qty	Supplier Series and Item Name, Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
29	6KKCSAxxSY16XXXMIYX	Kitchen Chair, <ul style="list-style-type: none"> Sled base Arms Vinyl upholstery  Location: Room 110 – Kitchenette Note 1: sled base style is optional – other bases can be included if required to meet weight capacity requirement below. NOTE 2: Min Weight capacity of 159 kg (325 lbs.)	2		\$	\$

30	6KKCSAxxSY16XXXMOYX	<p>Kitchen / Side Chair,</p> <ul style="list-style-type: none"> Sled base No arms Vinyl upholstery  <p>Location:</p> <ul style="list-style-type: none"> Room 110 – Kitchenette (2) Room 106 (8) Room 115 Room 116 Room 137 <p>Note 1: sled base style is optional – other bases can be included if required to meet weight capacity requirement in Note 2.</p> <p>NOTE 2: Min Weight capacity of 159 kg (325 lbs.)</p>	13		\$	\$
31	6KBSBHxxSY15XXXROYX	<p>Kitchen Stool</p> <ul style="list-style-type: none"> sled base Foot rail Suitable for table height 990mm – 1067mm (39 – 44 in.) No arm Vinyl upholstery   <p>Location: Room 110 – Kitchenette (4)</p> <p>Note 1: sled base style is optional – other bases can be included if required to meet weight capacity requirement in Note 2.</p> <p>NOTE 2: Min Weight capacity of 159 kg (325 lbs.)</p>	4		\$	\$

NSA products (must not exceed 30% of the firm quantity by category)

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID		
#	NSA Product(s) Description	Qty	Supplier Series and Item Name, Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
32	<p>Stool equivalent to 6KBSBHxxSY15XXXRONX</p> <ul style="list-style-type: none"> No arms 	1			


<ul style="list-style-type: none"> sled base Foot rail For use with table height of 1041mm – 1092mm (41 to 43 in.) Low or no back <p>Location: Room 105</p> <p>Note 1:</p> <p>Sled base style is optional – other bases can be included if required to meet weight capacity requirement in Note 2.</p> <p>NOTE 2: Min Weight capacity of 159 kg (325 lbs.)</p> 				
Product Total				\$

5. Under Part 5: Category 6D, Table 1 – Product Table Category 6B:

DELETE: in its entirety

INSERT:


Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	Qty	Supplier Series and Item Name, Part Number	Firm Unit Price** \$	Extended Total [Qty x Price] \$
35	6MMTLGREOL42120WYNX	<p>Meeting Table</p> <ul style="list-style-type: none"> 3048mm x 1067mm (120 in. x 42 in.) Power module to include: 2 duplex & two data (two required + note below) Post Legs-Column <ul style="list-style-type: none"> Chrome or painted metal <p>Location: Room 135 / Room 103 (Marine)</p> <p>20% upgrade rule will be used after contract award to provide one extra (2 above + 1 extra) desktop power module with wire management (table to have a total of three power / data monuments) – ensure this option is available on product included in this bid</p>	2		\$	\$
36	6ZFHLXX20L42HSDSDKX	<p>Credenza</p> <ul style="list-style-type: none"> 915mm x 508mm (42 in. x 20 in.) Doors Grommets at the back To coordinate with above Room 135 table 	1		\$	\$

		Location: Room 135				
37	6MMTMDREOL42L72WYN X	<p>Meeting Table</p> <ul style="list-style-type: none"> • 1829mm x 914mm (72 in. x 36 in.) • Post Legs-Column <ul style="list-style-type: none"> ○ Chrome or painted metal • Power module to include: 2 duplex & two data <p>Location: Room 132</p>	1			
38	6MMTMDREOL36120WYN X	<p>Meeting Table</p> <ul style="list-style-type: none"> • 3048mm x 914mm (120 in. x 36 in.) • Power module to include: 2 duplex & two data • (two required + note below) • Post Legs-Column <ul style="list-style-type: none"> ○ Chrome or painted metal <p>Location: Room 129</p> <p>20% upgrade rule will be used after contract award to provide one extra (2 above + 1 extra) desktop power module with wire management (table to have a total of three power / data monuments) – ensure this option is available on product included in this bid</p>	1		\$	\$
39	6MMTMDREOL30L96WYN X	<p>Meeting Table</p> <ul style="list-style-type: none"> • 762mm x 2438mm (30 in. x 96 in.) • Post Legs-Column <ul style="list-style-type: none"> ○ Chrome or painted metal • Power module to include: 2 duplex & two data • (two required + note below) <p>Location: Room 106</p> <p>20% upgrade rule will be used after contract award to provide one extra (2 above + 1 extra) desktop power module with wire management (table to have a total of three power / data monuments) – ensure this option is available on product included in this bid</p>	1		\$	\$
40	6MMTSMROPL36XXXWNN X	<p>Meeting Table</p> <ul style="list-style-type: none"> • Diameter: 914mm (36 in.) • Pedestal Base 	1		\$	\$

Solicitation No. - N° de l'invitation
EA003-210606/A
Client Ref. No. - N° de réf. du client

Amd. No. - N° de la modif.
002
File No. - N° du dossier

Buyer ID - Id de l'acheteur
ha1207
CCC No./N° CCC - FMS No./N° VME

		<ul style="list-style-type: none">○ Chrome or painted metal				
		Location: Room 110 - Kitchenette				
41	6CSTVAROLL20XXXJNXX	Side table <ul style="list-style-type: none">• 508mm (20 in.) diameter• 3 or 4 legs<ul style="list-style-type: none">○ Chrome  Location: Room 100	1			
				Product Total		\$

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED