



National Defence

Défense nationale

National Defence Headquarters
Ottawa, Ontario
K1A 0K2

Quartier général de la Défense nationale
Ottawa (Ontario)
K1A 0K2

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

RETURN BIDS TO: RETOURNER LES SOUMISSIONS À:

Fax / Télécopieur : (819) 997-9776

Bid Receiving – PWGSC / Réception des soumissions - TPSGC
11 Laurier St. / 11 rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau
Québec
K1A 0S5

Proposal To: National Defence Canada

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods and services listed herein and on any attached sheets at the price(s) set out therefore.

Proposition à : Défense nationale Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens et services énumérés ici et sur toute feuille ci-annexée, au(x) prix indiqué(s).

Title/Titre Multiple Victoria Class Spares / Plusieurs Pièces de Rechange de Classe Victoria	Solicitation No – Nº de l'invitation W8482-195201/A
Date of Solicitation – Date de l'invitation 05-08-2020	
Address Enquiries to – Adresser toutes questions à Jeffrey.Milks@forces.gc.ca	
Telephone No. – Nº de téléphone N/A	FAX No – Nº de fax N/A
Destination Specified Herein / Précisé dans les présentes	

Instructions:

Municipal taxes are not applicable. Unless otherwise specified herein all prices quoted must include all applicable Canadian customs duties, GST/HST, excise taxes and are to be delivered Delivery Duty Paid including all delivery charges to destination(s) as indicated. The amount of the Goods and Services Tax/Harmonized Sales Tax is to be shown as a separate item.

Instructions: Les taxes municipales ne s'appliquent pas. Sauf indication contraire, les prix indiqués doivent comprendre les droits de douane canadiens, la TPS/TVH et la taxe d'accise. Les biens doivent être livrés « rendu droits acquittés », tous frais de livraison compris, à la ou aux destinations indiquées. Le montant de la taxe sur les produits et services/taxe de vente harmonisée doit être indiqué séparément.

Solicitation Closes – L'invitation prend fin
At – à : 14 :00 EDT
On - le : 16 / 09 / 2020

Delivery required - Livraison exigée	Delivery offered - Livraison proposée
Vendor Name and Address - Raison sociale et adresse du fournisseur	
Name and title of person authorized to sign on behalf of vendor (type or print) - Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'imprimerie)	
Name/Nom _____	Title/Titre _____
Signature _____	Date _____

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

TABLE OF CONTENTS.

1.1	STATEMENT OF REQUIREMENT	2
1.2	DEBRIEFINGS	2
1.3	TRADE AGREEMENTS	2
1.4	EPOST CONNECT SERVICE.....	2
PART 2 - BIDDER INSTRUCTIONS.....		2
2.1	STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	2
2.2	SACC MANUAL CLAUSES	4
2.3	SUBMISSION OF BIDS.....	4
2.4	ENQUIRIES - BID SOLICITATION	4
2.5	APPLICABLE LAWS	5
PART 3 - BID PREPARATION INSTRUCTIONS		5
3.1	BID PREPARATION INSTRUCTIONS	5
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION		7
4.1	EVALUATION PROCEDURES.....	7
4.2	BASIS OF SELECTION.....	8
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION		9
5.1	CERTIFICATIONS REQUIRED WITH THE BID	9
5.2	CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	9
PART 6 - RESULTING CONTRACT CLAUSES		10
6.1	SECURITY REQUIREMENTS.....	10
6.2	STATEMENT OF REQUIREMENT	10
6.3	STANDARD CLAUSES AND CONDITIONS	10
6.4	AUTHORITIES	10
6.5	QUALITY ASSURANCE	11
6.6	SHELF LIFE.....	13
6.7	PACKAGING	13
6.8	PAYMENT	14
6.9	INVOICING INSTRUCTIONS.....	14
6.10	CERTIFICATIONS AND ADDITIONAL INFORMATION.....	15
6.11	APPLICABLE LAWS	15
6.12	PRIORITY OF DOCUMENTS.....	15
6.13	DEFENCE CONTRACT	16
6.14	SACC MANUAL CLAUSES	16
6.15	SHIPPING INSTRUCTIONS.....	16
6.16	EXCHANGE RATE FLUCTUATION ADJUSTMENT	18
6.17	EQUIVALENT PRODUCTS – CONTRACT	19
ANNEX "A" - STATEMENT OF REQUIREMENT		21
ANNEX "B" - BIDDER'S PROPOSED SUBMISSION.....		22
ANNEX "C" - ELECTRONIC PAYMENT INSTRUMENTS.....		23
ANNEX "D" - SOQRS		24

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

PART 1 - GENERAL INFORMATION

1.1 Statement of Requirement

The requirement is detailed under **Annex "A"** of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 Trade Agreements

The requirement is subject to the provisions of:

Canadian Free Trade Agreement
North American Free Trade Agreement
Canada – Chile Free Trade Agreement
Canada – Colombia Free Trade Agreement
Canada – Honduras Free Trade Agreement
Canada – Panama Free Trade Agreement
Canada – Korea Free Trade Agreement

1.4 epost Connect service

"This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information."

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

The 2003 (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

The 2003 standard instructions is amended as follows:

- Section 02, Procurement Business Number is deleted in its entirety.
- Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:
 - Delete: 60 days
 - Insert: 90 days
- Section 08, entitled Transmission by facsimile or by epost Connect, is now as follows:
 1. Facsimile
 - a. Unless specified otherwise in the bid solicitation, bids may be submitted by facsimile.
 - i. PWGSC, National Capital Region: The only acceptable facsimile number for responses to bid solicitations issued by PWGSC headquarters is 819-997-9776 or, if applicable, the facsimile number identified in the bid solicitation.

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

-
- ii. PWGSC regional offices: The facsimile number for responses to bid solicitations issued by PWGSC regional offices is identified in the bid solicitation.
 - b. For bids transmitted by facsimile, Canada will not be responsible for any failure attributable to the transmission or receipt of the faxed bid including, but not limited to, the following:
 - i. receipt of garbled, corrupted or incomplete bid;
 - ii. availability or condition of the receiving facsimile equipment;
 - iii. incompatibility between the sending and receiving equipment;
 - iv. delay in transmission or receipt of the bid;
 - v. failure of the Bidder to properly identify the bid;
 - vi. illegibility of the bid; or
 - vii. security of bid data.
 - c. A bid transmitted by facsimile constitutes the formal bid of the Bidder and must be submitted in accordance with section 05.
2. epost Connect
- a. Unless specified otherwise in the bid solicitation, bids may be submitted by using the [epost Connect service](#) provided by Canada Post Corporation.
 - i. PWGSC, National Capital Region: The only acceptable email address to use with epost Connect for responses to bid solicitations issued by PWGSC headquarters is: tpsgc.dgareceptiondessomissions-abbidReceiving.pwgsc@tpsgc-pwgsc.gc.ca, or, if applicable, the email address identified in the bid solicitation.
 - ii. PWGSC regional offices: The only acceptable email address to use with epost Connect for responses to bid solicitations issued by PWGSC regional offices is identified in the bid solicitation.
 - b. To submit a bid using epost Connect service, the Bidder must either:
 - i. send directly its bid only to the specified PWGSC Bid Receiving Unit, using its own licensing agreement for epost Connect provided by Canada Post Corporation; or
 - ii. send as early as possible, and in any case, at least six business days prior to the solicitation closing date and time, (in order to ensure a response), an email that includes the bid solicitation number to the specified PWGSC Bid Receiving Unit requesting to open an epost Connect conversation. Requests to open an epost Connect conversation received after that time may not be answered.
 - c. If the Bidder sends an email requesting epost Connect service to the specified Bid Receiving Unit in the bid solicitation, an officer of the Bid Receiving Unit will then initiate an epost Connect conversation. The epost Connect conversation will create an email notification from Canada Post Corporation prompting the Bidder to access and action the message within the conversation. The Bidder will then be able to transmit its bid afterward at any time prior to the solicitation closing date and time.
 - d. If the Bidder is using its own licensing agreement to send its bid, the Bidder must keep the epost Connect conversation open until at least 30 business days after the solicitation closing date and time.
 - e. The bid solicitation number should be identified in the epost Connect message field of all electronic transfers.
 - f. It should be noted that the use of epost Connect service requires a Canadian mailing address. Should a bidder not have a Canadian mailing address, they may use the Bid Receiving Unit address specified in the solicitation in order to register for the epost Connect service.
 - g. For bids transmitted by epost Connect service, Canada will not be responsible for any failure attributable to the transmission or receipt of the bid including, but not limited to, the following:
 - i. receipt of a garbled, corrupted or incomplete bid;
 - ii. availability or condition of the epost Connect service;
 - iii. incompatibility between the sending and receiving equipment;
 - iv. delay in transmission or receipt of the bid;
 - v. failure of the Bidder to properly identify the bid;
 - vi. illegibility of the bid;
 - vii. security of bid data; or,

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

-
- viii. inability to create an electronic conversation through the epost Connect service.
 - h. The Bid Receiving Unit will send an acknowledgement of the receipt of bid document(s) via the epost Connect conversation, regardless of whether the conversation was initiated by the supplier using its own license or the Bid Receiving Unit. This acknowledgement will confirm only the receipt of bid document(s) and will not confirm if the attachments may be opened nor if the content is readable.
 - i. Bidders must ensure that they are using the correct email address for the Bid Receiving Unit when initiating a conversation in epost Connect or communicating with the Bid Receiving Unit and should not rely on the accuracy of copying and pasting the email address into the epost Connect system.
 - j. A bid transmitted by epost Connect service constitutes the formal bid of the Bidder and must be submitted in accordance with section 05.
- Section 20, Further Information is deleted in its entirety.

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

2.2 SACC Manual Clauses

B1000T (2014-06-26) Condition of Material – Bid

2.3 Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated in the bid solicitation.

Note: For bidders choosing to submit using epost Connect for bids closing at the Bid Receiving Unit in the National Capital Region (NCR) the email address is:

tpsgc.dgareceptiondessomissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions 2003, or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

2.4 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than 7 calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

2.5 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid
Section II: Financial Bid
Section III: Certifications
Section IV: Additional Information

If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (1 hard copy)
Section II: Financial Bid (1 hard copy)
Section III: Certifications (1 hard copy)
Section IV: Additional Information (1 hard copy)

If there is a discrepancy between the wording of the soft copy on electronic media and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of hard copy of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](#)

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

(<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete **Annex “C”** Electronic Payment Instruments, to identify which ones are accepted.

If **Annex “C”** Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

C3010T (2014-11-27), Exchange Rate Fluctuation Risk Mitigation

1. The Bidder may request Canada to assume the risks and benefits of exchange rate fluctuations. If the Bidder claims for an exchange rate adjustment, this request must be clearly indicated in the bid at time of bidding. The Bidder must submit form PWGSC-TPSGC 450 , Claim for Exchange Rate Adjustments with its bid, indicating the Foreign Currency Component (FCC) in Canadian dollars for each line item for which an exchange rate adjustment is required.
2. The FCC is defined as the portion of the price or rate that will be directly affected by exchange rate fluctuations. The FCC should include all related taxes, duties and other costs paid by the Bidder and which are to be included in the adjustment amount.
3. The total price paid by Canada on each invoice will be adjusted at the time of payment, based on the FCC and the exchange rate fluctuation provision in the contract. The exchange rate adjustment will only be applied where the exchange rate fluctuation is greater than 2% (increase or decrease).
4. At time of bidding, the Bidder must complete columns (1) to (4) on form PWGSC-TPSGC 450 , for each line item where they want to invoke the exchange rate fluctuation provision. Where bids are evaluated in Canadian dollars, the dollar values provided in column (3) should also be in Canadian dollars, so that the adjustment amount is in the same currency as the payment.

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

-
5. Alternate rates or calculations proposed by the Bidder will not be accepted for the purposes of this exchange rate fluctuation provision.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

- a) Bidders must indicate the Part Number and the NSCM/NCAGE they are offering.
- b) Bidders proposing an Equivalent or Substitute Product must indicate the brand name and model and/or Part Number and the NSCN/NCAGE.

4.1.1.2 Evaluation Procedures for Equivalent Products

- (a) This bid solicitation includes requirements to propose equipment (each, a Line Item) that has been specified by a part number in order to ensure compatibility, interoperability and interchangeability with existing equipment owned by Canada.
- (b) Where equipment has been described in this bid solicitation by part number and more than one part number is listed as associated with a single Line Item, equivalency will be assessed against the first part number, referred to as the Item of Supply. Other part numbers listed under that Line Item will be considered to meet the requirement without requiring an assessment as an equivalent product.
- (c) Proposed equipment that is a replacement part number (superseded or obsolete) from the Original Equipment Manufacturer of the Item of Supply listed under a Line Item must be assessed as an equivalent product under this Article, in order to be considered to meet the requirement.
- (d) If a bidder intends to propose a part as an equivalent to a required Item of Supply, and it has or is able to obtain complete specifications for the Item of Supply, it must provide to Canada in its bid this Item of Supply specification, along with the specification established for its proposed equivalent. Canada may instruct the bidder to use the provided Item of Supply specification, or another specification provided by Canada, for the purposes of demonstrating equivalency. If the Item of Supply specification is provided by Canada to the bidder, it will be made available to all bidders at the same time. During the evaluation period, the bidder must provide to Canada an analysis within seven business days of the request to do so, showing a comparison of the specification of its proposed equivalent part with the Item of Supply specification. The analysis must demonstrate that the proposed equivalent part is equivalent in fit, form, function, quality and performance to the required Item of Supply, that it meets any mandatory performance criteria identified in the solicitation, and that the proposed equivalent is fully compatible, interoperable and interchangeable with existing equipment identified in the bid solicitation. If the analysis submitted by the bidder does not demonstrate to the satisfaction of Canada such requirements, the bid will either be declared non-responsive, or will be subject to further evaluation if sampling is requested by Canada.
- (e) It is the responsibility of the Bidder to include all information required to evaluate the proposed equivalent product as described above; however, all bidders acknowledge that Canada will have the

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

right, but not the obligation, to request any additional information during the evaluation that it requires to make a determination regarding the product proposed.

- (f) The bidder must provide the number of samples of its proposed equivalent part requested by Canada, transportation charges prepaid, and without charge to Canada, within three business days from the date of a request by the Contracting Authority:
- (a) if no specifications for the Item of Supply acceptable to Canada are available for the assessment above, or
 - (b) if, in addition to the evaluation of the analysis submitted under paragraph 1, Canada wishes to perform testing on the proposed equivalent part to make its determination regarding whether the part is equivalent in form, fit, function, quality and performance. Canada also reserves the right to conduct testing regarding other aspects of equivalency, such as durability and interoperability, as compared to the Item of Supply. All tests will be documented by Canada. A sample submitted by a Bidder will remain the property of Canada and will not be considered as part of the deliverables in any resulting contract. If the testing does not demonstrate equivalency with respect to the aspects tested by Canada, the bid will be declared non-responsive.
- (g) If:
- (i) at least one bid is received proposing an equivalent part,
 - (ii) no acceptable specifications of the requested Item of supply are provided by the bidder proposing the equivalent,
 - (iii) no acceptable specifications of the requested Item of Supply are available to Canada, and
 - (iv) Canada is unable to test a sample for any reason (including that the Item of Supply being procured is new to use, or its interoperable parts are not available for use in testing),
- then,
- (i) if there are two (2) or more responsive bids in respect of the Item of Supply (not an equivalent), the evaluation process will be limited to those responsive bids.
 - (ii) if there are fewer than two (2) responsive bids, Canada will cancel the bid solicitation and then determine next steps, including whether specifications can reasonably be developed for the Item of Supply required by Canada.

4.1.2 Financial Evaluation

SACC Manual Clause [A0220T](#) (2014-06-26) Evaluation of Price - Bid
SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price - Canadian / Foreign Bidders

4.2 Basis of Selection

SACC Manual Clause [A0272T](#) (2010-08-16), Basis of Selection - Multiple Items

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price on an item by item basis will be recommended for award of a contract.

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

5.2.3 Additional Certifications Precedent to Contract Award

5.2.3.1 Integrity Provisions – List of Names

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

Bidders who are incorporated, including those bidding as a joint venture, must provide a complete list of names of all individuals who are currently directors of the Bidder.

Bidders bidding as sole proprietorship, as well as those bidding as a joint venture, must provide the name of the owner(s).

Bidders bidding as societies, firms or partnerships do not need to provide lists of names.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Statement of Requirement

The Contractor must provide the items detailed at **Annex "A"**.

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](#) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

2010A (2020-05-28), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract, with the following modifications:

"Canada", "Crown", "Her Majesty" or "the Government" means Her Majesty the Queen in right of Canada as represented by the Minister of National Defence and any other person duly authorized to act on behalf of that minister or, if applicable, an appropriate minister to whom the Minister of National Defence has delegated his or her powers, duties or functions and any other person duly authorized to act on behalf of that minister.

6.3.2 Period of the Contract

The period of the contract is from date of contract award to the end of the warranty period as described in section [09 of 2010A \(2020-05-28\) General Conditions- Goods \(Medium Complexity\)](#)

6.3.3 Delivery Date

All the deliverables must be received on or before _____.

DND reserves the right to negotiate the delivery date to before or after March 31st, 2021.

6.3.4 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at **Annex "A"** of the Contract.

6.4 Authorities

6.4.1 Contracting Authority

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

The Contracting Authority for the Contract is:

Name: Jeff Milks
Title: Material Acquisition and Support Officer
Department of National Defence
Maritime Equipment Program Management
Directorate: D Mar P 5-4-2-6
Address: 101 Colonel By Drive, Ottawa, Ontario, K1A 0K2
Email: Jeffrey.Milks@forces.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.4.2 Technical Authority

The Technical Authority for the Contract is:

Name:
Title: Technical Authority
Department of National Defence
Maritime Equipment Program Management
Address: 101 Colonel By Drive
Ottawa, Ontario, K1A 0K2
Email: _____@forces.gc.ca

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.4.3 Contractor's Representative

Name: _____
Title: _____
Organization: _____
Address: _____
Telephone: _____ - _____ - _____
Facsimile: _____ - _____ - _____
E-mail: _____.

6.5 Quality Assurance

A1009C (2008-05-12) Work Site Access

Authorized representatives of Canada must have access to any site where any part of the Work is being carried out at any time during working hours to make examinations and such tests of the Work as they may think fit.

D5540C (2019-05-30) ISO 9001:2015 Quality Management Systems - Requirements (Quality Assurance Code Q)

D5510C (2017-08-17) Quality Assurance Authority (DND) - Canadian-based Contractor

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

OR

[D5515C](#) (2010-01-11) Quality Assurance Authority (DND) - Foreign-based and United States Contractor

[D5604C](#) (2008-12-12) Release Documents (DND) - Foreign-based Contractor

OR

[D5605C](#) (2010-01-11) Release Documents (DND) - US based Contractor

OR

[D5606C](#) (2017-11-28) Release Documents (DND) - Canadian-based Contractor

Manufacturer Certificate of Conformity: The contractor is advised that in order to have his deliveries accepted and properly receipted the manufacturer Certificate of Conformity must accompany the shipment and be signed by a duly authorized person as designated by the equipment manufacturer. In addition to the signature his or her name must be written in block letters next to or below the signature.

The Contractor must prepare the release documents in a current electronic format and distribute them as follows:

- a. One (1) copy mailed to consignee marked: "Attention: Receipts Officer";
- b. Two (2) copies with shipment (in a waterproof envelope) to the consignee;
- c. One (1) copy to the Contracting Authority;
- d. One (1) copy to:

National Defence Headquarters
Mgen George R. Pearkes Building
101 Colonel By Drive
Ottawa, ON K1A 0K2
Attention: D Mar P 5-4-2-6

- e. One (1) copy to the Quality Assurance Representative;
- f. One (1) copy to the Contractor; and
- g. For all non-Canadian contractors, one (1) copy to:

DQA/Contract Administration
National Defence Headquarters
Mgen George R. Pearkes Building
101 Colonel By Drive
Ottawa, ON K1A 0K2

E-mail: ContractAdmin.DQA@forces.gc.ca

[D5509C](#) (2011-05-16) Quality Assurance Requirements - Submarine Safety – FIRST LEVEL ITEMS

The Work described in the Contract involves submarine systems or equipment classified as First Level or otherwise critical to submarine safety, as defined in *Canadian Forces Technical Order (CFTO) C-23-VIC-000/AM-001, Quality Assurance for Safety in Submarines VICTORIA Class*. Manufacture, repair, overhaul, installation, inspection and tests for each such item identified in the requirement must be documented in accordance with the requirements of the above mentioned CFTO.

For each such item, the Contractor must provide a Certificate of Conformity [form DND 2513 or locally produced equivalent approved by the Quality Assurance Authority (QAA)] in accordance with this CFTO. For subcontracted work, the Contractor must obtain that Certificate of Conformity from the subcontractor. Obtaining the said certificate from a subcontractor does not relieve the Contractor from its obligation to ensure compliance with the technical requirements of the Contract, nor must it be construed as authorizing any liability on the part of Canada to the subcontractor.

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

For each such item, the Certificate of Conformity, along with certified true copies of any deviation, waiver and all required records identified in the Statement of Quality Requirements (*form DND 2328 or equivalent*) attached to the Statement of Requirement, Statement of Work or Technical Specifications in **Annex “D”** to the Contract or otherwise attached to or forming part of the Contract, must be completed and made available for review by the designated QAA before release of such item and associated documents to the Department of National Defence. Unless otherwise directed by the QAA, those documents must be attached to, or enclosed with, the shipment they are associated to, in a waterproof envelope.

6.6 Shelf Life

B1204C (2011-05-16) Shelf Life

The Contractor must ensure that items 3 and 4 will contain 75 percent of the authorized shelf life as listed in ISO 2230 at date of delivery to the Department of National Defence.

DND approved shelf life for line items 3 and 4 is currently listed as 84 months.

6.6.1 Additional Markings

D2016C (2010-01-11) Additional Package Markings – Different

1. The Contractor must ensure that in addition to the required interior and exterior package markings, the following information is provided:

For lines 1 and 2:

- (a) Manufacturer's name
- (b) drawing number/part number
- (c) Date of manufacture;

For lines 3 and 4:

- (a) Manufacturer's name
- (b) drawing number/part number
- (c) Batch or lot number;
- (d) Cure date of rubber components;
- (e) Date of manufacture;
- (f) Expiration date of shelf life

2. These markings must be applied and positioned in accordance with Canadian Forces Packaging Specification D-LM-008-002/SF-001.

6.7 Packaging

D3018C (2014-09-25) Packaging Requirement using Specification D-LM-008-036/SF-000

The Contractor must prepare item numbers 1 and 2 for delivery in accordance with the latest issue of the Canadian Forces Packaging Specification *D-LM-008-036/SF-000*, DND Minimum Requirements for Manufacturer's Standard Pack.

The Contractor must package item numbers 1 and 2 in quantities of up to a maximum of 100 by package.

AND

D3016C (2014-09-25) Preparation for Delivery - Canadian Forces Packaging Specifications

Solicitation No. - N° de l'invitation
W8482-195201/A
Client Ref. No. - N° de réf. du client
W8482-195201

Amd. No. - N° de la modif.
File No. - N° du dossier
W8482-195201

Buyer ID - Id de l'acheteur
29G
CCC No./N° CCC - FMS No./N° VME

The Contractor must prepare items 3 and 4 for delivery in accordance with the latest issue of the Canadian Forces packaging specifications D-LM-008-026/SF-001, Preformed Packing, Gaskets or Seals (rubber natural/synthetic, cork, asbestos or leather).

SACC Manual [D2025C](#) (2017-08-17) Wood Packaging Materials

SACC Manual [D6010C](#) (2007-11-30) Palletization

6.8 Payment

6.8.1 Basis of Payment

SACC Manual Clause [C0207C](#) (2013-04-25) Basis of Payment - Firm Price or Firm Unit Price(s)

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price, as specified in the contract. Customs duties are excluded and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

SACC Manual clause [H1001C](#) (2008-05-12) Multiple Payments

6.8.2 Limitation of Price

SACC Manual clause [C6000C](#) (2017-08-17) Limitation of Price

6.8.3 SACC Manual Clauses

[C2000C](#) (2007-11-30) Taxes – Foreign-based Contractor

[C2605C](#) (2008-05-12) Canadian Customs Duties and Sales Tax - Foreign-based Contractor

[C2608C](#) (2019-05-30) Canadian Customs Documentation

[C2610C](#) (2007-11-30) Customs Duties - Department of National Defence – Importer (+\$250,000.00)

[G1005C](#) (2016-01-28) Insurance - No Specific Requirement

6.8.4 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Direct Deposit (Domestic and International);
- b. Electronic Data Interchange (EDI);
- c. Wire Transfer (International Only);

6.9 Invoicing Instructions

SACC Manual clause [H5001C](#) (2008-12-12) Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Invoices must be submitted on the supplier's own invoice form and must be prepared to show:

- a) The date

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

- b) Name and address of the consignee(s)
- c) Item number, quantity, part number, reference number and description
- d) Contract numbers.

2. Invoices must be distributed as follows:

- a. The original and one (1) copy must be forwarded to the consignee for certification and payment.

Department of National Defence
Maritime Forces Atlantic
Accts Payable Bldg. S-90, Room 334
2686 Sextant Lane, Stadacona
PO Box 99000 Stn Forces
Halifax, NS B3K 5X5
Canada

AND

Department of National Defence
Base Logistics Officer
CFB Esquimalt
STN Forces, P.O. Box 17000
Victoria, BC V9A 7N2
Canada

- b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

Department of National Defence
101 Colonel By Drive
Ottawa, Ontario K1A 0K2
Attention: D Mar P 5-4-2-6

6.10 Certifications and Additional Information

6.10.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.11 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

6.12 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the DND Contract;
- (b) 2010A (2020-05-28) General conditions: Goods (medium complexity);

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

-
- (c) The contractor's bid dated _____ .

6.13 Defence Contract

SACC Manual clause [A9006C](#) (2012-07-16) Defence Contract

6.14 SACC Manual Clauses

[D2000C](#) (2007-11-30) Marking – See SOQRs for details

[D2001C](#) (2007-11-30) Labelling

[D0050C](#) (2007-05-25) End User Certificate

[A9062C](#) (2011-05-16) Canadian Forces Site Regulations

[A9068C](#) (2010-01-11) Government Site Regulations

6.15 Shipping Instructions

[D0037C](#) (2016-01-28) Shipping Instructions (DND) Canadian-Based Contractor

1. Delivery will be FCA Free Carrier at _____ Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.

2. Before shipping the goods, the Contractor must contact the following DND Inbound Logistics Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed at paragraph 3.

Inbound Logistics Co-ordination Center (ILCC)

Telephone: 1-877-877-7423 (toll free)

Facsimile: 1-877-877-7409 (toll free)

E-mail: ILHQOttawa@forces.gc.ca

3. The Contractor must provide the following information to the DND Inbound Logistics Coordination Center when arranging for shipment:

- a) the Contract number;
- b) consignee address (for multiple addresses, items must be packaged and labelled separately with each consignee address);
- c) description of each item;
- d) the number of pieces and type of packaging (i.e., carton, crate, drum, skid);
- e) actual weight and dimensions of each piece type, including gross weight;
- f) full details of dangerous material, as required for the applicable mode of transportation, signed certificates for dangerous material as required for shipment by the International Maritime Dangerous Goods Code, the International Air Transport Association regulations or the applicable Canadian Dangerous Goods Shipping Regulations, and a copy of the material safety data sheet.

4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labeling, and the marking of each piece with a Transportation Control Number.

5. The Contractor must not ship the goods before receiving shipping instructions from the DND Inbound Logistics contact.

6. If the Contractor delivers the goods at a place and time which are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either thirty (30) days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or thirty (30) days following the delivery date specified in the Contract, whichever is later.

OR

D0035C (2018-06-21) Shipping Instructions (DND) Foreign-Based Contractor

1. Delivery will be FCA Free Carrier at _____ Incoterms 2000. The Contractor must load the goods onto the carrier designated by the Department of National Defence (DND). Onward shipment from the delivery point to the consignee will be Canada's responsibility.

2. Before shipping the goods, the Contractor must contact the following DND Inbound Logistics Coordination Center by facsimile or e-mail, to arrange for shipment, and provide the information detailed at paragraph 3.

Inbound Logistics Coordination Center (ILCC):

Telephone: 1-877-447-7701 (toll free)

Facsimile: 1-877-877-7409 (toll free)

E-mail: ILHQOttawa@forces.gc.ca

OR

Inbound Logistics United Kingdom (ILUK):

Telephone: 011-44-1895-613023, or 011-44-1895-613024, or

Facsimile: 011-44-1895-613047

E-mail: CFSUEDetUKMovements@forces.gc.ca

In addition, the Contractor must send to ILUK the completed form "Shipping Advice and Export Certificate" by e-mail to: CFSUEDetUKMovements@forces.gc.ca.

The shipment of any items above the value of 600 GBP (pound sterling) being exported from the United Kingdom and Ireland will be cleared by DND using Her Majesty's Customs & Excise (HMCE) New Export Systems (NES). The Contractor must comply with HMCE requirements by registering with HMCE or by having a freight forwarder complete the entry. A printed copy of the NES entry Export Declaration clearly displaying the Declaration Unique Consignment Reference Number must be provided by the Contractor and attached to the consignment. The Contractor must ensure that this procedure is carried out for all stores whether they be initial purchase or repair and overhaul export items. HMCE will authorize Canadian Forces Support Unit (Europe) to ship the goods only if the procedure has been adhered to completely and properly by the Contractor.

OR

Inbound Logistics Europe Area (ILEA):

Telephone: +49-(0)-2451-717199 or 717200

Facsimile: +49-(0)-2451-717189

Email: ILEA@forces.gc.ca

3. The Contractor must provide the following information to the DND Inbound Logistics contact when arranging for shipment:

- a) the Contract number;
- b) consignee address (if multiple addresses, items must be packaged and labeled separately with each consignee address);
- c) description of each item;

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

-
- d) the number of pieces and type of packaging (e.g. carton, crate, drum, skid);
 - e) actual weight and dimensions of each piece type, including gross weight;
 - f) copy of the commercial invoice (in accordance with clause C2608C, section 4, of the Standard Acquisition Clauses and Conditions Manual) or a copy of the Canada Border Services Agency form CI1, Canada Customs Invoice;
 - g) Schedule B codes (for exports) and the Harmonized Tariff Schedule codes (for imports);
 - h) North American Free Trade Agreement Certificate of Origin (in accordance with clause C2608C, section 2) for the U.S. and Mexico only;
 - i) full details of dangerous material, as required for the applicable mode of transportation, signed certificates for dangerous material as required for shipment by the International Maritime Dangerous Goods Code, or International Air Transport Association regulations or the applicable Canadian Dangerous Goods Shipping Regulations and a copy of the material safety data sheet.

4. Following receipt of this information by Canada, Canada will provide the appropriate shipping instructions, which may include the requirement for specific consignee address labeling, the marking of each piece with a Transportation Control Number and customs documentation.

5. The Contractor must not ship goods before receiving shipping instructions from the DND Inbound Logistics contact.

6. If the Contractor delivers the goods at a place and time that are not in accordance with the given delivery instructions or fail to fulfill reasonable delivery instructions given by Canada, the Contractor must reimburse Canada any additional expenses and costs incurred.

7. If Canada is responsible for delays in delivering the goods, ownership and risk will be transferred to Canada upon expiry of either thirty (30) days following the date on which a duly completed shipping application is received by Canada or by its appointed forwarding agent, or thirty (30) days following the delivery date specified in the Contract, whichever is later.

6.16 Exchange rate fluctuation adjustment

C3015C (2017-08-17) Exchange rate fluctuation adjustment

1. The foreign currency component (FCC) is defined as the portion of the price or rate that will be directly affected by exchange rate fluctuation. The FCC should include all related taxes, duties and other costs paid by the Bidder and which are to be included in the adjustment amount.
2. For each line item where a FCC is identified, Canada assumes the risks and benefits for exchange rate fluctuation, as shown in the Basis of Payment. For such items, the exchange rate fluctuation amount is determined in accordance with the provision of this clause.
3. The total price paid by Canada on each invoice will be adjusted at the time of payment. The exchange rate adjustment amount will be calculated in accordance with the following formula:
Exchange rate adjustment = FCC x Qty x (i₁ - i₀) / i₀
where formula variables correspond to:

FCC

Foreign currency component (per unit)

Qty

quantity of units

i₀

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

Initial exchange rate (CAN\$ per unit of foreign currency [for example US\$1]).

The initial exchange rate is set as the Bank of Canada rate on the solicitation closing date. The Bank of Canada publishes its rates each business day by 16:30 Eastern Time.

i₁

Exchange rate for adjustments (ERA) (CAN\$ per unit of foreign currency [for example US\$1]). The Bank of Canada publishes its rates each business day by 16:30 Eastern Time.

- a. The ERA for goods will be the Bank of Canada rate on the date the goods were delivered.
 - b. The ERA for services will be the Bank of Canada rate on the last business day of the month for which the services were performed.
 - c. The ERA for advance payments will be the Bank of Canada rate on the last business day prior to the payment. The last published business day rate will be used for non-business days.
4. The Contractor must indicate the total exchange rate adjustment amounts (whether they are upward, downward or present no change) as a separate item on each invoice or claim for payment submitted under the Contract. Where an adjustment applies, the Contractor must submit with their invoice form [PWGSC-TPSGC 450](#), Claim for Exchange Rate Adjustments.
5. The exchange rate adjustment will only impact the payment to be made by Canada where the exchange rate fluctuation is greater than 2% (increase or decrease), calculated in accordance with column 8 of form [PWGSC-TPSGC 450](#) (that is $[i_1 - i_0] / i_0]$).
6. Canada reserves the right to audit any revision to costs and prices under this clause

6.17 Equivalent Products – Contract

- (a) The Contractor guarantees that the equipment to be delivered under the Contract is:
- (i) equivalent in form, fit, function, quality and performance to the equipment requested by Canada that was described in the bid solicitation that resulted in the Contract;
 - (ii) if required by DND in the documentation submitted by the Contractor to obtain this Contract, Technical Airworthiness Cleared through the Technical Airworthiness Certification process, and that the original equipment manufacturer of such equipment has been certified as an Acceptable Manufacturing Organization, all in accordance with the DND C-05-005-001/AG-001 Technical Airworthiness Manual, and the DND C05-005-P12/AM-001 AEPM Division Engineering Process Manual; and
 - (iii) fully compatible, interchangeable and interoperable with the existing equipment owned by Canada identified in the bid solicitation that resulted in this Contract.
- (b) The Contractor also guarantees that any warranties with third parties concerning the existing equipment owned by Canada will not be adversely affected by Canada's use of the equipment delivered under the Contract (for example, by interconnecting the equipment) or by any other services provided by the Contractor under the Contract. If Canada determines in its sole discretion that any such warranty has been adversely affected, at Canada's sole option, the Contractor must:
- (i) pay to Canada the amount that Canada must pay to the original supplier (or an authorized reseller of that supplier) to re-certify Canada's existing equipment for warranty purposes and any other amounts paid by Canada to a third party in order to restore the equipment to full warranty status;
 - (ii) perform all warranty work on Canada's existing equipment in place of the original supplier; or
 - (iii) pay to Canada the amount that Canada must pay to the original supplier (or an authorized reseller of that supplier) to perform maintenance work on the equipment that otherwise would have been covered by the warranty.

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

-
- (c) The Contractor agrees that, during the Contract Period, if Canada determines that any of the equipment is not equivalent in form, fit, function and quality to the existing equipment owned by Canada or is not fully compatible, interchangeable and interoperable with the existing equipment owned by Canada, the Contractor must immediately and entirely at its own expense take all steps necessary to ensure that the equipment satisfies these requirements (for example, by implementing any additional software or firmware), failing which Canada will have the immediate right to terminate the Contract for default. The Contractor agrees that, if Canada terminates the Contract for this reason, the Contractor must pay to Canada the costs of reprocuring the equipment from a third party and the difference, if any, in price paid by Canada to the third party. The Contractor acknowledges that its failure to deliver equivalent equipment that satisfies the above requirements may result in the Contractor (as well as its affiliates and any other entities with whom the Contractor or its principals do not deal at arm's length) being unable to propose equivalent substitutes in response to future DND bid solicitations.

Note to Bidders: This article will only be included in a resulting contract if equivalent products have been proposed.

W8482-195201/A

ANNEX A - For procurement Officer to complete (DND's requirement)

Item / Article	Item Details/ Détails de l'articlee	Unit of Issue / Unité de distribution	Quantity / Quantité	Destination Address / Adresse de la destination	Invoice Address / Adresse de facturation	Security Requirement / Besoin de Sécurité	Quality Assurance Code (QAC) / Code de l'Assurance de la Qualité	SOQR Required	Controlled Goods (CTAT or ITAR) / Marchandises Contrôlées (ATTC ou ITAR)	Trade Agreements / Accords commerciaux
1	NSN/NNO 4730-99-725-0976 Item/Article: ADAPTER, STRAIGHT, PIPE TO TUBE / ADAPTATEUR,DROIT,'PIPE' VERS TUBE PN/N QCA/MF/061/CN/014 NCAGE/EPO K2516 MANUFACTURER / FABRICANT MINISTRY OF DEFENCE (NAVY) Or equivalent / Ou Equivalent	EA / CH	10	FORMATION COMMANDER CFB Esquimalt Attn: Receiving Bldg 66 Colwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimalt STN Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON	Q	Yes/Oui	No/Non	Yes/Oui
2	NSN/NNO 4730-99-725-0976 Item/Article: ADAPTER, STRAIGHT, PIPE TO TUBE / ADAPTATEUR,DROIT,'PIPE' VERS TUBE PN/N QCA/MF/061/CN/014 NCAGE/EPO K2516 MANUFACTURER / FABRICANT MINISTRY OF DEFENCE (NAVY) Or equivalent / Ou Equivalent	EA / CH	10	Formation Commander HMC Dockyard Bldg D206 Door 1 thru 13 Halifax, NS B3K 5X5 Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bldg. 5-90, Room 334 2686 Sextant Lane, Stadacona PO Box 99000 Str Forces Halifax, NS B3K 5X5 Canada	NO / NON	Q	Yes/Oui	No/Non	Yes/Oui
3	NSN/NNO 4820-99-666-7489 Item/Article: PARTS KIT, CHECK VALVE / RECHANGES,CLAPET DE NON RETOUR PN/N 802-D5-1-D-1-A-1 NCAGE/EPO L6427 MANUFACTURER / FABRICANT MOBILE VALVE REPAIRS PN/N 802-D5-1-D-1-A-1 NCAGE/EPO K9077 MANUFACTURER / FABRICANT DYNAMIC CONTROLS LTD Or equivalent / Ou Equivalent	KT	30	FORMATION COMMANDER CFB Esquimalt Attn: Receiving Bldg 66 Colwood VICTORIA BC V9C 1B0 CANADA	DEPT. NATIONAL DEFENCE Department of National Defence Base Logistics Officer CFB Esquimalt STN Forces, P.O. Box 17000 VICTORIA, BC V9A 7N2 CANADA	NO / NON	Q	Yes/Oui	No/Non	Yes/Oui
4	NSN/NNO 4820-99-666-7489 Item/Article: PARTS KIT, CHECK VALVE / RECHANGES,CLAPET DE NON RETOUR PN/N 802-D5-1-D-1-A-1 NCAGE/EPO L6427 MANUFACTURER / FABRICANT MOBILE VALVE REPAIRS PN/N 802-D5-1-D-1-A-1 NCAGE/EPO K9077 MANUFACTURER / FABRICANT DYNAMIC CONTROLS LTD Or equivalent / Ou Equivalent	KT	10	Formation Commander HMC Dockyard Bldg D206 Door 1 thru 13 Halifax, NS B3K 5X5 Canada	Department of National Defence Maritime Forces Atlantic Accts Payable Bldg. 5-90, Room 334 2686 Sextant Lane, Stadacona PO Box 99000 Str Forces Halifax, NS B3K 5X5 Canada	NO / NON	Q	Yes/Oui	No/Non	Yes/Oui

NOTE: To receive the Excel Format of this Annex, please contact me at Jeffrey.Milks@forces.gc.ca

REMARQUE: Pour recevoir le format Excel de cette annexe, veuillez communiquer avec moi à l'adresse suivante: Jeffrey.Milks@forces.gc.ca

W8482-195201/A - ANNEX B

Line / Ligne	Item Details/ Détails de l'article		Unit of Issue/ Unité de distribution	Quantity/ Quantité	Delivery and Invoice Codes / Codes de livraison et de facturation	Delivery Date / Date de Livraison	Firm Unit Price/ Prix unitaire ferme **Please clearly specify currency** **S'il vous plaît confirmer la devise** (Applicable taxes extra/ Les taxes applicables sont en sus)
1	NSN/NINO: 99-725-0976 Item Description/ Description de l'Article: ADAPTER, STRAIGHT, PIPE TO TUBE / ADAPTATEUR, DROIT, 'PIPE' VERS TUBE	Part Number / Numéro de Pièce: NCAGE/EEPO: _____ Manufacturer Name / Nom de Fabricant:	EA/CH	10	CFB ESQUIMALT Delivery Code 002E Invoice Code W0103		
2	NSN/NINO: 99-725-0976 Item Description/ Description de l'Article: ADAPTER, STRAIGHT, PIPE TO TUBE / ADAPTATEUR, DROIT, 'PIPE' VERS TUBE	Part Number / Numéro de Pièce: NCAGE/EEPO: _____ Manufacturer Name / Nom de Fabricant:	EA/CH	10	CFB HALIFAX Delivery Code 007X Invoice Code W0108		
3	NSN/NINO: 99-666-7489 Item Description/ Description de l'Article: PARTS KIT, CHECK VALVE / RECHANGES, CLAPET DE NON RETOUR	Part Number / Numéro de Pièce: NCAGE/EEPO: _____ Manufacturer Name / Nom de Fabricant:	KT	30	CFB ESQUIMALT Delivery Code 002E Invoice Code W0103		
4	NSN/NINO: 99-666-7489 Item Description/ Description de l'Article: PARTS KIT, CHECK VALVE / RECHANGES, CLAPET DE NON RETOUR	Part Number / Numéro de Pièce: NCAGE/EEPO: _____ Manufacturer Name / Nom de Fabricant:	KT	10	CFB HALIFAX Delivery Code 007X Invoice Code W0108		

Solicitation No. - N° de l'invitation

W8482-195201/A

Client Ref. No. - N° de réf. du client

W8482-195201

Amd. No. - N° de la modif.

File No. - N° du dossier

W8482-195201

Buyer ID - Id de l'acheteur

29G

CCC No./N° CCC - FMS No./N° VME

ANNEX "C" - ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);

Statement of Quality Requirements (SOQR)

45	See Miscellaneous Certertificates	46		47	48
44	DND 2513 or Equivalent (Note 4)	43		42	41
40	DSTAN 02-341 Part 1 Gr.	41		42	
39	Drawing	43		44	
38	DSTAN 02-797 PT 1/02-375	45		46	
37	D	47		48	
36	See Note 4	37		38	
35	DSTAN 08-171 Test#21 (14299#15)	36		37	
34	DSTAN 08-171 Test#20 (14299#14)	35		36	
33	DSTAN 08-171 Test#18 (14299#13)	34		35	
32	DSTAN 08-171 Test#14 (14299#12)	33		34	
31	DSTAN 08-171 Test#15 (14299#11)	32		33	
30	Certificate of Conformity	31		32	
29		33		34	
28	DSTAN 02-729 Part 1	35		36	
27	DSTAN 02-729 Part 5	37		38	
26	See Note 3	39		40	
25	DSTAN 02-706	41		42	
24	DSTAN 02-743 Part 5	43		44	
23	DSTAN 02-863 Iss 2	45		46	
22	DSTAN 02-773	47		48	
21	DSTAN 02-706				
20	DSTAN 02-706				
19	DSTAN 08-171 Test#12 (14299#10)				
18	DSTAN 08-171 Test#9 (14299#8)				
17	DSTAN 08-171 Test#6 (14299#6)				
16	DSTAN 08-171 Test#3 (14299#5)				
15	Supplier's Certificate				
14	BS 1726 Part 1 / Drawing				
13	Drawing				
12	Drawing / If NAB See Note 8				
11	See Note 3				
10	DSTAN 02-872 Part 2 / Part 3				
9	DSTAN 02-745 / DSTAN 02-863				
8	DSTAN 02-729 Part 1				
7	DSTAN 02-729 Part 5				
6	See Note 7 or Drawing				
5					
4	Material Specification / See Note 6				
3	Material Specification				
2	Material Specification				
1	Record on DND 2513 or Equivalent				
SPECIFICATION					
Test Pressure (Item 38, If required)					
No Test					
Comments: Initial Issue					
This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013					
The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology.					
Some notes and descriptions are in English only because of the origins of the equipment (United Kingdom and United States).					
NOTICE					
This documentation has been reviewed by the technical authority and does not contain controlled goods.					
Disclosure notices and handling instructions originally received with the document shall continue to apply.					
Sheet 1 / 4 Issue: A Rev Date (DD-MM-YYYY) 05/03/2020 Init. RM					

Énoncé des Exigences de Qualité (EDEDQ)

Notes d'Orientation sur l'Utilisation de ce Formulaire

- Le fournisseur/sous-traitant peut exiger des inspections ou des essais en plus de ceux indiqués (A, B, C, ou D voir la clé ci-dessous).
- Chaque point devra être formellement jumelé à ses enregistrements de qualité.
- L'Autorité Contractante fournira l'obligation d'inspecter les inspections et les essais de l'EDEDQ par une tierce partie.
- L'EDEDQ sera initié par l'organisation responsable pour les exigences de qualité. Celle-là sera nommée par l'Autorité de Conception(AC) soit lui-même (gérer par le GCVM), ou l'Agent de Conception, ou même l'Entrepreneur Principal.
- Le rédacteur de l'EDEDQ peut modifier la période de conservation de 5 années pour mieux répondre à ses besoins.
- Le code QCA est composé de trois parties, après 'QCA', séparés par '\ : i) contrat, commande ou numéro de suivi, ii) poste de dépense selon i), et iii) quantité. Ce code doit être marqué sur le composant ou l'assemblage conformément au C-23-VIC-000/AM-001, partie 3, para. 27, 28, 29, et 30
- Les normes citées sur cette EDEDQ sont à jour à la date initiale.
- Les Preuves Documentaires de Qualité doit être soumises en anglais
- Tous les documents de processus soumis sur le formulaire de processus 4560-E/F doivent être soumis au Canada avant le début des travaux.

Numéro de Nomenclature OTAN	Numéro de Série	Contrat, Commande ou Numéro de Suivi	Poste de Dépense selon la Commande
997250976		QCA/ W8482-195201	/ 001 /
Description		Date Initiale (JJ-MM-AAAA)	Demande d'information Précédente- DDQ
ADAPTOR, STRAIGHT, PIPE TO TUBE		05/03/2020	6000458994
GCVM DMEPM(SM) 4-5-5	Entrepreneur	Adresse de l'Entrepreneur	
Numéro du Téléphone GCVM (819) 939-3121	Numéro du Téléphone de l'Entrepreneur		

Notes:

- La date de vulcanisation des composants en caoutchouc doit être indiquée sur le Certificat de Conformité
- La pression d'essai de l'article 38 doit être indiquée dans la case ci-dessous (si nécessaire)
- L'examen des défauts de surface doit se conformer à BS EN ISO 9934 (DEF STAN 02-729 partie 2), DEF STAN 02-729 partie 3, BS EN ISO 3452 (DEF STAN 02-729 partie 4), ou DEF STAN 08-171 selon les spécifications du matériau
- Fourni en pièce jointe à la présente
- Vérification par ultrasons du matériau de la barre doit être une procédure approuvée et conformément aux exigences générales de DEF STAN 08-171 ou de DEF STAN 02-729, partie 5
- Un certificat de traitement à la chaleur est requis si la matière première est traitée à la chaleur comme livré ou après la fabrication/placage. Sans certificat, il faut au moins mettre un commentaire sur le Certificat de Conformité
 - Les éléments de fixation doivent se conformer à DEF STAN 02-862, partie 3, article. 6.6.4 et doivent être accompagnées d'un certificat d'essai en usine
 - Les articles NAB doivent se conformer aux spécifications du matériau ou si non requis par celles-là doivent au moins être accompagnés d'un certificat qui indique la condition du traitement à la chaleur, par exemple, « travaille à chaud »
- Articles zingués et passivés doivent se conformer à DEF STAN 02-862, partie 3
- Les épaisseurs de paroi doivent être enregistrées sur une feuille appropriée de manière à pouvoir être croisées avec une esquisse basée sur une grille tout en se conformer à DEF STAN 02-872 partie 2, article 3.4b

Exigences de Documentation / Type d'Essai			
Matériel et Composants	Soudage et Brasage	Essai	Assemblage / Article commandé
Soudage - Dossiers de Réparation NAB (si nécessaire)	Soudage - Catégorie d'Admission	Voir la note 3	
Soudage - Dossiers	Soudage - Procédure		
Soudage - Généralités et Dossiers	Soudage - Catégorie d'Admission		
Ionisation à Haute Tension	Hydraulique et Isolant		
Hydraulique et Isolant	Isolation Électrique		
Continuité et Identification de l'Etat Électrique	Certificat de Conformité		
Certificat de Conformité	Charge		
Charge	Pression		
Pression			
Finition de Surface, Visuelle et Dimensionnelle	Détection de Défauts en Surface (Part. Mag., Ressusage)	19	DSTAN 08-171 Test#12 (14299#10)
Détection de Défauts en Surface (Part. Mag., Ressusage)	Validation / Re-Validation	18	DSTAN 08-171 Test#9 (14299#8)
Validation / Re-Validation	Classe de Moulage	17	DSTAN 08-171 Test#6 (14299#6)
Classe de Moulage	Radiographique	16	DSTAN 08-171 Test#3 (14299#5)
Radiographique	Vérification par Ultrasons	15	Certificat du fournisseur
Vérification par Ultrasons	Traitement de Surface	14	BS IT26 Partie 1 / Dessin
Traitement de Surface	Contrôle des Matériaux	13	Dessin
Contrôle des Matériaux	Traitement Thermique	12	Dessin / Si NAB: Voir la note 8
Traitement Thermique	Mécanique	11	Voir la note 3
Mécanique	Chimique	10	DSTAN 02-872 Partie 2 / Partie 3
Chimique	Identification de l'Article	9	DSTAN 02-745 / DSTAN 02-863
Identification de l'Article		8	DSTAN 02-729 Partie 1
		7	DSTAN 02-729 Partie 5
		6	Voir la note 7 / Dessin
		5	Voir la note 7 / Dessin
		4	Spécification matérielle / Voir la note 6
		3	Spécification matérielle
		2	Spécification matérielle
		1	Enregistrer sur DND 2513 ou équivalent

SPÉCIFICATIONS			
Avis	Pression d'épreuve (article 38, si nécessaire)	Ce formulaire satisfait aux exigences de C-23-VIC-000/AM-001 Révision en date du 2013-11-01	
Cette documentation a été révisée par l'Autorité Technique et ne contient pas de marchandises contrôlées. Les avis de divulgation et les instructions de manutention reçues originellement doivent continuer de s'appliquer.	No Test	Le formulaire en français est fourni à titre d'information seulement et le MDN ne garantit pas l'exactitude de la terminologie traduite. Certaines notes et descriptions sont uniquement en anglais en raison des origines de l'équipement (le Royaume-Uni et les États-Unis).	

Notes Divers:

Certificats Divers:



Feuille 1 / 4 Série A Date Rév. (JJ-MM-AAAA) 05/03/2020 Initiales RM

Commentaires:
Initial Issue

AVIS
Cette documentation a été révisée par l'Autorité Technique et ne contient pas de marchandises contrôlées. Les avis de divulgation et les instructions de manutention reçues originellement doivent continuer de s'appliquer.

Catégorie de Documents	Concessions / Déviations / Exemptions	47	48
Contrôle de Validation	Certificats Divers	46	
		45	46
	voir certificats erroné	44	45
	DND 2513 ou Équivalent (Remarque 4)	43	44

Propriété	Rendement - Fonctionnalité	40	41
Pression	Rendement - Fonctionnalité	38	42
EDEDQ Original du Client	Rendement - Fonctionnalité	37	43
Formulaire de Processus	Rendement - Fonctionnalité	36	41
Résistance aux Chocs	Rendement - Fonctionnalité	35	40
Résistance au Feu	Rendement - Fonctionnalité	34	39
Destruction de Câble Rompu	Rendement - Fonctionnalité	33	38
Certificat de Câble	Rendement - Fonctionnalité	30	35
Charge	Rendement - Fonctionnalité	29	34
Radiographique	Rendement - Fonctionnalité	28	33
Vérification par Ultrasons	Rendement - Fonctionnalité	27	32
Inspection Visuelle	Rendement - Fonctionnalité	25	31
Détection de Défauts en Surface (Part. Mag., Ressusage)	Rendement - Fonctionnalité	26	30
Soudage - Dossiers de Réparation NAB (si nécessaire)	Rendement - Fonctionnalité	23	29
Brasage - Dossiers	Rendement - Fonctionnalité	24	30
Soudage - Catégorie d'Admission	Rendement - Fonctionnalité	22	28
Soudage - Procédure	Rendement - Fonctionnalité	21	27
Soudage - Généralités et Dossiers	Rendement - Fonctionnalité	20	26
Ionisation à Haute Tension	Rendement - Fonctionnalité	19	25
Hydraulique et Isolant	Rendement - Fonctionnalité	18	21
Isolation Électrique	Rendement - Fonctionnalité	17	22
Continuité et Identification de l'Etat Électrique	Rendement - Fonctionnalité	16	23
Certificat de Conformité	Rendement - Fonctionnalité	15	24
Certificat du fournisseur	Rendement - Fonctionnalité	14	20
BS IT26 Partie 1 / Dessin	Rendement - Fonctionnalité	13	19
Dessin	Rendement - Fonctionnalité	12	18
Dessin / Si NAB: Voir la note 8	Rendement - Fonctionnalité	11	17
Voir la note 3	Rendement - Fonctionnalité	10	16
DSTAN 02-743 Partie 5	Rendement - Fonctionnalité	9	15
DSTAN 02-706	Rendement - Fonctionnalité	8	14
DSTAN 02-73	Rendement - Fonctionnalité	7	13
DSTAN 02-863 Iss 2	Rendement - Fonctionnalité	6	12
DSTAN 02-706	Rendement - Fonctionnalité	5	11
DSTAN 02-773	Rendement - Fonctionnalité	4	10
DSTAN 02-773 Partie 3	Rendement - Fonctionnalité	3	9
DSTAN 02-729 Partie 2	Rendement - Fonctionnalité	2	8
DSTAN 02-729 Partie 1	Rendement - Fonctionnalité	1	7

**1st Level Submarine Certificate of Conformity and Index of Documentation
Certificat de conformité de sous-marin de 1^{er} niveau et index des documents**

Unique identification number - Numéro d'identification unique QCA	PWGSC contract number: Numéro du contrat de TPSGC :
Description	PWGSC line item: Ligne d'article de TPSGC :
	NATO stock number: Numéro de nomenclature OTAN :
	Purchase order number: Numéro de commande :
Comments - Commentaires	
Raised by: Demandé par :	

Assembly details - Détails d'assemblage

Quantity - Quantité Serial no. - N° de série Deviations / Waivers - Déviations / Exemptions

Component details - Details des composantes

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit.

Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par et seront disponibles à des fins de vérification.

Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature
------	--	---------------	-----------

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number. See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique. Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée



National Défense
Defence nationale

Processing Procedures Record

Completed form to be returned with Quote or Strip & Survey report, any first level processes which are used with the referenced order are to be listed

Company:

Order number:

Contact name: _____

Telephone number:



Défense nationale National Defence

Enregistrement des Procédures de Traitement

Formulaire rempli à renvoyer avec le rapport de devis ou de démontage et d'évaluation, tous les processus de premier niveau utilisés avec la commande référencée doivent être listés

Entreprise : _____ Numéro de commande : _____

Nom du contact : _____ Numéro de téléphone : _____

Énoncé des Exigences de Qualité (EDEDQ)

Notes d'Orientation sur l'Utilisation de ce Formulaire

- Le fournisseur/sous-traitant peut exiger des inspections ou des essais en plus de ceux indiqués (A, B, C, ou D voir la clé ci-dessous).
- Chaque point devra être formellement jumelé à ses enregistrements de qualité.
- L'Autorité Contractante fournira l'obligation d'inspecter les inspections et les essais de l'EDEDQ par une tierce partie.
- L'EDEDQ sera initié par l'organisation responsable pour les exigences de qualité. Celle-là sera nommée par l'Autorité de Conception(AC) soit lui-même (gérer par le GCVM), ou l'Agent de Conception, ou même l'Entrepreneur Principal.
- Le rédacteur de l'EDEDQ peut modifier la période de conservation de 5 années pour mieux répondre à ses besoins.
- Le code QCA est composé de trois parties, après 'QCA', séparés par '\ : i) contrat, commande ou numéro de suivi, ii) poste de dépense selon i), et iii) quantité. Ce code doit être marqué sur le composant ou l'assemblage conformément au C-23-VIC-000/AM-001, partie 3, para. 27, 28, 29, et 30
- Les normes citées sur cette EDEDQ sont à jour à la date initiale.
- Les Preuves Documentaires de Qualité doit être soumises en anglais
- Tous les documents de processus soumis sur le formulaire de processus 4560-E/F doivent être soumis au Canada avant le début des travaux.

Numéro de Nomenclature OTAN	Numéro de Série	Contrat, Commande ou Numéro de Suivi	Poste de Dépense selon la Commande
997250976		QCA/ W8482-195201	/ 002 /
Description		Date Initiale (JJ-MM-AAAA)	Demande d'information Précédente- DDQ
ADAPTOR, STRAIGHT, PIPE TO TUBE		05/03/2020	6000458994
GCVM DMEPM(SM) 4-5-5	Entrepreneur	Adresse de l'Entrepreneur	
Numéro du Téléphone GCVM (819) 939-3121	Numéro du Téléphone de l'Entrepreneur		

Notes:

- La date de vulcanisation des composants en caoutchouc doit être indiquée sur le Certificat de Conformité
- La pression d'essai de l'article 38 doit être indiquée dans la case ci-dessous (si nécessaire)
- L'examen des défauts de surface doit se conformer à BS EN ISO 9934 (DEF STAN 02-729 partie 2), DEF STAN 02-729 partie 3, BS EN ISO 3452 (DEF STAN 02-729 partie 4), ou DEF STAN 08-171 selon les spécifications du matériau
- Fourni en pièce jointe à la présente
- Vérification par ultrasons du matériau de la barre doit être une procédure approuvée et conformément aux exigences générales de DEF STAN 08-171 ou de DEF STAN 02-729, partie 5
- Un certificat de traitement à la chaleur est requis si la matière première est traitée à la chaleur comme livré ou après la fabrication/placage. Sans certificat, il faut au moins mettre un commentaire sur le Certificat de Conformité
 - Les éléments de fixation doivent se conformer à DEF STAN 02-862, partie 3, article. 6.6.4 et doivent être accompagnées d'un certificat d'essai en usine
 - Les articles NAB doivent se conformer aux spécifications du matériau ou si non requis par celles-là doivent au moins être accompagnés d'un certificat qui indique la condition du traitement à la chaleur, par exemple, « travaille à chaud »
- Articles zingués et passivés doivent se conformer à DEF STAN 02-862, partie 3
- Les épaisseurs de paroi doivent être enregistrées sur une feuille appropriée de manière à pouvoir être croisées avec une esquisse basée sur une grille tout en se conformer à DEF STAN 02-872 partie 2, article 3.4b

Exigences de Documentation / Type d'Essai			
Matériel et Composants	Soudage et Brasage	Essai	Assemblage / Article commandé
Soudage - Dossiers de Réparation NAB (si nécessaire)	Soudage - Catégorie d'Admission	Voir la note 3	
Soudage - Dossiers	Soudage - Procédure		
Soudage - Généralités et Dossiers	Soudage - Catégorie d'Admission		
Ionisation à Haute Tension	Hydraulique et Isolant		
Hydraulique et Isolant	Isolation Électrique		
Continuité et Identification de l'Etat Électrique	Certificat de Conformité		
Certificat de Conformité	Charge		
Charge	Pression		
Pression			
Finition de Surface, Visuelle et Dimensionnelle	Détection de Défauts en Surface (Part. Mag., Ressusage)	19	DSTAN 08-171 Test#12 (14299#10)
Détection de Défauts en Surface (Part. Mag., Ressusage)	Validation / Re-Validation	18	DSTAN 08-171 Test#9 (14299#8)
Validation / Re-Validation	Classe de Moulage	17	DSTAN 08-171 Test#6 (14299#6)
Classe de Moulage	Radiographique	16	DSTAN 08-171 Test#3 (14299#5)
Radiographique	Vérification par Ultrasons	15	Certificat du fournisseur
Vérification par Ultrasons	Traitement de Surface	14	BS IT26 Partie 1 / Dessin
Traitement de Surface	Contrôle des Matériaux	13	Dessin
Contrôle des Matériaux	Traitement Thermique	12	Dessin / Si NAB: Voir la note 8
Traitement Thermique	Mécanique	11	Voir la note 3
Mécanique	Chimique	10	DSTAN 02-872 Partie 2 / Partie 3
Chimique	Identification de l'Article	9	DSTAN 02-745 / DSTAN 02-863
Identification de l'Article		8	DSTAN 02-729 Partie 1
		7	DSTAN 02-729 Partie 5
		6	Voir la note 7 / Dessin
		5	Voir la note 7 / Dessin
		4	Spécification matérielle / Voir la note 6
		3	Spécification matérielle
		2	Spécification matérielle
		1	Enregistrer sur DND 2513 ou équivalent

SPÉCIFICATIONS

Clé pour Exigences de Documentation/Type d'Essai

- Les certificats doivent être conservés par le fabricant pendant 5 ans, et des copies diffusées selon le contrat.
- Les certificats doivent être conservés par le fabricant pendant 5 ans.
- Une copie des certificats sera remise au Responsable des Enregistrements pour qu'il soit conservé dans les Fichiers de l'Assurance de la Qualité des Équipements Installés.
- Une copie des documents doit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire.
- X. (imprimé sur A, B, C ou D). L'article a réutilisé les certificats originaux conformément à C-23-VIC-000 / AM-001

Notes Divers:

Certificats Divers:

Feuille 2 / 4 Série A Date Rév. (JJ-MM-AAAA) 05/03/2020 Initiales RM



AVIS

Cette documentation a été révisée par l'Autorité Technique et ne contient pas de marchandises contrôlées. Les avis de divulgation et les instructions de manutention reçues originellement doivent continuer de s'appliquer.

Pression d'épreuve (article 38, si nécessaire)

No Test

Ce formulaire satisfait aux exigences de C-23-VIC-000/AM-001 Révision en date du 2013-11-01

Le formulaire en français est fourni à titre d'information seulement et le MDN ne garantit pas l'exactitude de la terminologie traduite. Certaines notes et descriptions sont uniquement en anglais en raison des origines de l'équipement (le Royaume-Uni et les États-Unis).

Catégories de Documents	Concessions / Déviations / Exemptions	47	48
Contrôle de Validation	Certificats Divers	46	
		45	46
		44	45
	Voir certificats erroné	45	46
	DND 2513 ou Équivalent (Remarque 4)	44	43

Concessions / Déviations / Exemptions	Certificats Divers	46	
Contrôle de Validation		47	
		45	46
		44	45
	Voir certificats erroné	45	46
	DND 2513 ou Équivalent (Remarque 4)	44	43

Statement of Quality Requirements (SOQR)

Guidance Notes on the use of this form <p>a) Supplier/sub-contractor may require inspections or tests in addition to those shown (A,B,C or D – see key below). b) Each item shall be positively identified with its quality records. c) Contracting Authority will provide requirement for third party release inspection of SOQR inspections and tests. d) SOQR shall be raised by the organization nominated by the Design Authority (DA) responsible for the quality assurance requirements, e.g., DA LCMM, Design Agent, Main Contractor. e) The SOQR originator may amend the 5 year retention period to meet their requirements. f) The QCA number is structured as QCA/ contract order number, or tracking number / line item on order/ number of item. The QCA number is to be marked on the component or assembly IAW C-23-VIC-000/AM-001 part 3, para 27, 28, 29, and 30. g) The standards quoted on this SOQR are current to the SOQR initial date. h) Objective Quality Evidence to be supplied in English. i) All process listed on process form 4560-E/F to be supplied to Canada before commencing work</p>												NATO Stock Number 997250976 Description ADAPTOR, STRAIGHT, PIPE TO TUBE LCMM DMEPM(SM) 4-5-5 LCMM Phone Number (819) 939-3121	Serial Number				Contact, Order, or Tracking No. QCA/ W8482-195201 / 002				Line Item As Per Order /																																																										
Initial Date (DD-MM-YYYY) 05/03/2020				Previous Enquiry/ RFQ 6000458994																																																																											
Documentation Requirements / Type of Test																																																																															
Notes												<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: left;">Material and Components</th> <th colspan="2" style="text-align: left;">Welding and Brazing</th> <th colspan="2" style="text-align: left;">Tests</th> <th colspan="2" style="text-align: left;">Assembly / Order Item</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Surface Flaw (Mag Part., Dye Pen)</td> <td style="text-align: center;">Radiographic</td> <td style="text-align: center;">Brazing - Records</td> <td style="text-align: center;">Visual</td> <td style="text-align: center;">Weld Repair Records NAB (If applic)</td> <td style="text-align: center;">Welding - Acceptance Class</td> <td style="text-align: center;">Welding - General / Records</td> <td style="text-align: center;">Welding - Procedure</td> </tr> <tr> <td style="text-align: center;">Ultrasonic</td> <td style="text-align: center;">Load</td> <td style="text-align: center;">Hydraulic and Insulation</td> <td style="text-align: center;">Continuity and condition identification</td> <td style="text-align: center;">High Voltage Ionisation</td> <td style="text-align: center;">Load</td> <td style="text-align: center;">Pressure</td> <td style="text-align: center;">Surface Finish, Visual and Dimensional</td> </tr> <tr> <td style="text-align: center;">Surface Flaw (Mag Part., Dye Pen)</td> <td style="text-align: center;">Load</td> <td style="text-align: center;">Insulation Resistance</td> <td style="text-align: center;">Certificate of Conformity</td> <td style="text-align: center;">Drawing</td> <td style="text-align: center;">Drawing</td> <td style="text-align: center;">Drawing</td> <td style="text-align: center;">Drawing / If NAB: See Note 8</td> </tr> <tr> <td style="text-align: center;">Validation / Re-validation</td> <td style="text-align: center;">Pressure</td> <td style="text-align: center;">Radiographic</td> <td style="text-align: center;">See Note 3</td> <td style="text-align: center;">See Note 3</td> <td style="text-align: center;">DSTAN 08-171 Test#9 (14299#8)</td> <td style="text-align: center;">DSTAN 08-171 Test#6 (14299#6)</td> <td style="text-align: center;">DSTAN 08-171 Test#12 (14299#10)</td> </tr> <tr> <td style="text-align: center;">Class of Casting</td> <td style="text-align: center;">Ultrasonic</td> <td style="text-align: center;">Material Control</td> <td style="text-align: center;">See Note 7 or Drawing</td> <td style="text-align: center;">DSTAN 08-171 Test#3 (14299#5)</td> <td style="text-align: center;">DSTAN 08-171 Test#1 (14299#1)</td> <td style="text-align: center;">DSTAN 08-171 Test#14 (14299#11)</td> <td style="text-align: center;">DSTAN 08-171 Test#15 (14299#15)</td> </tr> <tr> <td style="text-align: center;">Material Specification</td> <td style="text-align: center;">Heat Treatment</td> <td style="text-align: center;">Chemical</td> <td style="text-align: center;">Record on DND 2513 or Equivalent</td> <td style="text-align: center;">SPECIFICATION</td> <td style="text-align: center;">No Test</td> <td style="text-align: center;">This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013</td> <td style="text-align: center;">The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology. Some notes and descriptions are in English only because of the origins of the equipment (United Kingdom and United States).</td> </tr> </tbody> </table>												Material and Components		Welding and Brazing		Tests		Assembly / Order Item		Surface Flaw (Mag Part., Dye Pen)	Radiographic	Brazing - Records	Visual	Weld Repair Records NAB (If applic)	Welding - Acceptance Class	Welding - General / Records	Welding - Procedure	Ultrasonic	Load	Hydraulic and Insulation	Continuity and condition identification	High Voltage Ionisation	Load	Pressure	Surface Finish, Visual and Dimensional	Surface Flaw (Mag Part., Dye Pen)	Load	Insulation Resistance	Certificate of Conformity	Drawing	Drawing	Drawing	Drawing / If NAB: See Note 8	Validation / Re-validation	Pressure	Radiographic	See Note 3	See Note 3	DSTAN 08-171 Test#9 (14299#8)	DSTAN 08-171 Test#6 (14299#6)	DSTAN 08-171 Test#12 (14299#10)	Class of Casting	Ultrasonic	Material Control	See Note 7 or Drawing	DSTAN 08-171 Test#3 (14299#5)	DSTAN 08-171 Test#1 (14299#1)	DSTAN 08-171 Test#14 (14299#11)	DSTAN 08-171 Test#15 (14299#15)	Material Specification	Heat Treatment	Chemical	Record on DND 2513 or Equivalent	SPECIFICATION	No Test	This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013	The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology. Some notes and descriptions are in English only because of the origins of the equipment (United Kingdom and United States).
Material and Components		Welding and Brazing		Tests		Assembly / Order Item																																																																									
Surface Flaw (Mag Part., Dye Pen)	Radiographic	Brazing - Records	Visual	Weld Repair Records NAB (If applic)	Welding - Acceptance Class	Welding - General / Records	Welding - Procedure																																																																								
Ultrasonic	Load	Hydraulic and Insulation	Continuity and condition identification	High Voltage Ionisation	Load	Pressure	Surface Finish, Visual and Dimensional																																																																								
Surface Flaw (Mag Part., Dye Pen)	Load	Insulation Resistance	Certificate of Conformity	Drawing	Drawing	Drawing	Drawing / If NAB: See Note 8																																																																								
Validation / Re-validation	Pressure	Radiographic	See Note 3	See Note 3	DSTAN 08-171 Test#9 (14299#8)	DSTAN 08-171 Test#6 (14299#6)	DSTAN 08-171 Test#12 (14299#10)																																																																								
Class of Casting	Ultrasonic	Material Control	See Note 7 or Drawing	DSTAN 08-171 Test#3 (14299#5)	DSTAN 08-171 Test#1 (14299#1)	DSTAN 08-171 Test#14 (14299#11)	DSTAN 08-171 Test#15 (14299#15)																																																																								
Material Specification	Heat Treatment	Chemical	Record on DND 2513 or Equivalent	SPECIFICATION	No Test	This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013	The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology. Some notes and descriptions are in English only because of the origins of the equipment (United Kingdom and United States).																																																																								
Drawing no. / Part no.												Description																																																																			
MF/00061/CN/014												ADAPTOR, STRAIGHT, PIPE TO TUBE																																																																			
Material												Ref.																																																																			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48																																
D STN 02-835 GR1/CL1												A C C C C C																																																																			
Key to Documentation Requirements/Type of Tests												Miscellaneous Certificates:																																																																			
A. Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements. B. Certification to be retained by the manufacturer for a period of 5 years. C. Certification to be copied to the Records Authority for retention in the Quality Assurance Live File. D. Documentation to be copied to the Records Authority for retention as required. X. (written over A, B, C, or D) Re-used item. Original Certificates IAW C-23-VIC-000/AM-001												See Note 3 DSTAN 02-872 Part 2 / Part 3 DSTAN 02-745 / DSTAN 02-863 DSTAN 02-729 Part 1 DSTAN 02-729 Part 5																																																																			
Miscellaneous Notes:												NOTICE This documentation has been reviewed by the technical authority and does not contain controlled goods. Disclosure notices and handling instructions originally received with the document shall continue to apply.																																																																			
Sheet 2 / 4 Issue: A Rev Date (DD-MM-YYYY) 05/03/2020 Init. RM												 Test Pressure (Item 38, If required) No Test																																																																			
Comments: Initial Issue												This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013 The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology. Some notes and descriptions are in English only because of the origins of the equipment (United Kingdom and United States).																																																																			

**1st Level Submarine Certificate of Conformity and Index of Documentation
Certificat de conformité de sous-marin de 1^{er} niveau et index des documents**

Unique identification number - Numéro d'identification unique QCA	PWGSC contract number: Numéro du contrat de TPSGC :
Description	PWGSC line item: Ligne d'article de TPSGC :
	NATO stock number: Numéro de nomenclature OTAN :
	Purchase order number: Numéro de commande :
Comments - Commentaires	
Raised by: Demandé par :	

Assembly details - Détails d'assemblage

Quantity - Quantité	Serial no. - N° de série	Deviations / Waivers - Déviations / Exemptions
---------------------	--------------------------	--

Component details - Details des composantes

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit.

Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par et seront disponibles à des fins de vérification.

Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature
------	--	---------------	-----------

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number.
See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique.
Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée



National Défense
Defence nationale

Processing Procedures Record

Completed form to be returned with Quote or Strip & Survey report, any first level processes which are used with the referenced order are to be listed

Company:

Order number:

Contact name: _____

Telephone number:



Défense nationale National Defence

Enregistrement des Procédures de Traitement

Formulaire rempli à renvoyer avec le rapport de devis ou de démontage et d'évaluation, tous les processus de premier niveau utilisés avec la commande référencée doivent être listés

Entreprise : _____ Numéro de commande _____

Nom du contact : _____ Numéro de téléphone : _____

Statement of Quality Requirements (SOQR)

Guidance Notes on the use of this form										NATO Stock Number 996667489		Serial Number		Contact, Order, or Tracking No. QCA/ W8482-195201		Line Item As Per Order / 003 /																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
a) Supplier/sub-contractor may require inspections or tests in addition to those shown (A,B,C or D – see key below).										Initial Date (DD-MM-YYYY) 05/03/2020		Previous Enquiry/ RFQ 6000458994																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
b) Each item shall be positively identified with its quality records.										Contractor Address																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
c) Contracting Authority will provide requirement for third party release inspection of SOQR inspections and tests.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
d) SOQR shall be raised by the organization nominated by the Design Authority (DA) responsible for the quality assurance requirements, e.g., DA LCMM, Design Agent, Main Contractor.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
e) The SOQR originator may amend the 5 year retention period to meet their requirements.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
f) The QCA number is structured as QCA/ contract order number, or tracking number / line item on order/ number of item. The QCA number is to be marked on the component or assembly IAW C-23-VIC-000/AM-001 part 3, para 27, 28, 29, and 30.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
g) The standards quoted on this SOQR are current to the SOQR initial date.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
h) Objective Quality Evidence to be supplied in English																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
i) All process listed on process form 4560-E/F to be supplied to Canada before commencing work																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Notes										Documentation Requirements / Type of Test																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
										Material and Components		Welding and Brazing		Tests		Assembly / Order Item																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1. Cure date of any rubber item shall be indicated on the Certificate of Conformity										Weld Repair Records NAB (if applic.)		Radiographic		Shock Test		Customer's QASOR (or SOQR)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
2. Test pressure for item 38 shall be indicated in the box below (if required)										Brazing - Records		Ultrasonic		Fire		Process Form																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
3. Surface Flaw examination to be IAW BS EN ISO 9934 (DEF STAN 02-729 Part 2), DEF STAN 02-729 Part 3, BS EN ISO 3452 (DEF STAN 02-729 Part 4), or DEF STAN 08-171 as per material specifications										Surface Flaw (Mag Part, Dye Pen.)		Visual		Open Cable Destruction		D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
4. As provided as an attachment										Welding - Acceptance Class		Radiographic		High and Low Temp Cycling		34																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
5. Ultrasonic Examination of Bar Material is to be an approved procedure written to the general requirements of DEF STAN 08-171 or DEF STAN 02-729 Part 5										Welding - Procedure		Ultrasonic		Hydraulic and Insulation		35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
6. A heat treatment certificate is required if raw material is heat treated from supply condition or post manufacturing/plating, if null then at minimum a comment on the Certificate of Conformity is required										Welding - General / Records		Load		Cable Certificate		36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
- Fasteners IAW D STN 02-862 Part 3 clause 6.6.4; a mill certification must be supplied										Welding - General / Records		Radiographic		Cleanliness		37																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
- NAB items IAW material specifications or if not required by the specifications then as a minimum a heat treatment certificate shall be supplied that states the heat treatment condition such as "hot worked"										Welding - General / Records		Ultrasonic		Calibration		41																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
7. Zinc plated and passivated IAW DEF STAN 02-862 Part 3										Welding - General / Records		Visual		Dimensional		42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
8. Wall thickness values are to be recorded on a wall thickness recording sheet in such a way that they are cross referenced to a grid based sketch IAW DEF STAN 02-872 Part 2, clause 3.4b										Welding - General / Records		Pressure		43		44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
Drawing no. / Part no.		Description		Material		Ref.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712</th

Key to Documentation Requirements/Type of Tests														
<p>A. Certification to be retained by the manufacturer for a period of 5 years and copies to be distributed in accordance with contract requirements.</p> <p>B. Certification to be retained by the manufacturer for a period of 5 years.</p> <p>C. Certification to be copied to the Records Authority for retention in the Quality Assurance Live File.</p> <p>D. Documentation to be copied to the Records Authority for retention as required.</p> <p>X. (written over A, B, C, or D) Re-used item. Original Certificates IAW C-23-VIC-000/AM-001</p>					<p>36 See Note 4</p> <p>35 DSTAN 08-171 Test#21 (14299#15)</p> <p>34 DSTAN 08-171 Test#20 (14299#14)</p> <p>33 DSTAN 08-171 Test#18 (14299#13)</p> <p>32 DSTAN 08-171 Test#14 (14299#12)</p> <p>31 DSTAN 08-171 Test#15 (14299#11)</p> <p>30 Certificate of Conformity</p> <p>29</p> <p>28 DSTAN 02-729 Part 1</p> <p>27 DSTAN 02-729 Part 5</p> <p>26 See Note 3</p> <p>25 DSTAN 02-706</p> <p>24 DSTAN 02-743 Part 5</p> <p>23 DSTAN 02-863 Iss 2</p> <p>22 DSTAN 02-773</p> <p>21 DSTAN 02-706</p> <p>20 DSTAN 02-706</p> <p>19 DSTAN 08-171 Test#12 (14299#10)</p> <p>18 DSTAN 08-171 Test#9 (14299#8)</p> <p>17 DSTAN 08-171 Test#6 (14299#6)</p> <p>16 DSTAN 08-171 Test#3 (14299#5)</p> <p>15 Supplier's Certificate</p> <p>14 BS 1726 Part 1 / Drawing</p> <p>13 Drawing</p> <p>12 Drawing / If NAB: See Note 8</p> <p>11 See Note 3</p> <p>10 DSTAN 02-872 Part 2 / Part 3</p> <p>9 DSTAN 02-745 / DSTAN 02-863</p> <p>8 DSTAN 02-729 Part 1</p> <p>7 DSTAN 02-729 Part 5</p> <p>6 See Note 7 or Drawing</p> <p>5</p> <p>4 Material Specification / See Note 6</p> <p>3 Material Specification</p> <p>2 Material Specification</p> <p>1 Record on DND 25/3 or Equivalent</p>									
<p>Miscellaneous Notes:</p> <p>Miscellaneous Certificates:</p> <p>(none)</p>					<p>SPECIFICATION</p> <p>38 Test Pressure (Item 38, If required)</p> <p>39 No Test</p> <p>40 DSTAN 02-341 Part 1 Gr. B</p> <p>41 Drawing</p> <p>42</p> <p>43</p> <p>44 DND 25/3 or Equivalent (Note 4)</p> <p>45 See Miscellaneous Certificates</p> <p>46</p>									
Sheet 3 / 4	Issue: A	Rev Date (DD-MM-YYYY) 05/03/2020	Init. RM	<p>NOTICE</p> <p>This documentation has been reviewed by the technical authority and does not contain controlled goods. Disclosure notices and handling instructions originally received with the document shall continue to apply.</p> 										
Comments: Initial Issue					<p>This form meets the requirements of C-23-VIC-000/AM-001 Revision Dated 01-11-2013</p> <p>The French form is provided for information purposes only and DND does not guarantee the accuracy of the translated terminology. Some notes and descriptions are in English only because of the origin of the equipment (United Kingdom and United States).</p>									

Énoncé des Exigences de Qualité (EDEDQ)

Clé pour Exigences de Documentation/Type d'Essai										Spécifications									
<p>A. Les certificats doivent être conservés par le fabricant pendant 5 ans, et des copies diffusées selon le contrat. B. Les certificats doivent être conservés par le fabricant pendant 5 ans. C. Une copie des certificats sera remise au Responsable des Enregistrements pour qu'il soit conservé dans les Fichiers de l'Assurance de la Qualité des Équipements Installés. D. Une copie des documents doit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire. X. (imprimé sur A, B, C ou D). L'article a réutilisé les certificats originaux conformément à C-23-VIC-000 / AM-001</p>										<p>Voir la note 4 DSTAN 08-171 Test#21 (14299#15) DSTAN 08-171 Test#20 (14299#14) DSTAN 08-171 Test#18 (14299#13) DSTAN 08-171 Test#14 (14299#12) DSTAN 08-171 Test#15 (14299#11) DSTAN 02-729 Partie 1 DSTAN 02-729 Partie 5 Voir la note 3 DSTAN 02-706 DSTAN 02-743 Partie 5 DSTAN 02-863 Iss 2 DSTAN 02-773 DSTAN 02-706 DSTAN 02-706 DSTAN 08-171 Test#12 (14299#10) DSTAN 08-171 Test#9 (14299#8) DSTAN 08-171 Test#6 (14299#6) DSTAN 08-171 Test#3 (14299#5) Certificat du fournisseur BS 1726 Partie 1 / Dessin Dessin Dessin / Si NAB: Voir la note 8 Voir la note 3 DSTAN 02-872 Partie 2 / Partie 3 DSTAN 02-745 / DSTAN 02-863 DSTAN 02-729 Partie 1 DSTAN 02-729 Partie 5 Voir la note 7 / Dessin Voir la note 6 Spécification matérielle / Voir la note 6 Spécification matérielle Spécification matérielle Enregistrer sur DND 2513 ou équivalent</p>									
<p>Notes Divers:</p>										<p>Certificats Divers: (none)</p>									
Feuille 3 / 4	Série A	Date Rév. (JJ-MM-AAAA) 05/03/2020	Initiales RM	<p>AVIS  Cette documentation a été révisée par l'Autorité Technique et ne contient pas de marchandises contrôlées. Les avis de divulgation et les instructions de manutention reçues originellement doivent continuer de s'appliquer.</p>															
Commentaires: Initial ISSUE										<p>Pression d'épreuve (article 38, si nécessaire) No Test Ce formulaire satisfait aux exigences de C-23-VIC-000/AM-001 Révision en date du 2013-11-01 Le formulaire en français est fourni à titre d'information seulement et le MDN ne garantit pas l'exactitude de la terminologie traduite. Certaines notes et descriptions sont uniquement en anglais en raison des origines de l'équipement (Le Royaume-Uni et les États-Unis).</p>									

**1st Level Submarine Certificate of Conformity and Index of Documentation
Certificat de conformité de sous-marin de 1^{er} niveau et index des documents**

Unique identification number - Numéro d'identification unique QCA	PWGSC contract number: Numéro du contrat de TPSGC :
Description	PWGSC line item: Ligne d'article de TPSGC :
	NATO stock number: Numéro de nomenclature OTAN :
	Purchase order number: Numéro de commande :
Comments - Commentaires	
Raised by: Demandé par :	

Assembly details - Détails d'assemblage

Quantity - Quantité	Serial no. - N° de série	Deviations / Waivers - Déviations / Exemptions
---------------------	--------------------------	--

Component details - Details des composantes

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit.

Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par et seront disponibles à des fins de vérification.

Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature
------	--	---------------	-----------

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number. See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique. Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée



National Défense
Defence nationale

Processing Procedures Record

Completed form to be returned with Quote or Strip & Survey report, any first level processes which are used with the referenced order are to be listed

Company:

Order number:

Contact name: _____

Telephone number:



Défense nationale National Defence

Enregistrement des Procédures de Traitement

Formulaire rempli à renvoyer avec le rapport de devis ou de démontage et d'évaluation, tous les processus de premier niveau utilisés avec la commande référencée doivent être listés

Entreprise : _____ Numéro de commande : _____

Nom du contact : _____ Numéro de téléphone : _____

Statement of Quality Requirements (SOQR)

Énoncé des Exigences de Qualité (EDEDQ)

Clé pour Exigences de Documentation/Type d'Essai										Spécifications													
<p>A. Les certificats doivent être conservés par le fabricant pendant 5 ans, et des copies diffusées selon le contrat. B. Les certificats doivent être conservés par le fabricant pendant 5 ans. C. Une copie des certificats sera remise au Responsable des Enregistrements pour qu'il soit conservé dans les Fichiers de l'Assurance de la Qualité des Équipements Installés. D. Une copie des documents doit être remis au Responsable des Dossiers aux fins de conservation, si nécessaire. X. (imprimé sur A, B, C ou D). L'article a réutilisé les certificats originaux conformément à C-23-VIC-000 / AM-001</p>										<p>Voir la note 4 DSTAN 08-171 Test#21 (14299#15) DSTAN 08-171 Test#20 (14299#14) DSTAN 08-171 Test#18 (14299#13) DSTAN 08-171 Test#14 (14299#12) DSTAN 08-171 Test#15 (14299#11) DSTAN 02-729 Partie 1 DSTAN 02-729 Partie 5 Voir la note 3 DSTAN 02-706 DSTAN 02-743 Partie 5 DSTAN 02-863 Iss 2 DSTAN 02-773 DSTAN 02-706 DSTAN 02-706 DSTAN 08-171 Test#12 (14299#10) DSTAN 08-171 Test#9 (14299#8) DSTAN 08-171 Test#6 (14299#6) DSTAN 08-171 Test#3 (14299#5) Certificat du fournisseur BS 1726 Partie 1 / Dessin Dessin Dessin / Si NAB: Voir la note 8 Voir la note 3 DSTAN 02-872 Partie 2 / Partie 3 DSTAN 02-745 / DSTAN 02-863 DSTAN 02-729 Partie 1 DSTAN 02-729 Partie 5 Voir la note 7 / Dessin Voir la note 6 Spécification matérielle / Voir la note 6 Spécification matérielle Spécification matérielle 1 Enregistrer sur DND 2513 ou équivalent</p>													
<p>Notes Divers:</p>										<p>Certificats Divers: (none)</p>													
Feuille 4 / 4	Série A	Date Rév. (JJ-MM-AAAA) 05/03/2020	Initiales RM	<p>AVIS  Cette documentation a été révisée par l'Autorité Technique et ne contient pas de marchandises contrôlées. Les avis de divulgation et les instructions de manutention reçues originellement doivent continuer de s'appliquer.</p>										<p>Pression d'épreuve (article 38, si nécessaire) No Test Ce formulaire satisfait aux exigences de C-23-VIC-000/AM-001 Révision en date du 2013-11-01 Le formulaire en français est fourni à titre d'information seulement et le MDN ne garantit pas l'exactitude de la terminologie traduite. Certaines notes et descriptions sont uniquement en anglais en raison des origines de l'équipement (Le Royaume-Uni et les États-Unis).</p>									
Commentaires: Initial Issue																							

**1st Level Submarine Certificate of Conformity and Index of Documentation
Certificat de conformité de sous-marin de 1^{er} niveau et index des documents**

Unique identification number - Numéro d'identification unique QCA	PWGSC contract number: Numéro du contrat de TPSGC :
Description	PWGSC line item: Ligne d'article de TPSGC :
	NATO stock number: Numéro de nomenclature OTAN :
	Purchase order number: Numéro de commande :
Comments - Commentaires	
Raised by: Demandé par :	

Assembly details - Détails d'assemblage

Quantity - Quantité Serial no. - N° de série Deviations / Waivers - Déviations / Exemptions

Component details - Details des composantes

Certification statement - Énoncé de certification

We hereby certify that the goods and documentation as detailed on this form conform to the requirements of the purchase order or contract. Documentation will be retained by _____ and made available for audit.

Nous certifions par les présentes que les produits et les documents décrits sur le présent formulaire sont conformes aux exigences du numéro de commande ou du contrat, les documents seront conservés par et seront disponibles à des fins de vérification.

Date	Name (printed) - Nom (lettres moulées)	Title - Titre	Signature
------	--	---------------	-----------

Comments/Instructions

Unique identification number: A number unique to the assembly or part referenced on the SOQR requisition number. This number shall be preceded by the letter QCA and must include the line number of the item on the SOQR. This unique identification number shall be etched on the materiel IAW C-23-VIC-000/AM-00.

QCA: Quality Control Assured. Acronym used to precede unique number for all 1st level parts

Description: Proper item name IAW CGCS

PWGSC contract number: Contract Number

PWGSC line item: Line number of item from the PWGSC contract

NATO stock number: Self explanatory

Purchase order number: Self explanatory

Comments: Any and all comments/concerns regarding item being provided under this certificate

Raised by: Who raised the comments and under what authority

Quantity: Quantity of items manufactured under this specific number. See "Batch Identification" in C-23-VIC-000/AM-001

Serial no.: Any serial number associated with this assembly

Deviations / Waivers: Any and all deviations or waivers associated with the manufacture of this item

SOQR sheet no.: Multiple SOQR sheets may sometimes be necessary

Let: Letter of line associated with SOQR sheet

Serial no. / Deviations / Waivers: Component specific serial numbers or deviations/waivers

Material ID: Numbers associated to the raw manufactured materiel or stock

Material Spec: Specification number used in the manufacture of this materiel

Batch lot no.: Number assigned to specific batches of materiel

X-Ray no.: Component specific x-ray numbers to include with x-rays taken for NAB castings or similar

Cure date: The date that rubber components were cured

Validation date: Completion date of all NAB casting certifications

Certification statement: To be certified and stamped by approved QA/QC cell

Commentaires /Instructions

Numéro d'identification unique : Un numéro unique pour l'assemblage ou la pièce ou cité en référence sur l'EEQ. Ce numéro doit être gravé sur l'équipement/matériel conformément à C-23-VIC-000/AM-001 cité en référence sur l'EEQ.

CQA : Contrôle de la qualité assure. Acronyme employé qui précède un nombre unique pour toutes les pièces de 1er niveau

Description : Appellation de l'article conformément au SCGC

Numéro du contrat de TPSGC: Numéro du contrat

Ligne d'article de TPSGC : Numéro de l'article provenant du contrat

Numéro de nomenclature OTAN : Explicite

Numéro de commande : Explicite

Commentaires : Tout commentaire concernant l'article fourni conformément au présent certificat.

Demandé par : Qui a soulevé les commentaires et sous quelle autorité.

Quantité : Quantité d'articles fabriqués sous ce numéro spécifique. Voir "Identification du lot " dans le C-23-VIC-000/AM-001

N° de série : Tout numéro de série associé avec cet assemblage

Déviations / Exemptions : Toute déviation ou exemption associée à la fabrication de cet article

N° de feuille EEQ : Plusieurs feuilles EEQ sont parfois nécessaires

Let : Lettre de ligne associée avec la feuille EEQ

N° de série / Déviations / Exemptions : Numéros de séries spécifiques des composantes ou des déviations / exemptions

ID du matériel : Numéros associés aux matières premières manufacturées ou aux stocks

Spéc. du matériel : Numéros des spécifications utilisées dans la fabrication de ce matériel

N° de lot : Numéros assignés à des lots spécifiques de matériel

N° de rayons X : Composantes de numéros de rayons X spécifiques et incluant les rayons X provenant des coulages NAB ou similaires

Date de vulcanisation : Date à laquelle les composants en caoutchouc ont été vulcanisés

Date de validation : Date d'achèvement de toutes les certifications des coulages NAB

Énoncé de certification : Le fait d'être certifié et estampillé par une cellule AQ/CQ approuvée



National Défense
Defence nationale

Processing Procedures Record

Completed form to be returned with Quote or Strip & Survey report, any first level processes which are used with the referenced order are to be listed

Company:

Order number:

Contact name: _____

Telephone number:



Défense nationale National Defence

Enregistrement des Procédures de Traitement

Formulaire rempli à renvoyer avec le rapport de devis ou de démontage et d'évaluation, tous les processus de premier niveau utilisés avec la commande référencée doivent être listés

Entreprise : _____ Numéro de commande _____

Nom du contact : _____ Numéro de téléphone : _____