



**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des  
soumissions - TPSGC**  
11 Laurier St./ 11 rue, Laurier  
Place du Portage, Phase III  
Core 0B2 / Noyau 0B2  
Gatineau, Québec K1A 0S5  
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL  
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

<b>Title - Sujet</b> Steam Autoclave Unit	
<b>Solicitation No. - N° de l'invitation</b> 01E86-210137/A	<b>Date</b> 2020-08-06
<b>Client Reference No. - N° de référence du client</b> 01E86-210137	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$PV-899-78983	
<b>File No. - N° de dossier</b> pv899.01E86-210137	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2020-09-04</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Daylight Saving Time EDT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Van Den Hanenberg, Stephen	<b>Buyer Id - Id de l'acheteur</b> pv899
<b>Telephone No. - N° de téléphone</b> (343) 540-8371 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>  Specified Herein Précisé dans les présentes	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

Scientific, Medical and Photographic Division / Division de  
l'équipement scientifique, des produits photographiques et  
pharmaceutiques  
L'Esplanade Laurier  
140 O'Connor Street,  
East Tower, 7th Floor  
Ottawa  
Ontario  
K1A 0S5

<b>Delivery Required - Livraison exigée</b> See Herein	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

---

## TABLE OF CONTENTS

<b>PART 1 - GENERAL INFORMATION .....</b>	<b>2</b>
1.1 REQUIREMENT .....	2
1.2 DEBRIEFINGS .....	2
1.3 ePost Connect Service.....	2
<b>PART 2 - BIDDER INSTRUCTIONS .....</b>	<b>2</b>
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS.....	2
2.2 SUBMISSION OF BIDS.....	2
2.3 ENQUIRIES - BID SOLICITATION.....	3
2.4 APPLICABLE LAWS.....	3
<b>PART 3 - BID PREPARATION INSTRUCTIONS.....</b>	<b>4</b>
3.1 BID PREPARATION INSTRUCTIONS .....	4
<b>PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION .....</b>	<b>6</b>
4.1 EVALUATION PROCEDURES.....	6
4.2 BASIS OF SELECTION.....	7
<b>PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION .....</b>	<b>7</b>
5.1 CERTIFICATIONS REQUIRED WITH THE BID .....	7
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION .....	7
<b>PART 6 - RESULTING CONTRACT CLAUSES .....</b>	<b>9</b>
6.1 SECURITY REQUIREMENTS .....	9
6.2 REQUIREMENT .....	9
6.3 STANDARD CLAUSES AND CONDITIONS.....	9
6.4 TERM OF CONTRACT .....	10
6.5 AUTHORITIES .....	10
6.6 PAYMENT .....	11
6.7 INVOICING INSTRUCTIONS .....	12
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	12
6.9 APPLICABLE LAWS.....	13
6.10 PRIORITY OF DOCUMENTS .....	13
6.11 SACC <i>MANUAL</i> CLAUSES .....	13
6.12 SHIPPING INSTRUCTIONS .....	13
<b>ANNEX A .....</b>	<b>15</b>
<b>PART 1 - REQUIREMENT .....</b>	<b>15</b>
<b>ANNEX B .....</b>	<b>18</b>
<b>ANNEX C .....</b>	<b>19</b>
<b>ATTACHMENT 1 TO PART 3 OF THE BID SOLICITATION.....</b>	<b>20</b>
<b>ATTACHEMENT 1 TO PART 5 .....</b>	<b>20</b>
<b>ATTACHMENT “2” TO PART 5 OF THE BID SOLICITATION .....</b>	<b>21</b>

## **PART 1 - GENERAL INFORMATION**

### **1.1 Requirement**

The requirement is detailed under Annex A.

### **1.2 Debriefings**

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

### **1.3 epost Connect service**

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

## **PART 2 - BIDDER INSTRUCTIONS**

### **2.1 Standard Instructions, Clauses and Conditions**

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: 60 days

Insert: 90 days

#### **2.1.1 SACC Manual Clauses**

SACC Manual clause [B1000T](#) (2014-06-26) Condition of Material

### **2.2 Submission of Bids**

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit at the location specified below, by the date, time and place indicated on page 1 of the bid solicitation.

#### **Bid Receiving - PWGSC**

Place du Portage, Phase III, Tower B

11 Laurier Street

Gatineau, Quebec

For couriers: J8X 4A6

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

---

For regular mail: K1A 0S5

Telephone: (819) 420-7201  
Fax No.: (819) 997-9776

Note: For bidders choosing to submit using epost Connect for bids closing at the Bid Receiving Unit in the National Capital Region (NCR) the email address is:

[tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca](mailto:tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca)

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

### 2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

### 2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

### 2.5 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
  - Office of the Procurement Ombudsman (OPO)
  - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.

## **PART 3 - BID PREPARATION INSTRUCTIONS**

### **3.1 Bid Preparation Instructions**

If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. Bidders must provide their bid in a single transmission. The epost Connect service has the capacity to receive multiple documents, up to 1GB per individual attachment.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid

Section II: Financial Bid

Section III: Certifications

If the Bidder chooses to submit its bid in hard copies, Canada requests that the Bidder submits its bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (2 hard copies)

Section III: Certifications (2 hard copies)

If the Bidder is simultaneously providing copies of its bid using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that Bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, Bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

---

## Section I: Technical Bid

In their technical bid, Bidders should demonstrate their understanding of the requirements contained in the bid solicitation and explain how they will meet these requirements. Bidders should demonstrate their capability in a thorough, concise and clear manner for carrying out the work.

The technical bid should address clearly and in sufficient depth the points that are subject to the evaluation criteria against which the bid will be evaluated. Simply repeating the statement contained in the bid solicitation is not sufficient. In order to facilitate the evaluation of the bid, Canada requests that Bidders address and present topics in the order of the evaluation criteria under the same headings. To avoid duplication, Bidders may refer to different sections of their bids by identifying the specific paragraph and page number where the subject topic has already been addressed.

The technical bid consists of the following:

- (a) **Supporting Technical documentation:** Technical brochures or technical data to demonstrate compliancy to the requirement as described in Annex A.
- (b) **List of Products:** Bidders must include a complete product list identifying: the product name; the name of manufacturer; the model and part number of each component which make up the system. Bidders must also state the point of manufacture and shipping of goods or where service is to be performed: The bidder is requested to use the form provided in Annex C.
- (c) **Installation Plan:** Bidders should include an installation plan (including the installation schedule), which must demonstrate that the Bidder's installation plan meets all the mandatory requirements for installation described Annex A.
- (d) **Training Plan:** Bidders should include a training plan, which must demonstrate that the Bidder's training plan meets all the mandatory requirements for training described in Annex A. The training plan must include, at a minimum, a description of the course materials that will be provided to participants; the training schedule; and the duration of the training.
- (e) **Description of the Bidder's Maintenance and Support Services:** Bidders should include a description of its warranty, maintenance and support services, which must be consistent with all the requirements described in Annex A. At a minimum, Bidders should include the following:
  - (i) Location of available service facilities (after sales service and repair). List the service facilities closest to the destination.
  - (ii) Locations of available replacement parts from consumables to major components.
  - (iii) Response time re: service calls, and escalation schedule, i.e. (how many days with no resolution to a problem until a more experienced person is called in, and from which location).
  - (iv) List the frequency of routine maintenance visits provided by a qualified service technician during the warranty period, if applicable and included in the price.

## Section II: Financial Bid

- (a) **Pricing:** Bidders must submit their financial bid in accordance with the Basis of Payment including Annex B – Basis of Payment.
- (b) **All Costs to be Included:** The financial bid must include all costs for the requirement described in the bid solicitation for the entire Contract Period, including any option years. The identification of all necessary equipment, software, peripherals, cabling and components required to meet the requirements of the bid solicitation and the associated costs of these items is the sole responsibility of the Bidder.

- (c) **Blank Prices:** Bidders are requested to insert "\$0.00" for any item for which it does not intend to charge or for items that are already included in other prices set out in the tables. If the Bidder leaves any price blank, Canada will treat the price as "\$0.00" for evaluation purposes and may request that the Bidder confirm that the price is, in fact, \$0.00. No bidder will be permitted to add or change a price as part of this confirmation. Any bidder who does not confirm that the price for a blank item is \$0.00 will be declared non-responsive.

### 3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Attachment 1 to Part 3 Electronic Payment Instruments, to identify which ones are accepted.

If Attachment 1 to Part 3 Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

### 3.1.2 Exchange Rate Fluctuation

SACC Manual clause [C3010T](#) (2013-11-06), Exchange Rate Fluctuation Risk Mitigation

### 3.1.3 SACC Manual Clauses

#### Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

## PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

### 4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

#### 4.1.1 Technical Evaluation

##### 4.1.1.1 Mandatory Technical Evaluation Criteria

The mandatory technical evaluation criteria are detailed in Annex A, Part 2.1.

#### 4.1.2 Financial Evaluation

The financial evaluation will be conducted by calculating the Total Aggregated Bid Price in accordance with the pricing tables provided in Annex B – Basis of Payment.

#### Evaluation of Price - Bid

The price of the bid will be evaluated in Canadian dollars, Applicable Taxes excluded, DDP Ottawa, ON Incoterms® 2010, Canadian customs duties and excise taxes included.

Unless the bid solicitation specifically requires bids to be submitted in Canadian currency, bids submitted in foreign currency will be converted to Canadian currency for evaluation purposes.

---

The rate given by the Bank of Canada in effect on the bid solicitation closing date, or on another date specified in the bid solicitation, will be applied as a conversion factor to the bids submitted in foreign currency.

## 4.2 Basis of Selection

### 4.2.1

SACC *Manual* Clause [A0031T](#) (2010-08-16) - Basis of Selection - Mandatory Technical Criteria

## PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

## 5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

### 5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

## 5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

### 5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

### 5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html>).

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

---

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

### 5.2.3 Product Conformance

The Bidder certifies that all goods proposed conform, and will continue to conform throughout the period of the contract, to the requirement detailed under Annex A.

---

**Bidder's authorized representative signature**

---

**Date**

#### 5.2.3.1 OEM Certification

- (i) Any Bidder that is not the Original Equipment Manufacturer (OEM) for every item of hardware or equipment proposed as part of its bid is required to submit the OEM's certification regarding the Bidder's authority to provide and maintain the OEM's hardware or equipment, which must be signed by the OEM (not the Bidder). No Contract will be awarded to a Bidder who is not the OEM of the hardware or equipment it proposes to supply to Canada, unless the OEM certification has been provided to Canada. Bidders are requested to use the OEM Certification Form included with the bid solicitation at Attachment 2 to Part 5 of the Bid Solicitation. Although all the contents of the OEM Certification Form are required, using the form itself to provide this information is not mandatory. For Bidders/OEMs who use an alternate form, it is in Canada's sole discretion to determine whether all the required information has been provided. Alterations to the statements in the form may result in the bid being declared non-responsive.
- (ii) If the hardware or equipment proposed by the Bidder originates with multiple OEMs, a separate OEM certification is required from each OEM.
- (iii) For the purposes of this bid solicitation, OEM means the manufacturer of the hardware or equipment, as evidenced by the name appearing on the hardware or equipment and on all accompanying documentation.

## PART 6 - RESULTING CONTRACT CLAUSES

### 6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

### 6.2 Requirement

#### 6.2.1 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex A.

### 6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

#### 6.3.1 General Conditions

[2010A](#) (2018-06-21), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

#### 6.3.2 Additional General Conditions

##### 6.3.2.1 Conduct of the Work

- 1) The Contractor represents and warrants that:
  - a. it is competent to perform the Work;
  - b. it has everything necessary to perform the Work, including the resources, facilities, labour, technology, equipment, and materials; and
  - c. it has the necessary qualifications, including knowledge, skill, know-how and experience, and the ability to use them effectively to perform the Work.
- 2) The Contractor must:
  - a. perform the Work diligently and efficiently;
  - b. except for Government Property, supply everything necessary to perform the Work;
  - c. use, as a minimum, quality assurance procedures, inspections and controls generally used and recognized by the industry to ensure the degree of quality required by the Contract;
  - d. select and employ a sufficient number of qualified people;
  - e. perform the Work in accordance with standards of quality acceptable to Canada and in full conformity with the specifications and all the requirements of the Contract;
  - f. provide effective and efficient supervision to ensure that the quality of workmanship meets the requirements of the Contract.

##### 6.3.2.2 Harassment in the workplace

- 1) The Contractor acknowledges the responsibility of Canada to ensure, for its employees, a healthy work environment, free of harassment. A copy of the [Policy on Harassment Prevention and Resolution](#), which is also applicable to the Contractor, is available on the Treasury Board Web site.

- 2) The Contractor must not, either as an individual, or as a corporate or unincorporated entity, through its employees or subcontractors, harass, abuse, threaten, discriminate against or intimidate any employee, contractor or other individual employed by, or under contract with Canada. The Contractor will be advised in writing of any complaint and will have the right to respond in writing. Upon receipt of the Contractor's response, the Contracting Authority will, at its entire discretion, determine if the complaint is founded and decide on any action to be taken.

### **6.3.3 Supplemental General Conditions**

4001 (2015-04-01) Hardware Purchase, Lease and Maintenance,

apply to and form part of the Contract.

### **6.4 Term of Contract**

#### **6.4.1 Period of the Contract**

- (a) The period of the Contract is from date of Contract and ends upon completion of the 12 month warranty period;

#### **6.4.2 Delivery Date**

- a) The Contractor must deliver the gas analyzer including components 1 to 4 as specified at Annex A on or before December 31 2020.  
b) The Contractor should provide basic training within 10 days of delivery.

#### **6.4.3 Delivery Points**

Delivery of the requirement will be made to delivery point(s) specified at Annex A of the Contract.

### **6.5 Authorities**

#### **6.5.1 Contracting Authority**

The Contracting Authority for the Contract is:

Name: Stephen Van Den Hanenberg  
Title: Supply Officer

Public Works and Government Services Canada  
Commercial Consumer Products Directorate  
140 O'Connor Street, 7<sup>th</sup> floor  
L'Esplanade Laurier (LEL), East Tower  
Ottawa, Ontario, K1A 0R5

Telephone: 343-540-8371

E-mail address: [stephen.vandenhaneberg@pwgsc-tpsgc.gc.ca](mailto:stephen.vandenhaneberg@pwgsc-tpsgc.gc.ca)

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

---

### 6.5.2 Technical Authority *(to be filled in only at contract award)*

The Technical Authority for the Contract is: *(to be filled in only at contract award)*

Name: \_\_\_\_\_  
Title: \_\_\_\_\_  
Organization: \_\_\_\_\_  
Address: \_\_\_\_\_

Telephone: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

The Technical Authority named above is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

### 6.5.3 Contractor's Accounts Payable Contact *(to be filled in only at contract award - check with client if they have a specific email address for invoicing. Delete If not applicable)*

Name: \_\_\_\_\_  
Telephone: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

### 6.5.4 Contractor's Representative *(to be completed by the bidder)*

The telephone number (with extension if applicable) of the person responsible for:

#### General enquiries

Name: \_\_\_\_\_  
Tel. No. \_\_\_\_\_ ext: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

#### Delivery Follow-up

Name: \_\_\_\_\_  
Tel. No. \_\_\_\_\_ ext: \_\_\_\_\_  
E-mail address: \_\_\_\_\_

## 6.6 Payment

### 6.6.1 Basis of Payment

#### Initial Requirement

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid firm unit price as specified in Annex B – Basis of Payment for a cost of \$ \_\_\_\_\_ *(to be filled in only at contract award)*. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

## 6.6.2 SACC Manual Clauses

SACC Manual clause [C2000C](#) (2007-11-30) Taxes - Foreign-Based Contractor  
SACC Manual clause [C2001C](#) (2010-01-11) Duties and Taxes - Drawback Certificate  
SACC Manual clause [C2605C](#) (2008-05-12) Canadian Customs Duty and Sales Tax  
SACC Manual clause [H1000C](#) (2008-05-12) Single Payment

## 6.6.3 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);

## 6.7 Invoicing Instructions

**6.7.1** The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

**6.7.2** Invoices must be distributed as follows:

- (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
- (b) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.
- (c) Invoices and order confirmations can be sent via e-mail to:  
  
\_\_\_\_\_
- (d) To facilitate the payment process, it is important that the Contractor quote the contract number on all the invoices, shipping bills and packing slips. Failure to do so will delay payment and the date used for calculating interest on overdue accounts.

## 6.8 Certifications and Additional Information

### 6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

## 6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

## 6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the supplemental general conditions:
  - i. 4001, Hardware Purchase, Lease and Maintenance;
- (c) the general conditions 2010A General Conditions - Goods (Medium Complexity);
- (d) Annex A, Requirement;
- (e) Annex C, List of Products;
- (f) Annex B, Basis of Payments; and
- (g) the Contractor's bid dated \_\_\_\_\_ (*insert date of bid*).

## 6.11 SACC Manual Clauses

SACC Manual clause [G1005C](#) (2016-01-28) Insurance  
SACC Manual clause [B1501C](#) (2018-06-21) Electrical Equipment  
SACC Manual clause [D2000C](#) (2007-11-30) Marking  
SACC Manual clause [D2001C](#) (2007-11-30) Labeling  
SACC Manual clause [D2025C](#) (2017-08-17) Wood Packaging Materials  
SACC Manual clause [D6010C](#) (2007-11-30) Palletization  
SACC Manual clause [D9002C](#) (2007-11-30) Incomplete Assemblies  
SACC Manual clause [A2000C](#) (2006-06-16) Foreign Nationals (Canadian Contractor)  
SACC Manual clause [A2001C](#) (2006-06-16) Foreign Nationals (Foreign Contractor)

## 6.12 Shipping Instructions

### 6.12.1 Shipping Instructions - Delivery at Destination

**6.12.1.1** Goods must be consigned to the destination specified in the Contract and delivered:

Delivered Duty Paid (DDP) Ottawa, ON Incoterms® 2010 for shipments from a commercial contractor.

**6.12.1.2** The Contractor will be responsible for all delivery charges, administration, costs and risk of transport and customs clearance, including the payment of customs duties and taxes.

## 6.15 Dispute Resolution

- (a) The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.
- (b) The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

---

- (c) If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.
  
- (d) Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading "[Dispute Resolution](#)".

## ANNEX A

### Part 1 - REQUIREMENT

Agriculture and Agri-Food Canada has a requirement for the supply of one steam autoclave unit for the containment biosafety level-2 zoonotic bacterial pathogen facility in Ottawa, ON. Due to frequency of use, volume of material autoclaved daily, and regulatory status of many bacterial cultures handled within this facility, the autoclave must be a free-standing floor model. The steam autoclave unit must meet all of the mandatory technical requirements as specified below

The contractor must provide all of the following components:

1. A steam autoclave unit including all accessories and power supplies necessary to make the steam autoclave work and operate in accordance with the Mandatory Technical Requirements as described herein;
2. One thermal printer;
3. One onboard electronic steam generator;
4. Loading equipment rack and shelves including all trays and accessories for holding glassware in the steam autoclave unit;
5. One year warranty including on-site verification, calibration, repair and maintenance services;
6. On site Installation;
7. Operating and training manuals in English; and
- 8.. Basic training on site in English.

The requirement must work and operate at all times in accordance with the following mandatory technical requirements.

#### **Mandatory Technical Requirements**

**The autoclave unit must meet all of the following technical specifications:**

Exterior Dimensions:	The steam autoclave unit must have maximum dimensions of 84" high and 31.5" wide;
Chamber dimensions:	20" H x 20" W x 38" D;
Door configuration:	Single door;
Door type:	Vertical sliding manual door;
Steam supply:	Onboard electric steam generator;
Control system:	Touch screen or digital display;
Fixing alternatives:	Freestanding;
Charging equipment:	Stand and (2) shelves;
Power supply:	208 V, 3 phases;
Enclosure construction:	The enclosure of the autoclave steam unit must be constructed of 304L or 316L stainless steel;
Sterilizer Chamber construction:	The steriliser chamber of the autoclave steam unit must be constructed of 304L or 316L stainless steel;
Air removal method:	Gravity and vacuum with liquid ring vacuum pump; and
Containment options:	Drainage strainer.

The thermal printer must indicate the valid functioning of the sterilizer during a cycle and must monitor the performance of the equipment.

The thermal printer must record the cycle event over time and state that the cycle was successful at the cycle end.

#### **Installation**

On-site installation must be provided and shall be carried out by a qualified service technician.

All deliverables must be delivered, installed, integrated, and configured by the Contractor at the location specified in the Contract.

The Contractor will be responsible for unpacking, assembling, and installing the deliverables at the site. If applicable, this shall include but not be limited to the provision of required moving and installation resources, including but not limited to packing material, vehicles, cranes, personnel, and floor protection panels.

The Contractor must supply all associated materials required to effect complete installation, integration and configuration of the deliverables at the site. This shall include but not be limited to such things as all the required power connectors, cables, and any other accessories required to install, integrate and configure the deliverables.

Upon successful completion of the installation, integration and configuration of the deliverables, the Contractor shall provide the Technical Authority with written notification that the deliverables are ready for testing.

The Contractor must maintain all work areas at the installation site in a clean and tidy condition on completion of each day's work and on completion of acceptance, including the removal and disposal of all related packing material. Installation must be completed within eight working days from the installation start date.

### **Manuals**

The Contractor must deliver one complete set of documentation in English with the deliverables. This documentation must include all publications pertaining to technical specifications, installation requirements and operating instructions.

### **Training**

The Contractor must provide on-site training in English for operation of touch screen controls, sterilization cycle programming, operation of the printer, understanding error alarms and emergency shut down procedures.

The Contractor must provide training for up to five end users and must include operation and manipulation of the equipment. The training should also include but not be limited to product functionality, product features and limitations.

### **Warranty including on-site Verification, Calibration, Repair and Maintenance Service**

The Contractor must provide one year Warranty including on-site Verification, Calibration, Repair and Maintenance and Support Services in accordance with supplemental general conditions 4001 (2015-04-01), Hardware Purchase, Lease and Maintenance.

### **Delivery Point**

The contractor must deliver the requirement to:

960 Carling Ave. Ottawa, ON.

---

### Part 2.1 - MANDATORY TECHNICAL EVALUATION CRITERIA

The following requirements are the mandatory technical evaluation criteria which will be evaluated during the Bid Evaluation. In addition the Contractor will be required to meet all of the mandatory technical requirements for the duration of the Contract

Bidders are requested to cross reference the mandatory technical criteria in a concise format by using page, paragraph(s) & sub-paragraphs as applicable to their supporting technical documentation.

ITEM	CRITERIA	REFERENCE TO SUBSTANTIATION IN THE TECHNICAL BID.
1.	The steam autoclave unit must have maximum dimensions of 84" high and 31.5" wide.	
2.	The steam supply to the autoclave steam unit must be generated by an onboard electronic steam generator.	
3.	The enclosure of the autoclave steam unit must be constructed of 304L or 316L stainless steel.	
4.	The steriliser chamber of the autoclave steam unit must be constructed of 304L or 316L stainless steel.	
5.	The thermal printer must indicate the valid functioning of the steriliser during a cycle and must monitor the performance of the equipment.	
6.	The thermal printer must record the cycle event over time and state that the cycle was successful at the cycle end.	

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

---

**ANNEX B**  
**BASIS OF PAYMENT**

The Bidder must provide all of the pricing requested in the following Tables in accordance with **Article 6.6.1 - Basis of Payment.**

**Table 1: Initial Requirement:**

Item	Description	Number of Units	Unit of Issue	Firm Unit Price	Extended Price
1	Steam Autoclave Unit as described in Annex A	1	Each	\$	\$
	Total Evaluated Price (LESS APPLICABLE TAXES)				\$

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

---

**ANNEX C**  
**LIST OF PRODUCTS**

Product Name	Model/Part Number	Name of Manufacture		

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

---

### ATTACHMENT 1 to PART 3 OF THE BID SOLICITATION

*As indicated in Part 3, clause 3.1.1, the Bidders are requested to identify which electronic payment instruments they are willing to accept for payment of invoices*

#### ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- VISA Acquisition Card;
- MasterCard Acquisition Card;
- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);

### ATTACHEMENT 1 to PART 5

#### COMPLETE LIST OF DIRECTORS

(As per Standard Instructions, Clauses and Conditions Part 2)

Name	Position
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

Solicitation No. - N° de l'invitation  
01E86-210137/A  
Client Ref. No. - N° de réf. du client  
01E86-210137

Amd. No. - N° de la modif.  
File No. - N° du dossier  
pv899.01E86-210137

Buyer ID - Id de l'acheteur  
pv899  
CCC No./N° CCC - FMS No./N° VME

**ATTACHMENT "2" to PART 5 OF THE BID SOLICITATION**

**OEM Certification**

<b>OEM Certification Form</b>	
This confirms that the original equipment manufacturer (OEM) identified below has authorized the Bidder named below to provide and maintain its products under any contract resulting from the bid solicitation identified below.	
<b>Name of OEM</b>	_____
<b>Signature of authorized signatory of OEM</b>	_____
<b>Print Name of authorized signatory of OEM</b>	_____
<b>Print Title of authorized signatory of OEM</b>	_____
<b>Address for authorized signatory of OEM</b>	_____
<b>Telephone no. for authorized signatory of OEM</b>	_____
<b>Fax no. for authorized signatory of OEM</b>	_____
<b>Date signed</b>	_____
<b>Solicitation Number</b>	_____
<b>Name of Bidder</b>	_____