

Title: Talbot Earth Dam North Embankment

Addendum No. 1

Specification Revisions

Page 1

Project No. _R076951.806_____

Date: August 13 2020

The following changes in the bid documents are effectively immediately. This addendum will form part of the contract documents.

Revisions:

Part 1 – General

1.1 Specification Section 01 22 01

.1 Refer to article 1.2

.1 **Delete** 1.2.3.1.1

.2 **Replace** with the following:

- .1 General site preparation, clearing and grubbing, soil stripping and removal not covered under the unit price table items, etc.

1.2 Specification Section 01 22 01

.1 Refer to article 1.2

.1 **Add** 1.2.13

- 1.2.13 Work required for grading and reinstatement of existing 1.5m wide lawn mower ramps at lower Lock 39 (north) and lower Lock 40 (north). Existing ramps extend from lower lock lawns to north crest road.

1.3 Specification Section 01 22 01

.1 Refer to article 1.4

.1 **Delete** 1.4.1.1

.2 **Replace** with the following:

- .1 Removal of steel, rock, timber, soils and other debris, etc. as required;

1.4 Specification Section 01 22 01

.1 Refer to article 1.4

.1 **Delete** 1.4.12

.2 **Replace** with the following:

- .12 Item No. 12 – Supply and Installation of Highway Gate, 4.0m width, as per OPSD 972.101 (Talbot Yard, Site B)

1.5 Specification Section 31 22 13

.1 Refer to article 3.3

.1 **Delete** 3.3.2.1

.2 **Replace** with the following:

- .1 Depth below the finished grade, based on the required topsoil thickness for landscaped areas.