



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Réception des soumissions - TPSGC / Bid Receiving -
PWGSC

Voir dans le document/

See herein

NA

Quebec

NA

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

TPSGC/PWGSC
1550 Avenue d'Estimauville
Québec
Québec
G1J 0C7

Title - Sujet Achat d'une auto-récurveuse à planch	
Solicitation No. - N° de l'invitation W1941-200011/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client W1941-200011	Date 2020-08-28
GETS Reference No. - N° de référence de SEAG PW-\$QCV-006-17968	
File No. - N° de dossier QCV-0-43075 (006)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-09-08	Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Parent, Mélanie	Buyer Id - Id de l'acheteur qcv006
Telephone No. - N° de téléphone (418) 951-6732 ()	FAX No. - N° de FAX (418) 648-2209
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

**TITLE : Acquisition of an Industrial Floor Scrubber
Amendment 001**

Included in the present amendment:

1. Solicitation closing date extension
2. Questions and answers 32 to 38
3. Modifications 1 and 2

SOLICITATION CLOSING DATE EXTENSION

Solicitation closing date is extended from September 2, 2020, to **September 8, 2020**.

QUESTIONS AND ANSWERS

Question 1

A machine with a minimum width of 28 "and a maximum of 31" is required. This specification prevents us from participating in the Invitation to Tender.

The EE specification is an expensive and complex specification. Thus, our only model that has gone through the complete process is the TENNANT T600 model with 32" scrub head.

This machine has a 32" double disc scrub head.

The total width of the machine is 33.7 inches without the squeegee.

The recommended squeegee is 41.3 inches, but it is possible to have a narrow 38.3 inches squeegee.

The squeegee is removable.

- (a) Does the mentioned width refer to the width of the cleaning, machine, or squeegee?
- (b) Would it be acceptable to have the T600 model described above?
- (c) With narrow or regular squeegee?

Answer :

Yes, it need to be explosion proof, that is mandatory.

Yes, for the cleaning head, 32 inch is ok but we can't go wider than that.

Yes, it is ok, but the total width can't be over 33.7 inch.

The 38.3 inch narrow squeegee is the best option for us.

- (a) See MODIFICATIONS, below.
- (b) It is the Bidder's responsibility to provide a machine that meets the requirements of this Invitation to tender.
- (c) See MODIFICATIONS, below.

Question 2

Mandatory technical specification, 3 - The motor enclosure must be UL type EE explosion proof

Question - Please state the Hazard Class, Group and the Division of the location where the scrubber will be operated?

Answer : Our Hazmat section handle pretty much all the hazard class, so explosion proof is mandatory.

Question 3

Mandatory technical specification, 2 – Width must be minimum of 28 inches to a maximum of 31 inches.
Questions - If we have to meet the requirement for motor enclosure, could we quote a floor scrubber with a higher cleaning width than 31 inches?

Answer : Yes, the floor scrubber can be a bit wider, however the cleaning head must not exceed 32 in. Also, the total width of the machine must not exceed 33.7 in. Finally, the squeegee must be as narrow as possible and be able to tilt when needed, but it must not exceed 38.3 in.

Question 4

Mandatory technical specification, 1 – Type of auto-scrubber must be rear-operated.
Questions - If we have to meet the requirement for motor enclosure, could we quote a floor scrubber with a ride-on function?

Answer : No, it is mandatory that the scrubber be rear-operated.

MODIFICATION 1

Section 1.7.1.1 Mandatory Technical Criteria - The Table of technical compliance is amended as follows :

Delete :

“Width must be a minimum of 28 inches to a maximum of 31 inches, overall.”

Replace with :

“Width must be a minimum of 28 inches to the following maximums:

- the cleaning head must not exceed 32 in.
- the total width of the machine must not exceed 33.7 in.
- the squeegee must be able to tilt when needed, and it must not exceed 38.3 in.”

MODIFICATION 2

APPENDIX "A", STATEMENT OF NEED - Section 4.0 Requirements is amended as follows :

Delete :

“Width must be a minimum of 28 inches to a maximum of 31 inches, overall.”

Replace with :

“Width must be a minimum of 28 inches to the following maximums:

- the cleaning head must not exceed 32 in.
- the total width of the machine must not exceed 33.7 in.
- the squeegee must be able to tilt when needed, and it must not exceed 38.3 in.”

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.