



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC

11 Laurier St. / 11, rue Laurier

Place du Portage, Phase III

Core 0B2 / Noyau 0B2

Gatineau, Québec K1A 0S5

Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Vehicles & Industrial Products Division

140 O'Connor, Tower East

4th Floor

140 O'Connor, Tour Est

4ème étage

Ottawa

Ontario

K1A 0S5

Title - Sujet Truck, Tractor, Heavy with Crane	
Solicitation No. - N° de l'invitation F7047-200056/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client F7047-200056	Date 2020-09-16
GETS Reference No. - N° de référence de SEAG PW-\$\$\$HP-539-79025	
File No. - N° de dossier hp539.F7047-200056	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-10-05	Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Cafferty, Kathy	Buyer Id - Id de l'acheteur hp539
Telephone No. - N° de téléphone (613) 297-2896 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

1. This Solicitation Amendment 002 is raised to answer bidders' questions.

2. The following are the responses to bidders' questions:

Q5. Item 2.8 Extended cab interior and 2.9 Extended Cab- Exterior

With the requirement of 2.2.1 Minimum 550 HP and 2.2.13 Copper/Brass radiator an Extended cab-interior and Extended Cab- Exterior may not be possible.

Question: Will a standard cab be acceptable?

A5. Yes, acceptable

At Annex "B" – Specification – Truck, Tractor, Heavy with Crane dated 2020-08-24, Para 2.8:

DELETE: Extended Cab Interior

INSERT: Cab Interior

At Annex "B" – Specification – Truck, Tractor, Heavy with Crane dated 2020-08-24, Para 2.9:

DELETE: Extended Cab - Exterior

INSERT: Cab Exterior

At Annex "B" – Specification – Truck, Tractor, Heavy with Crane dated 2020-08-24, Para 2.8.2:

DELETE: 30 cm minimum of clearance behind the front seats when fully backed up (storage space).

INSERT: If extended cab is offered then there should be 30 cm minimum of clearance behind the front seats when fully backed up (storage space).

Q6. Item 2.9.13 Exterior mounted supplementary cab heater – diesel.

Many suppliers for this option will not install the supplementary heater externally due to the size of access holes that would be needed for the heat source along with manufacturer requirement to avoid exterior exposure. It is recommend the heater assembly be internally installed in a protected box. With this said would an exterior or interior mounted supplementary cab heater be accepted?

A6. Diesel fired supplementary heater is not to be installed in the cab.

Q7. Item 2.12.4 Hydraulic inlet and outlet fittings for one attachment.

Are the inlet/outlet fitting to be position at the end of the boom for an attachment with one function to the boom tip?

A7. Item 2.12.4 was deleted in Solicitation Amendment 001.

- Q8. Item 2.12.5 Hydraulic controls both sides of vehicle with extra hydraulic control for future use. (6)

Please confirm this is for one additional non-activated distributor function and valve bank. Possible 6th function (total of 6 functions, 4 for crane, 1 for item 2.12.4 and 1 for item 2.12.5).

- A8. Item 2.12.5 was deleted in Solicitation Amendment 001.

- Q9. Item 2.12.16 Maximum shaft diameter of of 2.75 inches (69.85mm) with a hole with a minimum of .9 inches (22.86mm) and maximum diameter of 1 inch (25.4mm) for the connecting pin of the lifting device.

Since the dimensions and configuration of boom tips change from manufacture and crane size would it be acceptable to provide a link that can be used between the crane boom tip and lifting device is the crane boom tip does not meet the requested dimensions. It appears that you are describing the dimension of the lifting device that will be attached to the crane boom tip (ie rotator)

- A9. At Annex "B" – Specification – Truck, Tractor, Heavy with Crane dated 2020-08-24, Para 2.12.16:

DELETE: Maximum shaft diameter of 2.75 inches (69.85mm) with as hole with a minimum of 0.9 inches (22.86mm) and a maximum diameter of 1 inch (25.4mm) for the connecting pin of the lifting device.

ALL OTHER TERMS AND CONDITIONS OF THIS SOLICITATION REMAIN UNCHANGED.