

0	ISSUED FOR TENDER AND CONSTRUCTION	2020/08/14
Revision	Description	Date
Client	client	

**CORRECTIONAL
SERVICE
CANADA**

**99 BANK STREET
OTTAWA, ONTARIO**


Project title
**STONY MOUNTAIN
STONY MOUNTAIN INSTITUTION
BUILDING C12**

Projet
POWERHOUSE REPAIRS

Designed by BDH/KJP	Conçu par
Drawn by JAR/MAH	Dessiné par
Approved by JAW	Approuvé par
PWSSC Project Manager MICHAEL STEINBORN	Administrateur de Projets TPSGC
Drawing title	Titre du dessin

BUILDING SECTION

Project no./No. du projet	Drawing no./No. du dessin	Revision no.
R.109027	S4.2 OF S5.2	0



1 SECTION
S2.1 S4.2 1:50

NOTE: PLACE STABILIZED FILL IN MAX 914 THICK LIFT. PROVIDE UNIFORM LIFTS BETWEEN VAULTS AT MAX 300 THICK BETWEEN ADJACENT VAULTS. ALLOW LIFTS TO CURE TO ATTAIN 40% OF THE SPECIFIED STRENGTH BEFORE PLACING ADDITIONAL LIFTS.