



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Travaux publics et Services gouvernementaux
Canada

Voir dans le document/

See herein

NA

Québec

NA

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Travaux publics et Services gouvernementaux Canada
Place Bonaventure, portail Sud-Oue
800, rue de La Gauchetière Ouest
7^e étage, suite 7300
Montréal
Québec
H5A 1L6

Title - Sujet SA and NSA - Category 6	
Solicitation No. - N° de l'invitation G9292-216029/A	Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client G9292-216029	Date 2020-09-25
GETS Reference No. - N° de référence de SEAG PW-SMTA-625-15833	
File No. - N° de dossier MTA-0-43112 (625)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2020-10-07	Time Zone Fuseau horaire Heure Avancée de l'Est HAE
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Lavoie, Corine	Buyer Id - Id de l'acheteur mta625
Telephone No. - N° de téléphone (514) 207-4777 ()	FAX No. - N° de FAX (514) 496-3822
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

AMENDMENT 004

The purpose of this amendment is as follows:

- 1) Provide answers to questions received
- 2) Make amendments to the solicitation document.

QUESTIONS AND ANSWERS

Q1. A lot of the code doesn't coordinate with the description and / or picture. Should we follow the pictures and description.

A1. See the new corrected table.

Secondary collaboration area:

Q2. Line # 2 Please confirm the weight and size of the screens you plan to install on the dual screen mount. Is an important information having an impact on the model of monitor support that we must provide.

A2. 20 lbs per TV and 47 "TV ($\pm 40 \times 22$ ")

Q3. Line # 7a - please specify the use of the bar attached to the back of the file? Do you plan the use of stools and a counter at BAR (42 ") height behind the backrests? If so, the height of the backrest should be changed between 22 " and 26 " - The counter or shelf are not available in the GoCuid code indicated in the estimate. We suggest you put a freestanding form table curvilinear in section.

A3. Yes, we will use the tablet as a counter with stools. And the height of the shelf is counter height (± 36 "). This is an addition to be expected.

Q4. Line 7a (formerly 7) - Maximum back height for this GOCUID by RFSA must be no less than 305mm (12 ") above seat height and no more than 457mm (18 ") above the seat height. Do you want the back bar at this height? Please confirm.

A4. The shelf must be counter height. And the folder is between 16 "to 20" as specified in the GoCuid.

Q5. Line # 7b - Please specify the use of the bar attached to the back of the file? Do you plan to use stools and a BAR (42 ") height counter behind the backrests? If so, the height of the backrest should be changed between 22 " and 26 " - The counter or shelf are not available in the GoCuid code indicated in the estimate. We suggest you put a freestanding table of curvilinear shape in the section.

A5. Yes, we will use the tablet as a counter with stools. And the height of the shelf is counter height (± 36 "). This is an addition to be expected.

Q6. Line 7a and b, How many configurations do you want? The quantity on the plan and on the RFP does not match. Same questions for 8A and 8B.

A6. They are not shown on the map. These are surpluses for future development.

Q7. Line # 8a - The GoCuid code refers to a rectangular module but the drawing refers only to curved modules. Please confirm the desired product and code. Also, please indicate the location of this modular on the plan.

A7. Replace GoGuide for # 6SMOCBXXLU37G19LNNN

They are not shown on the plan. These are surpluses for future development.

Q8. Line 8a (formerly 9): Description says top back, but the GoCUID is for no back. Please confirm.

A8. Replace the Go-Guid for # 6SMOCBXXLU37G19LNNN

- Q9. Line # 8b - The GoCuid code shown is the same as the one on line 8 but the description is different. Please specify.**
A9. There is no bar attached to the back of the backrest. And the backrest is very high
- Q10. Line # 10 - This Goguid code refers to a module with a low backrest while items 13A and 13B respectively refer to a module with a medium backrest. Please confirm the height of the backrest and change the GoCuid code to 6SBBINXXLUW1G19 if necessary.**
A10. # 10 and 13a-13b don't go together.
- Q11. Line # 13a - The description in the specifications is partial - please specify that it is indeed a curved bench and confirm the back height and its location on the plans.**
A11. Yes it is a curvilinear modular bench. Low back height. 13a and 13b must be able to make a module. Replace the Goguid for # 6SMOCBXXLU37G19LYNN. They go to premises 501-35 and 401-24
- Q12. Line # 13b - The description in the specifications is partial - please specify that it is indeed a rectangular bench and confirm the backrest height and its location on the plans.**
A12. Yes, it is a straight modular bench. Low back height. 13a and 13b must be able to make a module. They go to local 501-35 and 401-24
- Q13. Line # 13b (15 formerly) Description says seat and back will be different colors, but GOCUID is for a backless unit, please confirm.**
A13. Yes, it is a straight modular bench. Low back height.
- Q14. Line #13 a, b, c. can you add a picture of what you want or indicate on the map where these modules are.**
A14. They go to premises 501-35 and 401-24.
- Q15. Line # 13c -: the code specified indicates a width of > 18 ". Do you accept 18" in diameter?**
A15. Replace the Goguid for # 6SUOMSXXLUXXXXLNNN
-
- Q16. Row # 14 - #15 (# 18 formerly) Do you want a stool with sled base or 4 legs the excel code is for a sled base stool.**
A16. Sled base stool with footrest
- Q17. Line # 14 #15: Is the counter height (36 ") correct as specified in the GoCuid code or do you want a bar height (42")?**
A17. Counter height is good
- Q18. Line # 18: for this surface dimension, can we offer a square base rather than a round one?**
A18. No, the base must be as specified.

Open air of collaboration

- Q19. Lines 10, 9A and 9B constitute the desired modules to create the shape shown. Please confirm the height of the backrests indicated. Since the module dimensions differ from one manufacturer to another, do you accept that the overall area is slightly different from that shown on the plans?**
A19. Line 10 and 9a and b don't go together. But lines 9a, 9b and 9c form the desired modular bench. Backrest height: very high backrest. Dimensions may differ depending on the manufacturer.
- Q20. Line 10a, b, c, d. where they are located on the plans.**
A20. These are surpluses for the future

Q21. Line 11 a, b, c, d. Where they are on the plans.

A21. These are surpluses for the future

Q22. Line 12: The GoCuid code refers to a low back bench (between 16 and 20``H) without arms. Is this the desired product? The drawing does not match.

A22. The drawing and code are correct. In the description of the Goguid, it says private screen and privacy partition with low backrest. So you can add the screens or do it with the folder.

Q23. Line 13, 14, 15. Please specify that you want a low backrest and privacy panel as specified in the GoCuid code.

A23. You can interpret this # with a privacy panel or a very high backrest.

Q24. Line # 16. The dimension indicated in the estimate of 8 " seems to be wrong. Is it 18 "? Please confirm.

A24. Indeed it is a mistake we should have read 18 "

Q25. Line # 17 and # 18. The GoCuid code specifies a chair without casters. Please specify that casters are required.

A25. Yes casters are required

Q26. Line # 19: The panels shown cannot be fitted with casters, but they can be easily moved by users. Please specify if casters are required. Also please confirm that heights 51 " and / or 66 " are accepted.

A26. Cancel the casters. And add as dimensions: ± 48 in width x between 50 "to 66" in height.

Q27. Line # 22. Can you indicate the dimensions. It's not clear. And should the height be adjustable?

A27. Width between 12 "and 16", depth between 20 "and 24". The adjustable height should be between 21 to 29. The height adjustment system should be pneumatic integrated. Pedestal for the base.

Q28. Line # 23 (formerly 9) GOCUID by RFSA does not make requirements for casters or a flippable shelf. Please switch to Non-SA or use standard attributes. B) If moved to Non-SA please advise what does flip-up shelf mean?

A28. Move out of AMA. The drop-down shelf is a hinged shelf horizontally on top of the surface. The shelf can be folded down or placed horizontally and stay in place. Provide braquette which slides in the cabinet.



Q29. Line # 9c, The GOCuid code shown refers to a curved bench seat, but the drawing shows a straight module configuration. Is it the corner unit with 2 backrests? Please specify

A29. See answer at line #9c of table

Q30. Line # 20, (formally # 29), is this mean to be an L-shaped whiteboard configuration? Please confirm dimensions because if it's a single unit the proposed height is not part of the RFSA and should be non-SA.

A30. See answer at line #20 of table

Individual open area

Q31. Line # 5 The proposed code is for a bench and not a sofa - Please specify the dimensions and the location on the plan.

A31. Replace the Goguid for #6SSOTHXXLUW6XXXQNNY

Q32. Line # 6 The code is specified is to append to a counter height table (36 ") is that correct? Please specify

A32. Yes it is counter height

- Q33. Line #7. The GoCuid code is for a notebook with armrests. The description includes a stool. Clarify what you want please.**
A33. It is a chair
- Q34. Line #8, The GoCuid code specifies with electricity but the description does not specify it. Please please. Confirm if a module with outlets is required.**
A34. The electrical module is not required.
- Q35. Line #8, 6OPLWLFLXC3H46XYTA The GoCuid code specifies with "tablet and electrical module" (pouf not included in this AMA code) Please confirm.**
A35. The electrical module is not required. The pouf is an addition
- Q36. Line #8. What kind of pouf do you want?**
A36. The pouf model is at your discretion as long as it matches the chair
- Q37. Line #9, Please specify the height and number of electrical outlets and data.**
A37. Cancel electrical needs
- Q38. Line #10. Please specify the electrical and data requirements.**
A38. Cancel electrical needs. Add a footrest.
- Q39. Line #11. No dimensions in the estimate - Please specify the dimensions and type of the file.**
R39. Average height backrest between 16 and 20. Dimension: $\pm 78 \times 70$.
- Q40. Line #12. No dimensions in the estimate - Please specify the dimensions and type of the file.**
A40. Low height backrest. Privacy screen. Dimension $\pm 95 \times 36$.




ANNEX A.1
REQUIREMENT and BASIS OF PAYMENT





DELETE TABLE 1 – PRODUCT TABLE**INSERT AND REPLACE WITH THE FOLLOWING:**


Product Category: 6, Secondary collaborative zone

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Informatio n Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6MMTLGBTOW54192 W YNX	Power meeting table, boat-shaped with wood veneer, column legs / 192"W x 54"D x standard high	Phase 1 1 Phase 2 0 Phase 3 0	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
2	6CMUHAREDL48102 XY XX	Collaborative multimedia table, height adjustable, rectangular shape, single monitor mount, with power outlet / 102"x48"x adjustable high 2 TV 20lbs each and 47" (+40"x22")	Phase 1 1 Phase 2 0 Phase 3 0	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
3	6CMUSHTZRL42L78 WY XX	Collaborative multimedia table, trapeze-shaped, single monitor mount, with power outlet / 78"x42"x standard high	Phase 1 1 Phase 2 1 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
4	6CMUSHTZRL42L90 WY XX	Collaborative multimedia table, trapeze-shaped, single monitor mount, with power outlet / 90"x42"x standard high	Phase 1 1 Phase 2 1 Phase 3 0	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$

5	6CMUSHDSRL42L78W Y XX	Collaborative multimedia table, D-shaped, single monitor mount, with power outlet / 78"x42"x standard high	Phase 1 1 Phase 2 1 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
6	6CMUSHRERL42L78 WY XX	Collaborative multimedia table, rectangular shape, single monitor mount, with power outlet / 78"x42"x standard high	Phase 1 1 Phase 2 1 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
7a	6SBAINXXLUW1G19L M NN	Armless single curved corner seat. Half circle shape with inside curve/ With bars attached to the exterior backrest/ firm seat - seat and backrest are different colours Shelf is counter height 	Phase 1 4 Phase 2 4 Phase 3 4	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
7b	6SMOCBXXLU37G19L Y NN	Armless single curved corner seat. Half circle shape with inside curve/ With bars attached to the exterior backrest/ firm seat - seat and backrest are different colours Shelf is counter height 	Phase 1 8 Phase 2 8 Phase 3 8	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
8a	6SMORBXXLU25G19L N NN 6SMOCBXXLU37G19L NNN	Armless single curved corner seat. 3/4 circle shape with inside curve. High back rest / firm seat - seat and backrest are different colours 	Phase 1 2 Phase 2 1 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$

8b	6SMOCBXXLU37G19LY NN	<p>Armless single-curved corner seat, 3/4 circle shape with inside curve. High back rest. / firm seat - seat and backrest are different colours</p> <p>High backrest, firm seat, seat and backrest are different colours</p> 	<p>Phase 1 14</p> <p>Phase 2 7</p> <p>Phase 3 7</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
9	6SLCWAXXWUXXXXM XXX	<p>Lounge chair with arm rest</p> 	<p>Phase 1 4</p> <p>Phase 2 0</p> <p>Phase 3 0</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
10	6SBAINXXLUW1G19LL YN	<p>Individual / armless bench with legs, no backrest bolster, intimate board behind folder 24" - 31" x 19" x 16" - 20"</p> <p>Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length / firm seat - seat and backrest are different colour</p> 	<p>Phase 1 8</p> <p>Phase 2 22</p> <p>Phase 3 6</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
11	6SBATWXXLUW3G19LL YN	<p>Double armless bench with legs, no backrest bolster, intimate board behind folder 48" - 62" x 19" x 16" - 20"</p> <p>Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length / firm seat - seat and backrest are different colours</p> 	<p>Phase 1 4</p> <p>Phase 2 4</p> <p>Phase 3 2</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>

12	6SBATHXXLUW5G19LL YN	<p>Triple armless bench with legs, no backrest bolster, intimacy board behind folder / 63" - 75" x 19" x 16" - 20"</p> <p>Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length / firm seat - seat and backrest are different colours</p> 	<p>Phase 1 8</p> <p>Phase 2 4</p> <p>Phase 3 0</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
13a	6SMOCBXXLU37G19L NNN 6SMOCBXXLU37G19L YNN	<p>firm seat —seat and backrest are different colours</p> <p>Curvilinear bench</p>	<p>Phase 1 3</p> <p>Phase 2 3</p> <p>Phase 3 0</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
13b	6SMORBXXLU25G19L YNN	<p>firm seat —seat and backrest are different colours</p> <p>Rectilinear bench</p>	<p>Phase 1 5</p> <p>Phase 2 5</p> <p>Phase 3 0</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
13c	6SUCSQXXLUX8XXXLX XX 6SUOMSXXLUXXXXXL NNN	<p>firm seat —seat and backrest are different colours</p>	<p>Phase 1 3</p> <p>Phase 2 3</p> <p>Phase 3 0</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
14	6KBSCHxxSP15XXXPON X	<p>Plywood stool with no armrest, Counter height Seat 15"D x 24" - 27"H Shell / foot rest</p>	<p>Phase 1 20</p> <p>Phase 2 10</p> <p>Phase 3 20</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products (must not exceed 30% of the firm quantity by category)

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
15	Single laminate table with four painted metal prong base 24"-29" x 30" x 28" - 30" Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length/base cannot exceed table Base	Phase 1 8 Phase 2 23 Phase 3 6	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
16	Double laminate table with four rounded and painted metal prong base 48" - 52" x 30" x 28" - 30" Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length/base cannot exceed table Base	Phase 1 5 Phase 2 5 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
17	Triple laminate table with four rounded and painted metal prong base 63" - 70 x 30" x 28" - 30" Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length/base cannot exceed table Base	Phase 1 6 Phase 2 6 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
18	Laminate round Table - painted flat round base 60" diameter x standard high/ base cannot exceed table	Phase 1 2 Phase 2 0 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
				PHASE 1 Product Total	\$	\$
				PHASE 2 Product Total	\$	\$
				PHASE 3 Product Total	\$	\$





ANNEX A.2
 REQUIREMENT and BASIS OF PAYMENT







DELETE TABLE 1 – PRODUCT TABLE**INSERT AND REPLACE WITH THE FOLLOWING:**






Product Category: 6, Open collaborative area





Table 1 – Product Table



Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Informatio n Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6MMTSMROPL36XXXW NNX	Laminate round table / 36" in diameter standard height base cannot exceed table	Phase 1 1 Phase 2 1 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
2	6MMTSMROPL42XXXW NNX	Laminate round table / 42" in diameter standard height base cannot exceed table	Phase 1 1 Phase 2 2 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
3	6MMTSMROPL48XXXW NNX	Laminate round table / 48" in diameter standard height base cannot exceed table	Phase 1 3 Phase 2 4 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
4	6MMTSMSQLL42L42W NNX	Square table – 4 round legs 42"x42" x standard high	Phase 1 2 Phase 2 2 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
5	6MMTMDREOL48L96W YNX	Power rectangular table – square legs 48x96 (1220x2440)	Phase 1 4 Phase 2 4 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$

6	6MMTLGREOL48144W YNX	Power rectangular table— square legs 48x144(1220x3600) 	Phase 1 0 Phase 2 0 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
7	6CMUSHRERL48102W YXX	Collaborative multimedia table, rectangular shape, single monitor mount, with power outlet 102x48xstandard height	Phase 1 0 Phase 2 0 Phase 3 1	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
8	6CMUSHRERL42L84W YXX	Collaborative multimedia table, rectangular shape, single monitor mount, with power outlet 84x42xstandard height	Phase 1 2 Phase 2 2 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
9a	6SBAINXXLUW1G19LM NN	Armless single curved corner seat. Peculiar shape / firm seat - seat and backrest are different colours Rectilinear bench very high backrest 	Phase 1 2 Phase 2 0 Phase 3 0	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
9b	6SMOCBXXLU37G19L YNN	Armless single curved corner seat. Peculiar shape / firm seat - seat and backrest are different colours Curvilinear outside bench very high backrest 	Phase 1 2 Phase 2 0 Phase 3 0	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
9c	6SMOCBXXLU37G19L YNN	Armless single curved corner seat. Peculiar shape / firm seat - seat and backrest are different colours Curvilinear inside bench very high backrest 	Phase 1 8 Phase 2 0 Phase 3 0	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$


10a	6SMOCBXXLU37G19L YNN	<p>Bench no backrest bolster with legs / firm seat - seat and backrest are different colours Max 60"x118" (1500x3000)</p>  	<p>Phase 1 1</p> <p>Phase 2 1</p> <p>Phase 3 1</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
10b	6SBAINXXLUW1G19L MNY	<p>Bench no backrest bolster with legs / left armrest / firm seat - seat and backrest are different colours Max 60"x118" (1500x3000)</p>  	<p>Phase 1 1</p> <p>Phase 2 1</p> <p>Phase 3 1</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
10c	6SBAINXXLUW1G19L MNY	<p>Bench no backrest bolster with legs / right armrest / firm seat - seat and backrest are different colours Max 60"x118" (1500x3000)</p>  	<p>Phase 1 1</p> <p>Phase 2 1</p> <p>Phase 3 1</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>

10d	6SBAINXXLUW1G19LM NN	<p>Bench no backrest bolster with legs/ firm seat - seat and backrest are different colours Max 60"x118" (1500 x 3000)</p>  	<p>Phase 1 3</p> <p>Phase 2 3</p> <p>Phase 3 3</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
11a	6SMOCBXXLU37G19LYN N	<p>Bench no backrest bolster with legs/ firm seat - seat and backrest are different colours Max 60"x118" (1500 x 3000)</p> 	<p>Phase 1 1</p> <p>Phase 2 1</p> <p>Phase 3 1</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
11b	6SMPRBXXLU25G19LNN N	<p>Bench no backrest bolster with legs/ firm seat - seat and backrest are different colours Max 60"x118" (1500 x 3000)</p> 	<p>Phase 1 1</p> <p>Phase 2 1</p> <p>Phase 3 1</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
11c	6SBAINXXLUW1G19LMN Y	<p>Bench no backrest bolster with legs/ firm seat - seat and backrest are different colours Max 60"x118" (1500 x 3000)</p> 	<p>Phase 1 1</p> <p>Phase 2 1</p> <p>Phase 3 1</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>

11d	6SBAINXXLUW1G19LMN N	<p>Bench no backrest bolster with legs/ firm seat - seat and backrest are different colours Max 60"x118" (1500 x 3000)</p> 	<p>Phase 1 2</p> <p>Phase 2 2</p> <p>Phase 3 2</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
12	6SBAINXXLUW1G19LLYN	<p>Single armless bench with legs, no backrest bolster - Privacy Scree</p> 	<p>Phase 1 6</p> <p>Phase 2 10</p> <p>Phase 3 2</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
13	6SBAINXXLUW1G19LMN N	<p>Individual / Armless bench with legs, no backrest bolster 24" - 31" x 19" x 16" - 20"</p> <p>Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length / firm seat - seat and backrest are different colours/very high backrest</p> 	<p>Phase 1 8</p> <p>Phase 2 24</p> <p>Phase 3 6</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
14	6SBATWXXLUW3G19LM NN	<p>Double armless bench with legs, no backrest bolster, intimacy board behind folder 48" - 62" x 19" x 16" - 20"</p> <p>Needs to coordinate with the banquette height, with 8" - 10" clearance between bottom on surface and top of banquette, cannot exceed banquette long / firm seating - seat and backrest are different colours/ very high backrest</p> 	<p>Phase 1 6</p> <p>Phase 2 4</p> <p>Phase 3 4</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>

15	6SBATHXXLUW5G19LM NN	<p>Triple Banquette without backrest bolster, no armrest with legs, very high folder 63" x 75" x 19" x 16" - 20"</p> <p>Need to coordinate with the booth height, with 8" - 10" clearance, cannot exceed bench length / firm seat - seat and backrest are different colours/ very high backrest</p> 	<p>Phase 1 8</p> <p>Phase 2 6</p> <p>Phase 3 2</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
16	6SUCROXXLUX8XXXLXX X	<p>Soft Seating, upholstered round stool with casters 8" diam. X 16" - 19"</p> <p>the casters should not exceed the seat / 5 different color</p>	<p>Phase 1 90</p> <p>Phase 2 90</p> <p>Phase 3 45</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
17	6STCWRXXLUXXXXXXNN X	firm seat - seat and backrest are different colours - with 4 casters	<p>Phase 1 5</p> <p>Phase 2 5</p> <p>Phase 3 7</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
18	6STCWLXXLUXXXXXXNN X	firm seat - seat and backrest are different colours - with 4 casters	<p>Phase 1 5</p> <p>Phase 2 5</p> <p>Phase 3 7</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
19	6LFSUPXXXXW8XXXTXXX	<p>Removable acoustic panels 48x60</p> <p>with lockable casters</p>  <p>+ 48 wide x between 50" to 66" high</p>	<p>Phase 1 3</p> <p>Phase 2 3</p> <p>Phase 3 3</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>

V.C5 April 2020

20	6LWBFWWSXXXXXXXXX NN	Whiteboard on wheels 36x48	Phase 1 3 Phase 2 3 Phase 3 3	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$	
21	Square table with four rounded and painted metal prong base / base cannot exceed table 30"x30"x standard high	Phase 1 22 Phase 2 16 Phase 3 7	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$	
22	Rectangular Laptop table 11 – 15 " x 16 – 18" x adjustable high Width between 12" and 15", depth between 20" and 24". The adjustable height should be between 21" to 29". The height adjustment system should be pneumatically integrated. Plinth for the base.	Phase 1 20 Phase 2 20 Phase 3 6	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$	
23	Casters, flippable shelf and drawer 24"x48"x 34" in height The drop-down shelf is a hinged shelf horizontally on top of the surface. The shelf can be folded down or placed horizontally and stay in place. Provide braquette which slides in the cabinet. With casters 	Phase 1 8 Phase 2 8 Phase 3 4	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$	
				PHASE 1 Product Total	\$	\$	





		PHASE 2 Product Total	\$	\$
		PHASE 3 Product Total	\$	\$



ANNEX A.3
REQUIREMENT and BASIS OF PAYMENT




DELETE TABLE 1 – PRODUCT TABLE**INSERT AND REPLACE WITH THE FOLLOWING:**

Product Category: 6, Individual open areas

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6SLCWAXXWUXXXXXX	Lounge chair with arm rest Swivel 	Phase 1 10 Phase 2 10 Phase 3 5	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
2	6SBBINXXLUW1G19LMYN	Single booth , high-back & sides 	Phase 1 8 Phase 2 10 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
3	6SBBTWXXLUW3G19LMYN	Double booth , high-back & sides /side panels should allow the back to rest 	Phase 1 4 Phase 2 3 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
4	6SBBTHXXLUW5G19LMYN	Triple booth , high-back & sides / side panels should allow the back to rest 	Phase 1 4 Phase 2 7 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$

5	6SSOTHXXLUW6XXXQN NY SSOTHXXLUW6XXXQN NY	firm seat - seat and backrest are different colours 	Phase 1 2 Phase 2 2 Phase 3 2			\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
6	6KBSCHxxSY15XXXPINX	Stool with armrest and polymer seat - counter-height / Seat / 15"D x 24" - 27"H Shell / foot rest / back style straight	Phase 1 9 Phase 2 9 Phase 3 3	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
7	6KKCSAxxSY16XXXMINX	Stool with armrest and polymer seat - standard height / Seat / 15"D x 24" - 27"H Chair Shell / back style straight / foot rest	Phase 1 9 Phase 2 9 Phase 3 3	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
8	6OPLWLFLXC3H46XYTA	Lounge chair with armrests / Fauteuil d'aire de repos avec accoudoirs with assorted ottoman - firm seat - seat and backrest and backrest bolster are different colours The electrical module is not required. poof to match the chair	Phase 1 4 Phase 2 4 Phase 3 2	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$	
9	Narrow table with front and rear panels Power 96" wide x18" deep x standard high 	Phase 1 5 Phase 2 5 Phase 3 6	No		\$	PHASE 1 \$ PHASE 2 \$ PHASE 3 \$	

10	<p>Narrow table with front and rear panels</p> <p>Power</p> <p>96" wide x18" deep x 42" high</p> <p>Add footrest</p> 	<p>Phase 1 5</p> <p>Phase 2 5</p> <p>Phase 3 6</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
12	<p>N"L" shaped sofa</p> <p>firm seating/ seat and backrest are different colours</p> <p>Average height backrest between 16 and 20.</p> <p>Dimension \pm 78 x 70</p> 	<p>Phase 1 2</p> <p>Phase 2 1</p> <p>Phase 3 1</p>	No		\$	<p>PHASE 1 \$</p> <p>PHASE 2 \$</p> <p>PHASE 3 \$</p>
12	<p>Long sofa with backrest add-on and privacy screen -</p> <p>firm seating/ seat and backrest are different colours -</p> <p>Side panels should allow the back to rest</p> <p>Low height backrest. Privacy screen. Dimension \pm95x36</p> 	<p>Phase 1 3</p> <p>Phase 2 2</p> <p>Phase 3 0</p>	No		\$	<p>PHASE 1 1 \$</p> <p>PHASE 2 2 \$</p> <p>PHASE 3 3 \$</p>
				PHASE 1 Product Total	\$	\$
				PHASE 2 Product Total	\$	\$
				PHASE 3 Product Total	\$	\$

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.