

GENERAL NOTES

- DO NOT SCALE THESE DRAWINGS.
- ALL WORK AND MATERIALS TO CONFIRM TO THE REQUIREMENTS OF THE NATIONAL BUILDING CODE, LATEST EDITION, SPECIFICATIONS AND ALL AUTHORITIES HAVING JURISDICTION.
- CONTRACTOR TO SITE VERIFY EXISTING CONDITIONS, REPORT ANY DISCREPANCIES WITH CONSULTANTS AND DCC REPRESENTATIVE.
- COORDINATE WITH MECHANICAL AND ELECTRICAL DRAWINGS
- DO WORK IN ACCORDANCE WITH RECOMMENDATIONS AND GUIDELINES OF THE CANADIAN STANDARDS ASSOCIATION INFECTION CONTROL DURING CONSTRUCTION OR RENOVATIONS OF HEALTH CARE FACILITIES CSA 2317.13-07 IN STRICT COMPLIANCE. REFER TO SPECIFICATIONS
- COORDINATE DEMOLITION SCHEDULE WITH DCC REPRESENTATIVE TO MINIMIZE DISRUPTIONS AND INTERRUPTIONS TO OCCUPANTS.
- GENERAL CONTRACTOR IS TO SAFEGUARD ALL BUILDING COMPONENTS AGAINST DAMAGE DURING DEMOLITION AND CONSTRUCTION.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR ALL DAMAGES INCUR DURING CONSTRUCTION AND IS RESPONSIBLE TO REINSTATE/REPLACE ALL AFFECTED AREAS/ITEMS AT NO ADDITIONAL COST TO THE OWNER.
- EXISTING FLOOR CONSTRUCTION IS SLAB ON GRADE OR CAST-IN-PLACE CONCRETE FLOOR SLABS. EXISTING U/S OF DECK IS APPROX. 3770 A.F.F.

- (A) ALIGN NEW PARTITION WITH FACE OF EXISTING GYPSUM BOARD
- (B) PATCH AND REPAIR EXISTING GYPSUM BOARD WHERE EXISTING EPOXY BASE HAS BEEN REMOVED

INTERIOR PARTITION NOTES

- ALL PARTITIONS TO EXTEND TO UNDERSIDE OF DECK ABOVE, UNLESS NOTED OTHERWISE.
- ALL DIMENSIONS ARE FROM THE FACE OF EXISTING WALLS / CENTER LINE OF COLUMNS TO THE FACE OF NEW INTERIOR STEEL STUD FRAMING, UNLESS OTHERWISE NOTED.
- ALL PARTITIONS TO WET AREAS (SHOWER ROOMS/ WASHROOMS/ TREATMENT ROOM & BRACING ROOM) PROVIDE MOULD /MOISTER RESISTANT GYPSUM BOARD.
- FOR WALL MOUNTED COMMUNICATION AND ELECTRICAL EQUIPMENT, PROVIDE 19MM PLYWOOD BACKBOARD TO 2438MM ABOVE FINISHED FLOOR. PAINT THE EXPOSED PLYWOOD SURFACE WITH NON-CONDUCTIVE, FIRE RETARDANT PAINT TO MATCH ADJACENT PARTITIONS OR FIRE RESISTANT PLYWOOD.
- ALL EXISTING PARTITIONS TO REMAIN PATCH AND REPAIR WALL SUBSTRATE AS REQUIRED TO ACCEPT NEW PAINT AND FLOOR BASE

INTERIOR PARTITION LEGEND

- P1 16mm GYPSUM BOARD TO U/S OF DECK  
92mm STEEL STUDS @ 405mm O.C. TO U/S OF DECK  
EXISTING WALL CONSTRUCTION
- P2 16mm GYPSUM BOARD TO U/S OF DECK  
92mm STEEL STUDS @ 405mm O.C. TO U/S OF DECK
- P3 STC RATED  
16mm GYPSUM BOARD TO U/S OF DECK  
92mm STEEL STUDS @ 405mm O.C. TO U/S OF DECK  
SOUND ATTENUATION BLANKET TO U/S OF DECK  
16mm GYPSUM BOARD TO U/S OF DECK
- P3R1 1 HOUR FIRE RESISTANCE RATING (SIM. TO P3)
- P4 16mm GYPSUM BOARD TO 150mm ABOVE CEILING  
92mm STEEL STUDS @ 405mm O.C.  
16mm GYPSUM BOARD TO 150mm ABOVE CEILING
- P5 TYPICAL UNLESS NOTED OTHERWISE  
16mm GYPSUM BOARD TO U/S DECK  
92mm METAL STUDS @ 405mm O.C.  
16mm GYPSUM BOARD TO U/S DECK
- P6 DEMOUNTABLE PARTITION


LEVEL OF SECURITY | NIVEAU DE SÉCURITÉ  
TO BE REVIEWED | À ÊTRE RÉVISÉ

This design is an instrument of service and is protected by copyright, copyright for the consultant's instrument of service belongs to the consultant. Copies including electronic copies, may only be used for the purpose intended and for a one-time use, on the same site, and for the same project and may not be offered for sale or transfer without the express written consent of the consultant.



Cette conception est un instrument de service protégé par le droit d'auteur. Le droit d'auteur sur l'instrument de service appartient à la consultante. Les exemplaires de ce dessin, y compris les exemplaires électroniques, ne peuvent servir qu'à une seule fois, sur le même chantier et pour le même projet. Ils ne peuvent être offerts en vente ni transférés sans le consentement écrit expresse de la consultante.

ARCHITECTURE | 49

1640 Market Street, Halifax, Nova Scotia, Canada B3J 2C8  
T: 902-429-5490 F: 902-429-2632 www.architecture49.com



KEY PLAN



3	2018/10/31	ISSUED FOR TENDER	MM
2	2018/07/19	ISSUE FOR 95% REVIEW	MM
1	2018/05/18	ISSUE FOR 50% REVIEW	MM
NO.	DATE	REVISION	APPR.

SCALE | ÉCHELLE  
AS NOTED

LOCATION | EMPLACEMENT  
**STADACONA  
CFB HALIFAX  
NOVA SCOTIA**

PROJECT | PROJET  
**RENOVATE PHYSIOTHERAPY CLINIC  
S80**

TRADE | MÉTIER  
**ARCHITECTURAL**

DATE  
2017/12/13

SUBJECT | SUJET  
**FLOOR PLAN  
LEVEL 3**

PRODUCTION	DESIGNED   ÉTUDIÉ C. Mosher	REVIEWED   REVU XX   XX X.X.	DES O   AGENT CONC M. Wilson
DRAWN   DESSINÉ K. Coffin	CHECKED   VÉRIFIÉ M. McAlea	COORDINATION L. Phelan	PROJ MGR   GEST PROJ M. Wilson DES MGR   GEST CONC D. Crowe

WBS NO. | NO. OTP  
**N.200100.18.11**

PF NO. | NO. DP  
**HX200911**

DWG. NO. | NO. DESSIN  
**L-H16-3200/64-304**

Canada

