

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:

**Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada**

Cabot Place, Phase II, 2nd Floor

Box 4600

St. John's, NF

A1C 5T2

Bid Fax: (709) 772-4603

Request For a Standing Offer Demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

Canada, as represented by the Minister of Public Works and Government Services Canada, hereby requests a Standing Offer on behalf of the Identified Users herein.

Le Canada, représenté par le ministre des Travaux Publics et Services Gouvernementaux Canada, autorise par la présente, une offre à commandes au nom des utilisateurs identifiés énumérés ci-après.

Comments - Commentaires

Vendor/Firm Name and Address**Raison sociale et adresse du fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

PWGSC / TPSGC - Nfld. Region

Cabot Place, Phase II, 2nd Floor

Box 4600

St. John's, NF

A1C 5T2

Title - Sujet RISO-Campelen 1800 Survey Trawl DFO	
Solicitation No. - N° de l'invitation F6070-200013/A	Date 2020-11-20
Client Reference No. - N° de référence du client F6070-200013	GETS Ref. No. - N° de réf. de SEAG PW-\$OLZ-001-7517
File No. - N° de dossier OLZ-0-43089 (001)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Newfoundland Standard Time NST on - le 2020-12-17 Heure Normale de Terre-Neuve HNT	
Delivery Required - Livraison exigée See Herein – Voir ci-inclus	
Address Enquiries to: - Adresser toutes questions à: Walsh, Heather	Buyer Id - Id de l'acheteur olz001
Telephone No. - N° de téléphone (709)631-1853 ()	FAX No. - N° de FAX (709)772-4603
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF FISHERIES AND OCEANS REGL DIR SCIENCE NAFC BLDG WHITE HILLS P.O.BOX 5667 ST JOHNS Newfoundland and Labrador A1C5X1 Canada	
Security - Sécurité This request for a Standing Offer does not include provisions for security. Cette Demande d'offre à commandes ne comprend pas des dispositions en matière de sécurité.	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address	
Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone	
Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)	
Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	3
1.1 INTRODUCTION	3
1.2 SUMMARY	3
1.3 SECURITY REQUIREMENTS	4
1.4 DEBRIEFINGS	4
1.5 ANTICIPATED MIGRATION TO AN E-PROCUREMENT SOLUTION (EPS).....	4
PART 2 - OFFEROR INSTRUCTIONS	4
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS.....	4
2.2 SUBMISSION OF OFFERS	4
2.3 FORMER PUBLIC SERVANT	5
2.4 ENQUIRIES - REQUEST FOR STANDING OFFERS.....	6
2.5 APPLICABLE LAWS	6
2.6 BID CHALLENGE AND RECOURSE MECHANISMS	6
PART 3 - OFFER PREPARATION INSTRUCTIONS.....	7
3.1 OFFER PREPARATION INSTRUCTIONS.....	7
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	8
4.1 EVALUATION PROCEDURES	8
4.2 BASIS OF SELECTION.....	9
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	9
5.1 CERTIFICATIONS REQUIRED WITH THE OFFER.....	9
5.2 CERTIFICATIONS PRECEDENT TO THE ISSUANCE OF A STANDING OFFER AND ADDITIONAL INFORMATION.....	9
PART 6 - SECURITY, FINANCIAL AND INSURANCE REQUIREMENTS	10
6.1 SECURITY REQUIREMENTS	10
PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES	10
A. STANDING OFFER	10
7.1 OFFER	10
7.2 SECURITY REQUIREMENTS	10
7.3 STANDARD CLAUSES AND CONDITIONS.....	10
7.4 TERM OF STANDING OFFER.....	11
7.5 AUTHORITIES	11
7.6 PROACTIVE DISCLOSURE OF CONTRACTS WITH FORMER PUBLIC SERVANTS.....	12
7.7 IDENTIFIED USERS	13
7.8 CALL-UP PROCEDURES	13
7.9 CALL-UP INSTRUMENT	13
7.10 LIMITATION OF CALL-UPS.....	13
7.11 FINANCIAL LIMITATION (TO BE COMPLETED UPON AWARD)	13
7.12 PRIORITY OF DOCUMENTS.....	14
7.13 CERTIFICATIONS AND ADDITIONAL INFORMATION	14
7.14 APPLICABLE LAWS	14
7.15 TRANSITION TO AN E-PROCUREMENT SOLUTION (EPS).....	14
B. RESULTING CONTRACT CLAUSES	15
7.1 STATEMENT OF REQUIREMENT	15
7.2 STANDARD CLAUSES AND CONDITIONS.....	15
7.3 TERM OF CONTRACT	15

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

7.4	PROACTIVE DISCLOSURE OF CONTRACTS WITH FORMER PUBLIC SERVANTS	15
7.5	PAYMENT	15
7.6	INVOICING INSTRUCTIONS	16
7.7	INSURANCE	16
7.8	SACC MANUAL CLAUSES	16
7.9	DISPUTE RESOLUTION	16
ANNEX "A"		17
	STATEMENT OF REQUIREMENT	17
ANNEX "B"		18
	BASIS OF PAYMENT	18
ANNEX "C" TO PART 3 OF THE REQUEST FOR STANDING OFFERS		30
	ELECTRONIC PAYMENT INSTRUMENTS	30
ANNEX "D"		31
	REGIONAL INDIVIDUAL STANDING OFFER BUSINESS VOLUME REPORT	31

PART 1 - GENERAL INFORMATION

1.1 Introduction

The Request for Standing Offers (RFSO) is divided into seven parts plus attachments and annexes, as follows:

- | | |
|--------|---|
| Part 1 | General Information: provides a general description of the requirement; |
| Part 2 | Offeror Instructions: provides the instructions applicable to the clauses and conditions of the RFSO; |
| Part 3 | Offer Preparation Instructions: provides offerors with instructions on how to prepare their offer to address the evaluation criteria specified; |
| Part 4 | Evaluation Procedures and Basis of Selection: indicates how the evaluation will be conducted, the evaluation criteria which must be addressed in the offer, and the basis of selection; |
| Part 5 | Certifications and Additional Information: includes the certifications and additional information to be provided; |
| Part 6 | Security, Financial and Insurance Requirements: includes specific requirements that must be addressed by offerors; and |
| Part 7 | 7A, Standing Offer, and 7B, Resulting Contract Clauses:

7A, includes the Standing Offer containing the offer from the Offeror and the applicable clauses and conditions;

7B, includes the clauses and conditions which will apply to any contract resulting from a call-up made pursuant to the Standing Offer. |

The Annexes include the Statement of Requirement, the Basis of Payment, the Electronic Payment Instruments, and any other annexes

1.2 Summary

Public Works and Government Services Canada (PWGSC) on behalf of the Department of Fisheries and Oceans located in St. John's, NL will establish a Regional Individual Standing Offer (RISO) for the repair/construction, on an hourly basis, and the supply of netting, rope, and wire components for the Campelen 1800 Survey Trawl on an as is and when requested basis.

The overall period of the Standing Offer will be for one year with the option to extend the standing offer for an additional one-year period.

The requirement is subject to the provisions of the Canada Free Trade Agreement (CFTA).

This RFSO allows offerors to use the epost Connect service provided by Canada Post Corporation to transmit their offers electronically. Offerors must refer to Part 2 of the RFSO entitled Offeror Instructions and Part 3 of the RFSO entitled Offer Preparation Instructions, for further information on using this method.

1.3 Security Requirements

There are no security requirements associated with the requirement of the Standing Offer.

1.4 Debriefings

Offerors may request a debriefing on the results of the request for standing offers process. Offerors should make the request to the Standing Offer Authority within 15 working days of receipt of the results of the request for standing offers process. The debriefing may be in writing, by telephone or in person.

1.5 Anticipated migration to an e-Procurement Solution (EPS)

Canada is currently developing an online EPS for faster and more convenient ordering of goods and services. In support of the anticipated transition to this system and how it may impact any resulting Standing Offer that is issued under this solicitation, refer to 7.15 Transition to an e-Procurement Solution (EPS).

The Government of Canada's [press release](#) provides additional information.

PART 2 - OFFEROR INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the Request for Standing Offers (RFSO) by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Offerors who submit an offer agree to be bound by the instructions, clauses and conditions of the RFSO and accept the clauses and conditions of the Standing Offer and resulting contract(s).

The [2006 \(2020-05-28\)](#) Standard Instructions - Request for Standing Offers - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the RFSO.

2.2 Submission of Offers

Offers must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated below:

Bid Receiving Unit
Public Services and Procurement Canada
2nd Floor, John Cabot Building
10 Barter's Hill
St. John's, NL A1C 5T2

or

Electronic submissions may be sent to: PWGSC Bid Receiving Unit in Newfoundland and Labrador:

TPSGC.RARceptionSoumissionsTNL-ARBidReceivingNL.PWGSC@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

or

Facsimile number: (709) 772-4603

2.3 Former Public Servant

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts awarded to FPS, offerors must provide the information required below before the issuance of a standing offer. If the answer to the questions and, as applicable the information required have not been received by the time the evaluation of offers is completed, Canada will inform the Offeror of a time frame within which to provide the information. Failure to comply with Canada's request and meet the requirement within the prescribed time frame will render the offer non-responsive.

Definitions

For the purposes of this clause,

"former public servant" is any former member of a department as defined in the [Financial Administration Act](#) R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the [Public Service Superannuation Act](#) (PSSA), R.S., 1985, c. P-36, and any increases paid pursuant to the [Supplementary Retirement Benefits Act](#), R.S., 1985, c. S-24 as it affects the PSSA. It does not include pensions payable pursuant to the [Canadian Forces Superannuation Act](#), R.S., 1985, c. C-17, the [Defence Services Pension Continuation Act](#), 1970, c. D-3, the [Royal Canadian Mounted Police Pension Continuation Act](#), 1970, c. R-10, and the [Royal Canadian Mounted Police Superannuation Act](#), R.S., 1985, c. R-11, the [Members of Parliament Retiring Allowances Act](#), R.S., 1985, c. M-5, and that portion of pension payable to the [Canada Pension Plan Act](#), R.S., 1985, c. C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Offeror a FPS in receipt of a pension? **YES** () **NO** ()

If so, the Offeror must provide the following information, for all FPS in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Offerors agree that the successful Offeror's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with [Contracting Policy Notice: 2019-01](#) and the [Guidelines on the Proactive Disclosure of Contracts](#).

Work Force Adjustment Directive

Is the Offeror a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive? **YES () NO ()**

If so, the Offeror must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;
- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force adjustment program.

2.4 Enquiries - Request for Standing Offers

All enquiries must be submitted in writing to the Standing Offer Authority no later than 5 calendar days before the Request for Standing Offers (RFSO) closing date. Enquiries received after that time may not be answered.

Offerors should reference as accurately as possible the numbered item of the RFSO to which the enquiry relates. Care should be taken by offerors to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that offerors do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all offerors. Enquiries not submitted in a form that can be distributed to all offerors may not be answered by Canada.

2.5 Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Newfoundland and Labrador.

Offerors may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their offer, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the offerors.

2.6 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential offerors to challenge aspects of the procurement process up to and including contract award.

(b) Canada encourages offerors to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:

- Office of the Procurement Ombudsman (OPO)
- Canadian International Trade Tribunal (CITT)

(c) Offerors should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Offerors should therefore act quickly when they want to challenge any aspect of the procurement process.

PART 3 - OFFER PREPARATION INSTRUCTIONS

3.1 Offer Preparation Instructions

If the Offeror chooses to submit its offer electronically, Canada requests that the Offeror submits its offer in accordance with section 08 of the 2006 standard instructions. The epost Connect system has a limit of 1GB per single message posted and a limit of 20GB per conversation. The offer must be gathered per section and separated as follows:

Section I: Technical Offer
Section II: Financial Offer
Section III: Certifications

If the Offeror chooses to submit its offer in hard copies, Canada requests that the Offeror provides its offer in separately bound sections as follows:

Section I: Technical Offer (one hard copy)

Section II: Financial Offer (one hard copy)

Section III: Certifications (one hard copy)

If the Offeror is simultaneously providing copies of its offer using multiple acceptable delivery methods, and if there is a discrepancy between the wording of any of these copies and the electronic copy provided through epost Connect service, the wording of the electronic copy provided through epost Connect service will have priority over the wording of the other copies.

Prices must appear in the financial offer only. No prices must be indicated in any other section of the offer.

Canada requests that offerors follow the format instructions described below in the preparation of hard copy of their offer:

- use 8.5 x 11 inch (216 mm x 279 mm) paper;
- use a numbering system that corresponds to the RFSO.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](#) (<https://www.tbs-sct.gc.ca/pol/doc-eng.aspx?id=32573>). To assist Canada in reaching its objectives, Offerors should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Offer

In their technical offer, offerors should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Offer

Offerors must submit their financial offer in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices - Offer

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex B Electronic Payment Instruments, to identify which ones are accepted.

If Annex B Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Offerors must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Offers will be assessed in accordance with the entire requirement of the Request for Standing Offers including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the offers.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

To be deemed responsive, offerors **must** meet the following:

- **Please check (✓) accordingly:**

Meets **all** specifications and conditions stated in Annex A.

_____ Met

_____ Not Met

4.1.2 Financial Evaluation

4.1.2.1 Evaluation of Price - Offer

SACC Manual Clause [M0220T](#) (2016-01-28), Evaluation of Price-Offer

4.2 Basis of Selection

4.2.1 Basis of Selection – Mandatory Technical Criteria Only

SACC Manual Clause [M0031T](#) (2007-05-25), Basis of Selection – Mandatory Technical Criteria Only

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Offerors must provide the required certifications and additional information to be issued a standing offer.

The certifications provided by offerors to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare an offer non-responsive, will have the right to set-aside a standing offer, or will declare a contractor in default if any certification made by the Offeror is found to be untrue whether made knowingly or unknowingly during the offer evaluation period, during the Standing Offer period, or during the contract period.

The Standing Offer Authority will have the right to ask for additional information to verify the Offeror's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Standing Offer Authority will render the offer non-responsive, result in the setting aside of the Standing Offer or constitute a default under the Contract.

5.1 Certifications Required with the Offer

Offerors must submit the following duly completed certifications as part of their offer.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all offerors must provide with their offer, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to the Issuance of a Standing Offer and Additional Information

The certifications and additional information listed below should be submitted with the offer, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Standing Offer Authority will inform the Offeror of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the offer non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real property agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Offeror must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Standing Offer Certification

By submitting an offer, the Offeror certifies that the Offeror, and any of the Offeror's members if the Offeror is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list) available at the bottom of the page of the [Employment and Social Development Canada-Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#s4) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#s4>).

Canada will have the right to declare an offer non-responsive, or to set-aside a Standing Offer, if the Offeror, or any member of the Offeror if the Offeror is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list

Contractors Program for Employment Equity - Certification, for each member of the Joint Venture.

PART 6 - SECURITY, FINANCIAL AND INSURANCE REQUIREMENTS

6.1 Security Requirements

There is no security requirement applicable to the contract.

PART 7 - STANDING OFFER AND RESULTING CONTRACT CLAUSES

A. STANDING OFFER

7.1 Offer

7.1.1 The Offeror offers to fulfill the requirement in accordance with the Requirement at Annex "A".

7.2 Security Requirements

7.2.1 There is no security requirement applicable to the Standing Offer.

7.3 Standard Clauses and Conditions

All clauses and conditions identified in the Standing Offer and resulting contract(s) by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

7.3.1 General Conditions

2005 (2017-06-21) General Conditions - Standing Offers - Goods or Services, apply to and form part of the Standing Offer.

7.3.2 Standing Offers Reporting

The Offeror must compile and maintain records on its provision of goods and services to Canada under contracts resulting from the Standing Offer. This data must include all purchases done by Canada, including those acquired and paid for by Canada acquisition cards.

The Offeror must provide this data in accordance with the reporting requirements detailed in Annex "D". If some data is not available, the reason must be indicated in the report. If no goods or services is provided during a given period, the Offeror must provide a "nil" report.

The data must be submitted on a quarterly basis to the Standing Offer Authority.

The quarterly reporting periods are defined as follows:

- first quarter: April 1 to June 30
- second quarter: July 1 to September 30
- third quarter: October 1 to December 31
- fourth quarter: January 1 to March 31

The data must be submitted to the Standing Offer Authority no later than 15 (fifteen) calendar days after the end of the reporting period.

7.4 Term of Standing Offer

7.4.1 Period of the Standing Offer

The period for making call-ups against the Standing Offer is for one year from award with an additional option year.

7.4.2 Extension of Standing Offer

If the Standing Offer is authorized for use beyond the initial period, the Offeror offers to extend its offer for an additional period, under the same conditions and at the rates or prices specified in the Standing Offer, or at the rates or prices calculated in accordance with the formula specified in the Standing Offer.

The Offeror will be advised of the decision to authorize the use of the Standing Offer for an extended period by the Standing Offer Authority before the expiry date of the Standing Offer. A revision to the Standing Offer will be issued by the Standing Offer Authority.

7.4.3 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at Annex "A" of the Standing Offer.

7.5 Authorities

7.5.1 Standing Offer Authority

The Standing Offer Authority is:

Heather Walsh

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

Supply Officer
Public Works and Government Services Canada
Acquisitions Branch
Atlantic Region

6th Floor, John Cabot Building
10 Barter's Hill
St. John's, NL A1C 5T2

Telephone: (709) 631-1853
Facsimile: (709) 772-4603
E-mail address: Heather.Walsh@pwgsc-tpsgc.gc.ca

The Standing Offer Authority is responsible for the establishment of the Standing Offer, its administration and its revision, if applicable. Upon the making of a call-up, as Contracting Authority, he is responsible for any contractual issues relating to individual call-ups made against the Standing Offer by any Identified User.

7.5.2 Project Authority

The Project Authority for the Standing Offer is: **(to be completed upon award)**

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: ____ - ____ - ____
Facsimile: ____ - ____ - ____
E-mail address: _____

The Project Authority is the representative of the department or agency for whom the Work will be carried out pursuant to a call-up under the Standing Offer and is responsible for all the technical content of the Work under the resulting Contract.

7.5.3 Offeror's Representative

Name: _____
Title: _____
Organization: _____
Address: _____

Telephone: ____ - ____ - ____
Facsimile: ____ - ____ - ____
E-mail address: _____

7.6 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2019-01 of the Treasury Board Secretariat of Canada

7.7 Identified Users

The Identified Users authorized to make call-ups against the Standing Offer include any government department, agency or Crown corporation listed in Schedules I, I.1, II, III, of the [Financial Administration Act](#), R.S.C., 1985, c. F-11.

7.8 Call-up Procedures

The Call-up Authority for the Department will issue the Call-up to the firm holding the Standing Offer for the noted goods and services.

7.9 Call-up Instrument

The Work will be authorized or confirmed by the Identified User(s) using the duly completed forms or their equivalents as identified in paragraphs 2 and 3 below, or by using Canada acquisition cards (Visa or MasterCard) for low dollar value requirements.

1. Call-ups must be made by Identified Users' authorized representatives under the Standing Offer and must be for goods or services or combination of goods and services included in the Standing Offer at the prices and in accordance with the terms and conditions specified in the Standing Offer.
2. Any of the following forms could be used which are available through [PWGSC Forms Catalogue](#) website:
 - PWGSC-TPSGC 942 Call-up Against a Standing Offer
 - PWGSC-TPGSC 942-2 Call-up Against a Standing Offer - Multiple Delivery
 - PWGSC-TPSGC 944 Call-up Against Multiple Standing Offers (English version)
 - PWGSC-TPSGC 945 Commande subséquente à plusieurs offres à commandes (French version)

or

3. An equivalent form or electronic call-up document which contains at a minimum the following information:
 - standing offer number;
 - statement that incorporates the terms and conditions of the Standing Offer;
 - description and unit price for each line item;
 - total value of the call-up;
 - point of delivery;
 - confirmation that funds are available under section 32 of the Financial Administration Act;
 - confirmation that the user is an Identified User under the Standing Offer with authority to enter into a contract.

7.10 Limitation of Call-ups

Individual call-ups against the Standing Offer must not exceed \$40,000 (Applicable Taxes included).

7.11 Financial Limitation (to be completed upon award)

The total cost to Canada resulting from call ups against the Standing Offer must not exceed the sum of \$ _____ (*Applicable Taxes excluded*) unless otherwise authorized in writing by the Standing Offer Authority. The Offeror must not perform any work or services or supply any articles in response to call ups which would cause the total cost to Canada to exceed the said sum, unless an increase is so authorized.

The Offeror must notify the Standing Offer Authority as to the adequacy of this sum when 75 percent of this amount has been committed, or three months before the expiry date of the Standing Offer, whichever comes first. However, if at any time, the Offeror considers that the said sum may be exceeded, the Offeror must promptly notify the Standing Offer Authority.

7.12 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- a) the call up against the Standing Offer, including any annexes;
- b) the articles of the Standing Offer;
- c) the general conditions 2005 (2017-06-21), General Conditions - Standing Offers - Goods or Services
- d) the general conditions 2010A (2020-05-28), General Conditions – Goods (medium complexity)
- e) the general conditions 2010C (2020-05-28) General Conditions – Services (medium complexity)
- f) Annex A, Statement of Requirement;
- g) Annex B, Basis of Payment;
- h) the Offeror's offer dated _____ (insert date of offer), (if the offer was clarified or amended, insert at the time of issuance of the offer: "as clarified on _____" **or** "as amended on _____" and insert date(s) of clarification(s) or amendment(s) if applicable).

7.13 Certifications and Additional Information

7.13.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Offeror with its offer or precedent to issuance of the Standing Offer (SO), and the ongoing cooperation in providing additional information are conditions of issuance of the SO and failure to comply will constitute the Offeror in default. Certifications are subject to verification by Canada during the entire period of the SO and of any resulting contract that would continue beyond the period of the SO.

7.14 Applicable Laws

The Standing Offer and any contract resulting from the Standing Offer must be interpreted and governed, and the relations between the parties determined, by the laws in force in Newfoundland and Labrador.

7.15 Transition to an e-Procurement Solution (EPS)

During the period of the Standing Offer, Canada may transition to an EPS for more efficient processing and management of individual call-ups for any or all of the SO's applicable goods and services. Canada reserves the right, at its sole discretion, to make the use of the new e-procurement solution mandatory.

Canada agrees to provide the Offeror with at least a three-month notice to allow for any measures necessary for the integration of the Offer into the EPS. The notice will include a detailed information package indicating the requirements, as well as any applicable guidance and support.

If the Offeror chooses not to offer their goods or services through the e-procurement solution, the Standing Offer may be set aside by Canada.

B. RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from a call-up against the Standing Offer.

7.1 Statement of Requirement

The Contractor must provide the items detailed in the call-up against the Standing Offer.

7.2 Standard Clauses and Conditions

7.2.1 General Conditions

2010A (2020-05-28), General Conditions - Goods (Medium Complexity) apply to and form part of the Contract.

2010C (2020-05-28), General Conditions - Services (Medium Complexity) apply to and form part of the Contract.

Section 16 Interest on Overdue Accounts, of 2010A **(2020-05-28)** General Conditions – Goods (Medium Complexity) and Section 13 Interest on Overdue Accounts of 2010C **(2020-05-28)** General Conditions – Services (Medium Complexity) will not apply to payments made by credit cards.

7.3 Term of Contract

7.3.1 Period of the Contract

The period of the contract will be in accordance with the call-up against the Standing Offer.

7.3.2 Delivery Date

Delivery must be completed in accordance with the call-up against the Standing Offer.

7.4 Proactive Disclosure of Contracts with Former Public Servants

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2019-01 of the Treasury Board Secretariat of Canada.

7.5 Payment

7.5.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid firm unit prices, as specified in Annex B for a cost of \$ _____ (insert the amount at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

7.5.2 Electronic Payment of Invoices – Call-up

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);
- f. Large Value Transfer System (LVTS) (Over \$25M)

7.6 Invoicing Instructions.

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Invoices must be distributed as follows:

- The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
- One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

7.7 Insurance

SACC Manual clause [G1005C \(2016-01-28\)](#) Insurance – No Specific Requirement

7.8 SACC Manual Clauses

SACC Manual clause [B7500C \(2006-06-16\)](#), Excess Goods.

7.9 Dispute Resolution

- (a) The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.
- (b) The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.
- (c) If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.
- (d) Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading "[Dispute Resolution](#)".

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

ANNEX "A"

STATEMENT OF REQUIREMENT

Public Works and Government Services Canada on behalf of the Department of Fisheries and Oceans located in St. John's, NL will establish a Regional Individual Standing Offer (RISO) for the supply and repair of netting, rope and wire components for the Campelen 1800 Survey Trawl on an "as and when" requested basis as outlined in **Annex B – Basis of Payment**.

Period of the Standing Offer

The overall period of the Standing Offer will be for one year with the option to extend the standing offer for an additional one-year period.

Overall Estimated Value

\$600,000 including applicable taxes

Delivery (FOB Destination):

Department of Fisheries and Oceans Canada
Science Branch
80 East White Hills Road
P.O. Box 5667
St. John's, NL
A1C 5X1

ANNEX "B"

BASIS OF PAYMENT

The Offeror must provide firm unit prices during the entire period of the standing offer (offer, and option year) in Canadian dollars, applicable taxes extra excluded, FOB Destination, Canadian customs duties and excise taxes included.

Failure to provide pricing for all items will deem your bid non-responsive.

The responsive bid with the lowest evaluated price will be recommended for award of contract.

Bidders must use the attached form to enter applicable pricing.

Quantities stated herein are estimated for evaluation purposes only. Quantities listed are estimates only and in no way reflect actual quantities.

NOTES TO CAMPELEN 1800 PARTS LIST

- All mesh sizes are to be taken as knot centre stretched mesh.
- All wire and rope weights are specified as in air.
- All footrope components are specified as in seawater.
- MBS = Minimum breaking strength.
- S.W.L = Minimum safe working load (factor of safety 1:5)
- Wire, chain and rope lengths do not include hammerlocks and their lengths have been adjusted downward.
- W.L. = Working load limit (factor of safety either 4:1, 5:1, 6:1)

Total Estimated Price – Year One \$_____ (applicable taxes excluded)

Total Estimated Price – Option Year \$_____ (applicable taxes excluded)

Total Overall Price (Year One + Option Year) \$_____ (applicable taxes excluded)

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

	PART	DESCRIPTION	TOLERANCE	DRAWING	PART #	Estimated Quantity (EQ)	YEAR ONE		OPTION YEAR	
							Price Per Unit (taxes extra) (PU)	Extended Price (EQxPU)	Price Per Unit (taxes extra) (PU)	Extended Price (EQxPU)
A		Repairs Normal Working Hours 0800-1700 hrs				2000				
B		Repairs Outside Normal Hours Monday to Friday / Weekend & Stat Holidays				100				
1	WARP	DIA. 25.4mm WIRE, 6 x 19 CONSTRUCTION STEEL (IWRC) CORE SPliced AT ONE END MBS = 49.5 MT WEIGHT/UNIT LENGTH = 2.92 kg/m (without lubrication) WEIGHT/UNIT LENGTH = 2.98 kg/m (with lubrication)	DIAMETER (mm) +/- 1% 25.1-25.7 <u>WEIGHT (kg) +/- 3%</u> 2.83 - 3.01 2.95 - 3.01	CAM*1.0-1.2	CT 01	2				
2	TRAWL DOORS	MORGÈRE CAMBERED OVAL SINGLE SLOT POLYVALENT TYPE AA09, 3.10 m x 1.80 m, 4.58 SQUARE METER WEIGHT (IN AIR) = 1400 kg	<u>WEIGHT (kg) +/- 5%</u> 1330 - 1470	CAM*1.0-1.2 CAM*4.0-4.2	CT 02	2				
2a	AFT DOOR SHOE	MANGANESE STEEL CONSTRUCTION WEIGHT (AIR) = 54.6 kg OUTSIDE LENGTH = 833 mm DISTANCE BETWEEN MOUNTING HOLES = 520 mm	<u>WEIGHT (kg) +/- 5%</u> 51.90 - 57.30 <u>DIMENSIONS (mm)</u> LENGTH +/- 5% = 791 - 875 HOLE TO HOLE +/- 0.2% = 519 - 521	CAM*4.0-4.2	CT 02A	2				
2b	MIDDLE DOOR SHOE	MANGANESE STEEL CONSTRUCTION WEIGHT (IN AIR) = 59.3 kg OUTSIDE LENGTH = 860 mm DISTANCE BETWEEN MOUNTING HOLES = 650 mm	<u>WEIGHT (kg) +/- 5%</u> 56.3 - 62.3 <u>DIMENSIONS (mm)</u> LENGTH +/- 1% = 851 - 869 HOLE TO HOLE +/- 0.2% = 649 - 660	CAM*4.0-4.2	CT 02B	2				
2c	FWD DOOR SHOE	MANGANESE STEEL CONSTRUCTION WEIGHT (IN AIR) = 51.1 kg LENGTH = 830 mm DISTANCE BETWEEN MOUNTING HOLES = 589 mm	<u>WEIGHT (kg) +/- 5%</u> 48.5 - 53.70 <u>DIMENSIONS (mm)</u> LENGTH +/- 1% = 822 - 838 HOLE TO HOLE +/- 0.2% = 588 - 590	CAM*4.0-4.2	CT 02C	2				
2d	DOOR SHOES BOLT	STEEL CONSTRUCTION DIA. 22mm x 140mm (LENGTH) GRADE 8.8 WEIGHT (IN AIR) = 0.73 kg	<u>WEIGHT (kg) +/- 5%</u> 0.69 - 0.77 <u>DIMENSIONS (mm) +/- 5%</u> DIA. = 21 - 23 LENGTH = 133 - 146	CAM*4.0-4.2	CT 02D	12				
3	DOOR LEGS	DIA. 16mm X 3.05m (MID-LINK) CHAIN GRADE 80 ALLOY STEEL, MBS = 30 MT WEIGHT/UNIT LENGTH = 4.96 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 4.86 - 5.06 <u>LENGTH (m) +/- 0.5%</u> 3.03 - 3.07	CAM*1.0-1.2	CT 03	4				
4a	DOOR LEG EXTENSION (A. Needler)	DIA. 22mm x 6.1m WIRE 6 x 19-9/9/1 CONSTRUCTION SWAGED AT BOTH ENDS FIBRE CORE, MBS = 22 MT WEIGHT/UNIT LENGTH = 1.76 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 1.72 - 1.79 <u>LENGTH (m) +/- 0.5%</u> 6.07 - 6.13	CAM*1.0-1.2	CT 04N	2				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

4b	DOOR LEG EXTENSION (Teleost)	DIA. 22mm x 7.62m WIRE 6 x 19-9/9/1 CONSTRUCTION SWAGED AT BOTH ENDS FIBRE CORE, MBS = 22 MT WEIGHT/UNIT LENGTH = 1.76 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 1.72 - 1.79 <u>LENGTH (m) +/- 0.5%</u> 7.58 - 7.86	CAM*1.0-1.2	CT 04T	2				
5a	PENNANT WIRE (A. Needler)	DIA. 19mm x 12.82m WIRE, 6 x 19-9/9/1 CONSTRUCTION SPliced AT BOTH ENDS FIBRE CORE, MBS = 16 MT WEIGHT/UNIT LENGTH = 1.32 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 1.29 - 1.35 <u>LENGTH (m) +/- 0.5%</u> 12.76 - 12.88	CAM*1.0-1.2	CT 05N	2				
5b	PENNANT WIRE (Teleost)	DIA. 19mm x 13.80m WIRE, 6 x 19-9/9/1 CONSTRUCTION SPliced AT BOTH ENDS FIBRE CORE, MBS = 16 MT WEIGHT/UNIT LENGTH = 1.32 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 1.29 - 1.35 <u>LENGTH (m) +/- 0.5%</u> 13.73 - 13.87	CAM*1.0-1.2	CT 05T	2				
6	UPPER/ MIDDLE BRIDLE EXT.	DIA. 16mm x 20m WIRE, 6 x 19-9/9/1 CONSTRUCTION SWAGED AT BOTH ENDS FIBRE CORE, MBS = 12 MT WEIGHT/UNIT LENGTH = 0.92 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.90 - 0.94 <u>LENGTH (m) +/- 0.5%</u> 19.90 - 20.10	CAM*1.0	CT 06	2				
7	UPPER BRIDLE	DIA. 16mm x 20m WIRE, 6 x 19-9/9/1 CONSTRUCTION SWAGED AT BOTH ENDS FIBRE CORE, MBS = 12 MT WEIGHT/UNIT LENGTH = 0.92 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.90 - 0.94 <u>LENGTH (m) +/- 0.5%</u> 19.90 - 20.10	CAM*1.0	CT 07	2				
8	MIDDLE BRIDLE	DIA. 16mm x 20m WIRE, 6 x 19-9/9/1 CONSTRUCTION SWAGED AT BOTH ENDS FIBRE CORE, MBS = 12 MT WEIGHT/UNIT LENGTH = 0.92 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.90 - 0.94 <u>LENGTH (m) +/- 0.5%</u> 19.90 - 20.10	CAM*1.0	CT 08	2				
9	MIDDLE BRIDLE EXTENSION	DIA. 20mm x 4.0m COMBINATION WIRE, 6 x 12 CONSTRUCTION POLY JACKET, SWAGED AT BOTH ENDS STEEL CORE, MBS = 8.87 MT WEIGHT/UNIT LENGTH = 0.55 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.54 - 0.56 <u>LENGTH (m) +/- 0.5%</u> 3.98 - 4.02	CAM*1.0	CT 09	2				
10	LOWER BRIDLE	DIA. 22mm x 40m WIRE, 6 x 19-9/9/1 CONSTRUCTION SWAGED AT BOTH ENDS FIBRE CORE, MBS = 22 MT WEIGHT/UNIT LENGTH = 1.76 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 1.72 - 1.79 <u>LENGTH (m) +/- 0.5%</u> 39.80 - 40.20	CAM*1.0	CT 10	2				
11	FLOATS	DIA. 8" (200mm) FLOATS WORKING DEPTH = 1400m COLOR YELLOW BUOYANCY (SEAWATER) = 2.55 kg WINGS (2 x 39), BOSUM (10) EXTRA WINGEND FLOATS (2 x 6)	<u>BUOYANCY (kg) +/- 2%</u> 2.50 - 2.60 <u>DEPTH (m) +/- 10%</u> 1260 - 1540	CAM*1.0 CAM*2.3	CT 11	100				
12	F.R. CHAIN SECTION A FLYING WING (FOOTGEAR)	DIA. 16mm x 7.49m (MID-LINK) CHAIN GRADE 80 ALLOY STEEL, MBS = 30MT WEIGHT/UNIT LENGTH = 4.96 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 4.86 - 5.06 <u>LENGTH (m) +/- 0.5%</u> 7.46 - 7.53	CAM*1.0 CAM*3.0-3.2	CT 12	2				
13	F.R. CHAIN SECTION B QUARTERS (FOOTGEAR)	DIA. 16mm x 6.75m (MID-LINK) CHAIN GRADE 80 ALLOY STEEL, MBS = 30MT WEIGHT/UNIT LENGTH = 4.96 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 4.86 - 5.06 <u>LENGTH (m) +/- 0.5%</u> 6.72 - 6.78	CAM*1.0 CAM*3.0-3.2	CT 13	2				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

14	F.R. CHAIN SECTION C BOSUM (FOOTGEAR)	DIA. 18mm x 5.80m (MID-LINK) CHAIN GRADE 80 ALLOY STEEL, MBS = 30MT WEIGHT/UNIT LENGTH = 4.06 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 4.86 - 5.06 <u>LENGTH (m) +/- 0.5%</u> 5.77 - 5.83	CAM*1.0 CAM*3.0-3.2	CT 14	1				
15	8" (200mm) IRON SPACER (FOOTGEAR)	DIA. 140mm, LENGTH 200mm STEEL CONSTRUCTION, WEIGHT (SEAWATER) = 5.29 kg	<u>WEIGHT (kg) +/- 0.5%</u> 5.26 - 5.32 <u>DIMENSIONS (mm) +/- 2%</u> DIA. = 137.2 - 142.8 LENGTH = 196 - 204	CAM*3.0-3.2 CAM*4.8	CT 15	39				
16	14" (356mm) ROCKHOPPER SETS OF 3 DISK (FOOTGEAR)	DIA. 356mm, THICKNESS 54mm RUBBER TIRE CONSTRUCTION, WEIGHT (SEAWATER) = 0.43 kg	<u>WEIGHT (kg) +/- 5%</u> 0.41 - 0.45 DIA. +/- 10% THICKNESS +/- 10%	CAM*3.0-3.2 CAM*4.9	CT 45	102				
17	7" (178mm) RUBBER SPACER (FOOTGEAR)	DIA. 159mm, LENGTH 178mm, RUBBER CONSTRUCTION, WEIGHT (SEAWATER) = 0.37 kg	<u>WEIGHT (kg) +/- 5%</u> 0.35 - 0.39 <u>DIMENSIONS (mm) +/- 2%</u> DIA. = 156 - 162 LENGTH = 174 - 182	CAM*3.0-3.2 CAM*4.10	CT 46	34				
18	HAMMER- LOCK (FOOTGEAR)	5/8" (16mm) HAMMERLOCK W.L.L. = 5.1 MT FOR FOOTGEAR ATTACHMENT	<u>LENGTH +/- 2%</u> 15.7 - 16.3	CAM*3.0-3.2 CAM*4.5	CT 48	10				
19	DELTA PLATE (FOOTGEAR)	LENGTH 430mm WEIGHT (SEAWATER) = 5.37 kg STEEL CONSTRUCTION	<u>WEIGHT (kg) +/- 5%</u> 5.10 - 5.64 <u>LENGTH +/- 2%</u> 421 - 439	CAM*3.0-3.2 CAM*4.11	CT 49	2				
20	14" (356mm) RUBBER BUNT BOBBIN (FOOTGEAR)	DIA. 356mm, LENGTH = 226mm, RUBBER CONSTRUCTION, WEIGHT (SEAWATER) = 4.80 kg	<u>WEIGHT (kg) +/- 5%</u> 4.56 - 5.04 <u>DIMENSIONS (mm) +/- 2%</u> DIA. = 349 - 363 LENGTH = 221 - 231	CAM*3.0-3.2 CAM*4.12	CT 50	2				
21	6" (152mm) STOP WASHER (FOOTGEAR)	DIA. 152mm, THICKNESS 8.0 mm, STEEL CONST. WEIGHT (SEAWATER) = 0.42 kg	<u>WEIGHT (kg) +/- 5%</u> 0.40 - 0.44 <u>DIMENSIONS (mm) +/- 2%</u> DIA. = 149 - 155 THICKNESS = 7.84 - 8.16	CAM*3.0-3.2 CAM*4.13	CT 51	8				
22	BOBBIN CHAIN (FOOTGEAR)	INSIDE LENGTH = 198 mm, OUTSIDE LENGTH = 218 mm WEIGHT (SEAWATER) = 0.50 kg STAINLESS STEEL CONSTRUCTION (RING) STEEL CONSTRUCTION (QUICK LINK)	<u>WEIGHT (kg/m) +/- 5%</u> 0.48 - 0.53 <u>LENGTH (mm) +/- 2%</u> 194 - 202	CAM*3.0-3.2 CAM*4.14	CT 52	35				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

23	TRAVEL CHAIN (FOOTGEAR)	3/8" (9.5mm) MID-LINK CHAIN GALVANIZED, GRADE 80 ALLOY STEEL LENGTH = 19.50m WEIGHT/UNIT LENGTH = 1.85 kg/m	<u>WEIGHT (kg/m) +/- 5%</u> 1.81 - 1.89 <u>LENGTH (m) +/- 0.5</u> 19.40 - 19.60	CAM*3.0-3.2	CT 56	1				
24a	TOP WING (80mm)	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 102 x 32 x 105.5 MESHERS DEEP STRETCHED LENGTH = 8.44 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 82.40 <u>LENGTH (m) +/- 1%</u> 8.36 - 8.52	CAM*2.0-2.1 CAM*2.3	CT 16A	2				
24b	TOP WING-BUNT (80mm)	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 123 x 103 x 41.5 MESHERS DEEP (INCLUDES GUSSET) STRETCHED LENGTH = 3.32 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 82.40 <u>LENGTH (m) +/- 1%</u> 3.24 - 3.40	CAM*2.0-2.1 CAM*2.3	CT 16B	2				
25	SQUARE	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 60mm MESH SIZE (KC), COLOUR GREEN 526 x 471 x 55.5 MESHERS DEEP STRETCHED LENGTH = 3.33 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 60 - 61.80 <u>LENGTH (m) +/- 1%</u> 3.27 - 3.39	CAM*2.0	CT 17	1				
26	1ST TOP BELLY	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 60mm MESH SIZE (KC), COLOUR GREEN 470 x 393 x 64.5 MESHERS DEEP STRETCHED LENGTH = 3.87 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 60 - 61.80 <u>LENGTH (m) +/- 1%</u> 3.81 - 3.93	CAM*2.0	CT 18	1				
27	2ND TOP BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 580 x 240 x 255.5 MESHERS DEEP STRETCHED LENGTH = 11.24 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 11.20 - 11.28	CAM*2.0	CT 19	1				
28	3RD TOP BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 240 x 141 x 99.5 MESHERS DEEP STRETCHED LENGTH = 4.38 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 4.34 - 4.42	CAM*2.0	CT 20	1				
29	TOP EXTENSION	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 140 x 139 x 199.5 MESHERS DEEP STRETCHED LENGTH = 8.78 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 8.74 - 8.82	CAM*2.0	CT 21A	1				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

30	TOP CODEND	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 130 x 129 x 190.5 MESHERS DEEP STRETCHED LENGTH = 8.78 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 8.69 - 8.87	CAM*2.0	CT 27A	1				
31	LOWER WINGS (80mm)	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 90 x 90 x 48.5 MESHERS DEEP (TO INCLUDE GUARD MESHERS) STRETCHED LENGTH = 3.88 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 82.40 <u>LENGTH (m) +/- 1%</u> 3.80 - 3.96	CAM*2.0 CAM*2.2 CAM*2.4	CT 22	2				
32	LOWER WINGS - BUNT (60mm)	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 122 x 122 x 62.5 MESHERS DEEP (TO INCLUDE GUARD MESHERS & GUSSET) STRETCHED LENGTH = 3.75 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 81.80 <u>LENGTH (m) +/- 1%</u> 3.69 - 3.81	CAM*2.0 CAM*2.2 CAM*2.4	CT 23	2				
33	1ST LOWER BELLY	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 60mm MESH SIZE (KC), COLOUR GREEN 470 x 393 x 64.5 MESHERS DEEP STRETCHED LENGTH = 3.87 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 60 - 61.80 <u>LENGTH (m) +/- 1%</u> 3.81 - 3.93	CAM*2.0	CT 24	1				
34	2ND LOWER BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 580 x 240 x 255.5 MESHERS DEEP STRETCHED LENGTH = 11.24 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 8.69 - 8.87	CAM*2.0	CT 25	1				
35	3RD LOWER BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 240 x 141 x 99.5 MESHERS DEEP STRETCHED LENGTH = 4.38 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 4.34 - 4.42	CAM*2.0	CT 26	1				
36	LOWER EXTENSION	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 140 x 139 x 190.5 MESHERS DEEP STRETCHED LENGTH = 8.78 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 8.74 - 8.82	CAM*2.0	CT 21B	1				
37	LOWER CODEND	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 130 x 129 x 190.5 MESHERS DEEP STRETCHED LENGTH = 8.78 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 8.69 - 8.87	CAM*2.0	CT 27B	1				
38	SIDE PANEL NO. 1	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 95 x 30 x 45.5 MESHERS DEEP STRETCHED LENGTH = 3.64 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 82.40 <u>LENGTH (m) +/- 1%</u> 3.56 - 3.72	CAM*2.0	CT 28	2				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

39	SIDE PANEL NO. 2	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 100 x 99 x 41.5 MESHERS DEEP STRETCHED LENGTH = 3.32 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 82.40 <u>LENGTH (m) +/- 1%</u> 3.24 - 3.40	CAM*2.0	CT 29	2				
40	SIDE PANEL NO. 3	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 60mm MESH SIZE (KC), COLOUR GREEN 130 x 129 x 55.5 MESHERS DEEP STRETCHED LENGTH = 3.33 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 60 - 61.80 <u>LENGTH (m) +/- 1%</u> 3.27 - 3.39	CAM*2.0	CT 30A	2				
41	SIDE PANEL NO. 4	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 60mm MESH SIZE (KC), COLOUR GREEN 130 x 129 x 64.5 MESHERS DEEP STRETCHED LENGTH = 3.87 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 60 - 61.80 <u>LENGTH (m) +/- 1%</u> 3.81 - 3.93	CAM*2.0	CT 30B	2				
42	SIDE PANEL NO. 5	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 189 x 18 x 255.5 MESHERS DEEP STRETCHED LENGTH = 11.24 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 11.20 - 11.28	CAM*2.0	CT 31	2				
43	CODEND CHAFER	R5263tex BRAIDED POLYETHYLENE NETTING DOUBLE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 140mm MESH SIZE (KC), COLOUR GREEN 40 x 39 x 59.5 MESHERS DEEP STRETCHED LENGTH = 8.33 m	<u>Rtex +/- 10%</u> 4737 - 5789 <u>MESH SIZE (mm) +3%</u> 140 - 144.20 <u>LENGTH (m) +/- 1%</u> 8.25 - 8.41	CAM*2.0	CT 32	2				
44	CODEND LINER	DIA. 1mm KNOTLESS NETTING 12.7mm STRETCHED MESH, COLOUR WHITE 3.5m x 3.5m x 11.0 m	<u>MESH SIZE (mm) +3%</u> 12.3 - 13.1 <u>LENGTH (m) +/- 1%</u> 10.9 - 11.1	CAM*2.0	CT 55	2				
45	HEADLINE (3 PIECES)	DIA. 22mm COMBINATION WIRE, 6 x 12 POLY JACKET, STEEL CORE, MBS = 14 MT SWAGED AT BOTH ENDS LENGTH = (1 x 2.44m, 2 x 13.53m) WEIGHT/UNIT LENGTH = 0.73 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.72 - 0.74 <u>LENGTH (m) +/- 0.5%</u> 1 @ 2.43 - 2.45 2 @ 13.46 - 13.60	CAM*1.0 CAM*2.0 CAM*2.3	CT 33	1				
46	UPPER BOLSHLINE (3 PIECES)	DIA. 20/16mm TWISTED PRE-STRETCHED KRAFT ROPE MBS = 5.8 MT LENGTH = (1 x 2.89m, 2 x 13.70 m) WEIGHT/UNIT LENGTH = 0.130 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.127 - 0.133 <u>LENGTH (m) +/- 0.5%</u> 1 @ 2.88 - 2.90 2 @ 13.43 - 13.60	CAM*2.0 CAM*2.3	CT 34	1				
47	UPPER WINGLINE	DIA. 20mm x 8.02m COMBINATION WIRE, 6 x 12 POLY JACKET, STEEL CORE, MBS = 8.87 MT SWAGED AT BOTH ENDS LENGTH = 8.02m WEIGHT/UNIT LENGTH = 0.55 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.54-0.56 <u>LENGTH (m) +/- 0.5%</u> 7.98 - 8.06	CAM*1.0 CAM*2.0	CT 35	2				
48	FISHING LINE (3 PIECES)	DIA. 22mm x 19.50m COMBINATION WIRE, 6 x 12 POLY JACKET, STEEL CORE, MBS = 14.0 MT SWAGED AT BOTH ENDS LENGTH = (1 x 2.44m, 2 x 8.43m) WEIGHT/UNIT LENGTH = 0.73 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.72 - 0.74 <u>LENGTH (m) +/- 0.5%</u> 1 @ 2.43 - 2.45 2 @ 8.39 - 8.47	CAM*1.0 CAM*2.0 CAM*3.2	CT 36	1				
49	LOWER BOLSHLINE	DIA. 20/16mm x 20m TWISTED PRE-STRETCHED KRAFT ROPE MBS = 5.8 MT LENGTH = (1 x 2.70m, 2 x 8.62m) WEIGHT/UNIT LENGTH = 0.130 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.127 - 0.133 <u>LENGTH (m) +/- 0.5%</u> 1 @ 2.89 - 2.71 2 @ 8.58 - 8.66	CAM*1.0 CAM*2.0 CAM*3.2	CT 37	1				
50	LOWER WINGLINE	DIA. 22mm x 2.34m COMBINATION WIRE, 6 x 12 SWAGED AT BOTH ENDS POLY JACKET, STEEL CORE, MBS = 14.0 MT LENGTH = 2.34m WEIGHT/UNIT LENGTH = 0.73 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.72 - 0.74 <u>LENGTH (m) +/- 0.5%</u> 2.33 - 2.35	CAM*1.0 CAM*2.0	CT 38	2				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

51	L/WINGEND BOLSHLINE	DIA. 20/18mm x 2.34m TWISTED PRE-STRETCHED KRAFT ROPE MBS = 5.8 MT LENGTH = 2.34m WEIGHT/UNIT LENGTH = 0.130 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.127 - 0.133 <u>LENGTH (m) +/- 0.5%</u> 2.33 - 2.35	CAM*1.0 CAM*2.0	CT 39	2				
52	UPPER BREASTLINE	DIA. 20mm x 3.80m COMBINATION WIRE, 6 x 12 POLY JACKET, STEEL CORE, MBS = 8.87 MT SWAGED AT BOTH ENDS LENGTH = 3.80m WEIGHT/UNIT LENGTH = 0.55 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.54 - 0.56 <u>LENGTH (m) +/- 0.5%</u> 3.58 - 3.62	CAM*1.0 CAM*2.0	CT 40A	2				
53	LOWER BREASTLINE	DIA. 20mm x 3.80m COMBINATION WIRE, 6 x 12 POLY JACKET, STEEL CORE, MBS = 8.87 MT SWAGED AT BOTH ENDS LENGTH = 3.80m WEIGHT/UNIT LENGTH = 0.55 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.54 - 0.56 <u>LENGTH (m) +/- 0.5%</u> 3.58 - 3.62	CAM*1.0 CAM*2.0	CT 40B	2				
54	RIBLINE #1	DIA. 24/20mm x 10.59m TWISTED PRE-STRETCHED KRAFT ROPE MBS = 10.0 MT LENGTH = 10.59 WEIGHT/UNIT LENGTH = 0.230 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.225 - 0.235 <u>LENGTH (m) +/- 0.5%</u> 10.54 - 10.64	CAM*2.0	CT 41	4				
55	RIBLINE #2	DIA. 24/20mm x 10.22m TWISTED PRE-STRETCHED KRAFT ROPE MBS = 10.0 MT LENGTH = 10.22m WEIGHT/UNIT LENGTH = 0.230 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.225 - 0.235 <u>LENGTH (m) +/- 0.5%</u> 10.17 - 10.27	CAM*2.0	CT 42	4				
56	RIBLINE #3	DIA. 24/20mm x 4.0m TWISTED PRE-STRETCHED KRAFT ROPE MBS = 10.0 MT LENGTH = 4m WEIGHT/UNIT LENGTH = 0.230 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.225 - 0.235 <u>LENGTH (m) +/- 0.5%</u> 3.98 - 4.02	CAM*2.0	CT 43	2				
57	RIBLINE #4	DIA. 24/20mm x 16 m TWISTEDPRE-STRETCHED KRAFT ROPE MBS = 10.0 MT LENGTH = 16m WEIGHT/UNIT LENGTH = 0.230 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.225 - 0.235 <u>LENGTH (m) +/- 0.5%</u> 15.92 - 16.08	CAM*2.0	CT 44	2				
58	HAMMER- LOCK	3/4" (19mm) HAMMERLOCK, W.L.L. = 8.2 MT 5/8" (16mm) HAMMERLOCK, W.L.L. = 5.1 MT 1/2" (13mm) HAMMERLOCK, W.L.L. = 3.2 MT (FOR DOOR TO PENNANT CONNECTION)	LENGTH +/- 3%	CAM*1.2		2 2 2				
59	HAMMER- LOCK	7/8" (22mm) HAMMERLOCK IN MAX. SPREAD POSITION FOR FORWARD HOLE (FOR DOOR TO DOOR LEG CONNECTION) S.W.L. == 7.5 MT	LENGTH +/- 3%	CAM*1.1		4				
60	HAMMER- LOCK	5/8" (16mm) HAMMERLOCK W.L.L. = 5.1 MT (FOR DOOR LEG TO DOOR CONNECTION)	LENGTH +/- 3%	CAM*1.1		4				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

61	G - HOOK	1" G-HOOK S.W.L. = 5.0 MT (FOR DOOR TO PENNANT CONNECTION)	LENGTH +/- 3%	CAM*1.2		2				
62	G - HOOK	1 1/4" G-HOOK S.W.L. = 15.0 MT (FOR DOOR LEG EXT. TO BRIDLE CONNECTION)	LENGTH +/- 3%	CAM*1.2		2				
63	RECESS LINK	1" RECESS LINK S.W.L. = 15.0 MT (FOR DOOR TO PENNANT CONNECTION)	LENGTH +/- 3%	CAM*1.2		2				
64	RECESS LINK	1 1/4" RECESS LINK S.W.L. = 15.0 MT (FOR DOOR LEG EXT. TO BRIDLE CONNECTION)	LENGTH +/- 3%	CAM*1.2		2				
62	MID-LINK CHAIN	1/2" (13 mm) MID-LINK CHAIN LENGTH = 0.96m WEIGHT/UNIT LENGTH = 3.30 kg/m (FOR DOOR TO PENNANT CONNECTION)	<u>WEIGHT (kg/m) +/- 2%</u> 3.23 - 3.37 <u>LENGTH (m) +/- 3%</u> 0.96-0.96	CAM*1.2		2				
64	HAMMER- LOCK	5/8" HAMMERLOCK S.W.L. = 8.0 MT FOR DOOR LEG EXT. TO BRIDLE CONNECTION	DIMENSIONS +/- 3%	CAM*1.1-1.2		2				
65	HAMMER- LOCK	3/4" HAMMERLOCK S.W.L. = 8.2 MT FOR DOOR LEG EXT. TO G-HOOK FOR BRIDLE CONNECTION FOR DOOR LEG EXT. TO DOOR LEG CONNECTION	DIMENSIONS +/- 3%	CAM*1.1-1.2		2 2				
66	OVER ACTION SWIVEL	1 1/2" SWIVEL, STAINLESS STEEL CONST. LENGTH = 360 mm WEIGHT (SEAWATER) = 9.77 kg S.W.L. = 18 MT (FOR WARP TO DOOR CONNECTION)	DIMENSIONS +/- 3%			2				
67	TRAWL DOOR SHACKLE	1 3/8" BOW SHACKLE S.W.L. = 17 MT (FOR DIRECT DOOR TO WARP CONNECTION)	DIMENSIONS +/- 3%	CAM*1.2		2				
68	HAMMER- LOCK	1" HAMMERLOCK S.W.L. = 8.0 MT?? (FOR DIRECT WARP TO DOOR CONNECTION)	DIMENSIONS +/- 3%	CAM*1.2		2				
69	HAMMER- LOCK (FOR RIGGING PROFILE)	3/4" HAMMERLOCK S.W.L. = 8.0 MT?? FOR LOWER BREASTLINE/WINGLINE/RIBLINE/ WINGEND BOLSHLINE CONNECTION FOR U. BRIDLE TO HEADLINE AND U.WINGLINE CONNECTION FOR LOWER BOLSHLINE AND FISHINGLINE TO U. DELTA PLATE SWIVEL	DIMENSIONS +/- 3%	CAM*1.2		2 2 2				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

70	HAMMER- LOCK (FOR RIGGING PROFILE)	5/8" HAMMERLOCK S.W.L = 6.0 MT FOR U/M BRIDLE EXT. TO U/M BRIDLE CONNECTION FOR M. BRIDLE TO M. BRIDLE EXT. CONNECTION FOR M. BRIDLE EXT. TO U/M BREASTLINE CONNECTION FOR U. WINGLINE/U.BREASTLINE TO U. RIBLINE CONNECTION FOR FLYING WING TO DELTA PLATE CONNECTION FOR LOWER BRIDLE TO FOOTGEAR SECTION A CONNECTION FOR LOWER WINGLINE/LOWER WINGEND BOLSHLINETO U.DELTA PLATE SWIVEL THROUGH 3/4" H/LOCK OF FISHINGLINE/LOWER BOLSHLINE CONNECTION	DIMENSIONS +/- 3%	CAM*1.2		2 2 2 2 2 2 2				
71	HAMMER- LOCK (TRAVEL CHAIN)	1/2" HAMMERLOCK S.W.L = 6.0 MT	DIMENSIONS +/- 3%	CAM*3.2		4				
	HAMMER- LOCK	5/8" HAMMERLOCK S.W.L = 6.0 MT FOR HEADLINE ATTACHEMENT FOR FISHINLINE ATTACHMENT	DIMENSIONS +/- 3%			2 2				
	QUICK LINK (BOBBIN CHAIN)	STAINLESS STEEL CONSTRUCTION LENGTH = 78MM (INSIDE) LENGTH = 102MM (OUTSIDE) S.W.L = ?				NA				
	RING (BOBBIN CHAIN)	STAINLESS STEEL CONSTRUCTION DIA. 60MM (INSIDE) DIA. 70MM (OUTSIDE) S.W.L = ?				NA				
72	MENDING TWINE	DIA. 2.5 mm, R>2400tex BRAIDED POLYETHYLENE CENTRE CORE, ROUND CONSTRUCTION MBS ≥ 86 Kgf. COLOUR RED, GREEN AND ORANGE	<u>Rtex</u> 2400 - 3448 <u>MBS (Kgf.)</u> 86 - 174			N/A				
73	MENDING TWINE	DIA. 3.0 mm, R>3000tex BRAIDED POLYETHYLENE CENTRE CORE, ROUND CONSTRUCTION MBS ≥ 120 Kgf. COLOUR RED, GREEN AND ORANGE	<u>Rtex</u> 3550 - 4348 <u>MBS (Kgf.)</u> 120 - 192			N/A				
74	LACING TWINE	DIA. 1.5 mm, R> 1620tex BRAIDED NYLON CENTRE CORE, ROUND CONSTRUCTION MBS ≥ Kgf.?? COLOUR WHITE	<u>Rtex</u> ≥ 1620 <u>MBS (Kgf.)</u> NA			N/A				
75	LACING TWINE	DIA. 2.0 mm, R>2700tex BRAIDED NYLON CENTRE CORE, ROUND CONSTRUCTION MBS ≥ 133 Kgf. COLOUR WHITE	<u>Rtex</u> 2778-3125 <u>MBS (Kgf.)</u> 133 - 370			N/A				
76	LACING TWINE	DIA. 2.5 mm, R>2400tex BRAIDED POLYETHYLENE CENTRE CORE, ROUND CONSTRUCTION MBS ≥ 86 Kgf. COLOUR GREEN	<u>Rtex</u> 2400 - 3448 <u>MBS (Kgf.)</u> 86 - 174			N/A				
	CODEND CLOSING ROPE	19 mm (3/4") Sampson braided nylon				1				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

77	FLOAT ATTACHING ROPE	DIA. 16 mm, POLYPROPYLENE WEIGHT/UNIT LENGTH = 0.116 kg/m, MBS = 4.0 MT COLOUR GREEN	<u>WEIGHT (kg/m) +/- 2%</u> 0.114 - 0.118			N/A				
78	SWEEPLINE WIRE (Teleost)	DIA. 19mm x 38m wire, 8 x 19-9/11 CONST. HAND SPLICED AT BOTH ENDS WRAPPED IN BURLAP FIRE CORE, MBS = 16 MT WEIGHT/UNIT LENGTH = 1.32 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 1.29 - 1.35 <u>LENGTH (m) +/- 0.5%</u> 12.76 - 12.88			1				
79	SWEEPLINE WIRE (A. Needler)	DIA. 19mm x 33.5m wire, 8 x 19-9/11 CONST. HAND SPLICED AT BOTH ENDS WRAPPED IN BURLAP FIRE CORE, MBS = 16 MT	<u>WEIGHT (kg/m) +/- 2%</u> 1.29 - 1.35 <u>LENGTH (m) +/- 0.5%</u> 12.76 - 12.88			1				
80	WING CANNISTER- SLAVE (A. Needler)	DIA. 191mm x 319mm WEIGHT (SEAWATER) = 11.64 kg STAINLESS STEEL CONSTRUCTION WEIGHT/UNIT LENGTH = 1.32 kg/m	<u>WEIGHT (kg) +/- 5%</u> 11.06 - 12.22 <u>DIMENSIONS (mm) +/- 2%</u> DIA. = 187 - 195 LENGTH = 313 - 325	CAM*4.3		1				
81	WING CANNISTER- MASTER (A. Needler)	DIA. 191mm x 341mm WEIGHT (SEAWATER) = 11.86 kg STAINLESS STEEL CONSTRUCTION	<u>WEIGHT (kg) +/- 5%</u> 11.27 - 12.45 <u>DIMENSIONS (mm) +/- 2%</u> DIA. = 187 - 195 LENGTH = 334 - 348	CAN*4.3		1				
83	CTD MOUNTING BOARD WITH RAILS	1214mm x 611mm x 19mm (LENGTH x WIDTH x THICKNESS) COLOUR WHITE, HIGH DENSITY POLYETHYLENE / ALUMINUM CONSTRUCTION WEIGHT (SEAWATER) = 1.429 kg	<u>WEIGHT (kg) +/- 5%</u> 1.358 - 1.500 <u>DIMENSIONS (mm) +/- 2%</u> LENGTH = 1190 - 1238 WIDTH = 599 - 623 THICKNESS = 18.6 - 19.4	CAM*4.4		1				
84	CTD PROTECTIVE PIPE SHELLS	DIA. 222mm x 790mm WEIGHT (SEAWATER) = 7.207 kg ALUMINUM / RUBBER CONSTRUCTION	<u>WEIGHT (kg) +/- 5%</u> 6.847 - 7.567 <u>DIMENSIONS (mm) +/- 2%</u> DIA. = 218 - 226 LENGTH = 774 - 806	CAM*4.4		1				
85	CTD	SEABIRD CTD WEIGHT (SEAWATER) = 4.848 kg	<u>WEIGHT (kg) +/- 5%</u> 4.806 - 5.090	CAM*4.4		1				
86	TOP WING- BUNT (80mm)	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 123 x 103 x 48.5 MESHERS DEEP (INCLUDES GUSSET) STRETCHED LENGTH = 3.88 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 82.40 <u>LENGTH (m) +/- 1%</u> 3.80 - 3.96		CT 88	2				
87	2ND TOP BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 536 x 269 x 109.5 MESHERS DEEP STRETCHED LENGTH = 8.78 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 8.69 - 8.87	CAM*2.0	CT 17	1				

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

88	2ND LOWER BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 535 x 289 x 109.5 MESHERS DEEP STRETCHED LENGTH = 8.78 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 8.69 - 8.87		CT 88	1				
89	3RD TOP BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 288 x 138 x 99.5 MESHERS DEEP STRETCHED LENGTH = 4.38 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 4.34 - 4.42		CT 89	1				
90	3RD LOWER BELLY	R2200tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 44mm MESH SIZE (KC), COLOUR GREEN 288 x 138 x 99.5 MESHERS DEEP STRETCHED LENGTH = 4.38 m	<u>Rtex +/- 10%</u> 1980 - 2420 <u>MESH SIZE (mm) +3%</u> 44 - 45.32 <u>LENGTH (m) +/- 1%</u> 4.34 - 4.42		CT 90	1				
91	SIDE PANEL NO. 2	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 100 x 99 x 48.5 MESHERS DEEP STRETCHED LENGTH = 3.88 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 80 - 82.40 <u>LENGTH (m) +/- 1%</u> 3.80 - 3.96		CT 91	2				
93	1ST LOWER BELLY (3 PANELS)	R3650tex BRAIDED POLYETHYLENE NETTING CENTRE CORE, ROUND CONSTRUCTION, AND HEAT STRETCHED 80mm MESH SIZE (KC), COLOUR GREEN 234 x 234 x 84.5 MESHERS DEEP (1 PANEL) 126 x 88 x 84.5 MESHERS DEEP (2 PANELS) STRETCHED LENGTH = 3.87 m	<u>Rtex +/- 10%</u> 3285 - 4015 <u>MESH SIZE (mm) +3%</u> 60 - 61.80 <u>LENGTH (m) +/- 1%</u> 3.81 - 3.93	CAM*2.0	CT 93	1				
94	RIBLINE #1a	DIA. 24/20mm x 11.15m TWISTED PRE-STRETCHED KRAFT ROPE MBS = 10.0 MT LENGTH = 11.15m WEIGHT/UNIT LENGTH = 0.230 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.225 - 0.235 <u>LENGTH (m) +/- 0.5%</u> 11.09 - 11.21		CT 94	4				
95	RIBLINE #2b	DIA. 24/20mm x 10.22m TWISTED PRE-STRETCHED KRAFT ROPE MBS = 10.0 MT LENGTH = 7.98m WEIGHT/UNIT LENGTH = 0.230 kg/m	<u>WEIGHT (kg/m) +/- 2%</u> 0.225 - 0.235 <u>LENGTH (m) +/- 0.5%</u> 7.94 - 8.02		CT 95	4				
Total Estimated Amount (TEA) (applicable taxes extra)							YEAR ONE		OPTION YEAR	

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

ANNEX "C" to PART 3 OF THE REQUEST FOR STANDING OFFERS

ELECTRONIC PAYMENT INSTRUMENTS

The Offeror accepts to be paid by any of the following Electronic Payment Instrument(s):

- ☐ () VISA Acquisition Card;
- ☐ () MasterCard Acquisition Card;
- ☐ () Direct Deposit (Domestic and International);
- ☐ () Electronic Data Interchange (EDI);
- ☐ () Wire Transfer (International Only);
- ☐ () Large Value Transfer System (LVTS) (Over \$25M)

ANNEX "D"

REGIONAL INDIVIDUAL STANDING OFFER BUSINESS VOLUME REPORT

The Offeror must compile and maintain records on its provision of goods, services or both to the federal government under contracts resulting from the Standing Offer. This data must include all purchases, including those paid for by a Government of Canada Acquisition Card.

If some data is not available, the reason must be indicated. If no goods or services are provided during a given period, the Offeror must still provide a "nil" report.

The data must be submitted on a quarterly basis to the Standing Offer Authority.

The quarterly reporting periods are defined as follows:

- 1st quarter: April 1 to June 30;
- 2nd quarter: July 1 to September 30;
- 3rd quarter: October 1 to December 31;
- 4th quarter: January 1 to March 31.

The data must be submitted to the Standing Offer Authority no later than ten (10) calendar days after the end of the reporting period.

Failure to provide fully completed reports in accordance with the above instructions may result in the setting aside of the Standing Offer and the application of a vendor performance corrective measure.

Supplier's Name					
Standing Offer Title and Description					
Standing Offer Number					
Reporting Period (Fiscal Year and Quarter)					
Total \$ Value of Order for the Reporting Period (including HST)					
Total \$ Value of Order for the Fiscal Year to Date (including HST)					
Date	Call-up / Contract Number	ITEM DESCRIPTION	QTY	UNIT	TOTAL

Solicitation No. - N° de l'invitation
F6070-200013/A
Client Ref. No. - N° de réf. du client
F6070-200013

Amd. No. - N° de la modif.
000
File No. - N° du dossier
OLZ-0-43089

Buyer ID - Id de l'acheteur
olz001
CCC No./N° CCC - FMS No./N° VME

**The required information for this Standing Offer must be e-mailed to the following addresses:
(to be completed on contract award), with a cc to Heather.Walsh@pwgsc-tpsgc.gc.ca.**