



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC

11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Furniture Division/Division des ameublements
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7e étage,
140 O'Connor, Street,
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Title - Sujet FURNITURE Cat 1,2,5,3,6 L'ameublement Cat 1,2,5,3,6	
Solicitation No. - N° de l'invitation B8114-210044/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client B8114-210044	Date 2020-12-09
GETS Reference No. - N° de référence de SEAG PW-\$\$PQ-994-79344	
File No. - N° de dossier pq994.B8114-210044	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2020-12-18 Heure Normale de l'Est HNE	
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes	
Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Racette(pq994), Christopher	Buyer Id - Id de l'acheteur pq994
Telephone No. - N° de téléphone (819) 664-1606 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
B8114-210044/A
Client Ref. No. - N° de réf. du client
B8114-210044

Amd. No. - N° de la modif.
Amd003
File No. - N° du dossier
pq994 B8114-210044

Buyer ID - Id de l'acheteur
pq994
CCC No./N° CCC - FMS No./N° VME

<p>Amendment 003 is raised to:</p> <ul style="list-style-type: none"> • Answer questions • Extend the solicitation close date • Update the RFB (see below) 	<p>L'amendement 003 est soulevé pour:</p> <ul style="list-style-type: none"> • Répondre aux questions • Prolonger la date de clôture de la sollicitation • Mise à jour du IAS (voir ci-dessous)
---	--

English	French	Question Posted
<p>Q1: For category 1A: Is it possible to show panel type locations. The panels are tagged in matrix but no corresponding tags in the CAD drawings.</p>	<p>Q1: Pour la catégorie 1A: Est-il possible d'afficher les emplacements des types de panneaux. Les panneaux sont étiquetés dans la matrice mais pas d'étiquettes correspondantes dans les dessins CAO.</p>	Solicitation amend 001
<p>A1: For JES06 and JES07 floors, panel types are tagged by letters (A,B,C,etc..) with a reference table also on "System Furniture- Panels" layout Tab within CAD files. For JEN07 and JEN16, Cat 1A (System panels) are not included in this bid.</p>	<p>R1: Pour les plancher JES06 et JES07, les types de panneaux sont repérés par des lettres (A, B, C, etc.) avec un tableau de référence également sur l'onglet de disposition «Mobilier système - Panneaux» dans les fichiers CAO. Pour JEN07 et JEN16, Cat 1A (panneaux système) ne sont pas inclus dans cette offre.</p>	
<p>Q2: There are 4 files, 3 of them feature the 7th floor and one of them has 2 revisions. Can you please clarify which file is the up-to-date revision?</p>	<p>Q2: Il y a 4 fichiers, 3 d'entre eux présentent le 7e étage et l'un d'eux a 2 révisions. Pouvez-vous préciser quel fichier est la révision à jour?</p>	Solicitation amend 001
<p>A2: The 4 files feature the following floors: JEN07, JEN16, JES06 & JES07 There are two 7th floors (one in JET North bldg. and the other in JET South bldg.) JETN07 is on Rev.2 and JETS07 is on Rev.1.</p>	<p>R2: Les 4 fichiers comportent les étages suivants: JEN07, JEN16, JES06 & JES07 Il y a deux 7e étages (un dans le bâtiment JET North et l'autre dans le bâtiment JET South). JETN07 est sur la Rev.2 et JETS07 est sur la Rev.1.</p>	
<p>Q3: 1. CAT6A Item 8 & 9 - Will the Client also respectfully accept an end gable option. 2. CAT6B NSA items 16, 17, 18 - Will the Client consider splitting these three items into their own sub-category. These are specialized pods and preclude us from bidding on all the standard SA items that we do have. This severely limits the options to Canada and limits the number of possible respondents.</p>	<p>Q3: 1. CAT6A Articles 8 et 9 - Le client acceptera-t-il également respectueusement une option de pignon d'extrémité. 2. Articles CAT6B NSA 16, 17, 18 - Le client envisagera-t-il de diviser ces trois articles dans leur propre sous-catégorie. Ce sont des pods spécialisés et nous empêchent de soumissionner sur tous les articles SA standard que nous avons. Cela limite considérablement</p>	Solicitation amend 001

Solicitation No. - N° de l'invitation
 B8114-210044/A
 Client Ref. No. - N° de réf. du client
 B8114-210044

Amd. No. - N° de la modif.
 Amd003
 File No. - N° du dossier
 pq994 B8114-210044

Buyer ID - Id de l'acheteur
 pq994
 CCC No./N° CCC - FMS No./N° VME

<p>3. CAT6C Item 1 & 2 - Will the Client also accept a 4 leg option? 4. CATC Item 1 & 2 - Will the Client respectfully also accept a poly option?</p>	<p>les options pour le Canada et limite le nombre de répondants possibles. 3. CAT6C Item 1 & 2 - Le client acceptera-t-il également une option à 4 branches? 4. Articles 1 et 2 du CATC - Le client acceptera-t-il respectueusement également une option poly?</p>	
<p>A3: 1. No. 2. Those items are already grouped as Non SA, which will help in preventing option limitations. 3. Yes. 4. Yes</p>	<p>R3: 1. Non 2. Ces éléments sont déjà regroupés en tant que Non SA, ce qui aidera à éviter les limitations d'options. 3. Oui 4. Oui</p>	
<p>Q4</p> <ul style="list-style-type: none"> • I am assuming we are to use the newest folder when working on our bid – labelled Jen7-Rev2 dwg. Please confirm. • Inside that drawing file I see two floor plans, again I assume we are working on both floors? Please confirm. • As for the panel system I do not see the corresponding legend from the RFB in the drawing anywhere, how are we to know which panels need whiteboard and which need fabric? 	<p>Q4</p> <ul style="list-style-type: none"> • Je suppose que nous devons utiliser le dossier le plus récent lorsque nous travaillons sur notre offre - nommé Jen7- Rev2 dwg. Veuillez confirmer. • Dans ce fichier de dessin, je vois deux plans d'étage, encore une fois je suppose que nous travaillons sur les deux étages? Veuillez confirmer. • En ce qui concerne le système de panneaux, je ne vois nulle part la légende correspondante de la RFB dans le dessin, comment pouvons-nous savoir quels panneaux ont besoin de tableau blanc et lesquels ont besoin de tissu ? 	<p>Solicitation amend 002</p>
<p>A4</p> <ul style="list-style-type: none"> • JEN-REV2 is the latest version for this floor. There are four different floors in this Bid. JES06, JES07, JEN07 and JEN16. • Inside that folders is one floor plan ".dwg" file, and another Base Building file (JETN07-BB.dwg) used as Xref. Please use 8942-BUNDLE 4 - PHASE 2 - JEN7- REV2.dwg for your floor plan reference. • There is no system panel requirement for JEN07. We are reusing existing product. 	<p>R4</p> <ul style="list-style-type: none"> • JEN-REV2 est la dernière version pour cet étage. Il y a quatre étages différents dans cette offre. JES06, JES07, JEN07 et JEN16. • À l'intérieur de ces dossiers se trouvent un fichier de plan d'étage «.dwg» et un autre fichier de construction de base (JETN07-BB.dwg) utilisé comme Xref. Veuillez utiliser 8942-BUNDLE 4 - PHASE 2 - JEN7- REV2.dwg pour votre référence de plan d'étage. • Il n'y a aucune exigence de panneau système pour JEN07. Nous réutilisons le produit existant. 	
<p>Q5</p>	<p>Q5</p>	

Solicitation No. - N° de l'invitation
B8114-210044/A
Client Ref. No. - N° de réf. du client
B8114-210044

Amd. No. - N° de la modif.
Amd003
File No. - N° du dossier
pq994 B8114-210044

Buyer ID - Id de l'acheteur
pq994
CCC No./N° CCC - FMS No./N° VME

<p>I would ask that there be an extension granted to the closing date of this solicitation.</p>	<p>• Je demande qu'une prolongation soit accordée à la date de clôture de cette sollicitation</p>	<p>Solicitation amend 002</p>
<p>A5</p> <ul style="list-style-type: none"> • We are bound by construction timelines that we have to respect. • The date of the solicitation will not be extended. 	<p>R5</p> <ul style="list-style-type: none"> • Nous sommes liés par des délais de construction que nous devons respecter. • La date de la demande ne sera pas prolongée 	
<p>Q6</p> <p>In regards to Category 5, (page 6 of 45) - 5MOADUARMCLPMTXXXXX - <i>The product must have a single arm with a straight cross bar that provides adjustability for separation between monitor sizes from 24in to 27in, in either landscape or portrait position. The Cross bar must allow for monitors to sit flush and adjacent to each other on the same x axis. The monitor arm must be able to provide vertical and horizontal depth adjustment by the user without the use of tools.</i></p> <p>Question: Can the dual monitor arm support be dual arms instead of a single arm with a crossbar? The monitors will be able to sit at the same positions (flush, level and adjacent to each other) but would also allow the user to position them differently if it would better suit their ergonomic needs. Please confirm.</p>	<p>Q6</p> <p><i>En ce qui concerne la catégorie 5, (page 6 sur 45) - 5MOADUARMCLPMTXXXXX - Le produit doit avoir un seul bras avec une barre transversale droite qui permet un ajustement pour la séparation entre les tailles de moniteur de 24 pouces à 27 pouces, en position paysage ou portrait. La barre transversale doit permettre aux moniteurs d'être affleurants et adjacents les uns aux autres sur le même axe x. Le bras du moniteur doit être en mesure de fournir un réglage de profondeur vertical et horizontal par l'utilisateur sans utiliser d'outils.</i></p> <p>Question: Le support de bras pour deux écrans peut-il être des bras doubles au lieu d'un bras simple avec une barre transversale? Les moniteurs pourront s'asseoir aux mêmes positions (affleurants, de niveau et adjacents les uns aux autres) mais permettraient également à l'utilisateur de les positionner différemment si cela répondrait mieux à leurs besoins ergonomiques. Veuillez confirmer.</p>	<p>Solicitation amend 002</p>
<p>A6</p> <ul style="list-style-type: none"> • The monitor arm should provide the user with the ability to push the monitors back flushed against the system panels (within a workstation) without resulting in the two monitors being very widely distanced apart. For this reason, a single arm base with a cross bar for two monitors is required. 	<p>R6</p> <ul style="list-style-type: none"> • Le bras du moniteur doit permettre à l'utilisateur de repousser les moniteurs contre les panneaux du système (à l'intérieur d'un poste de travail) sans que les deux moniteurs soient très éloignés l'un de l'autre. Pour cette raison, une base à bras unique avec une barre transversale pour deux moniteurs est nécessaire. 	
<p>Q7</p> <p>In a previous amendment, the answer states that JEN7 and JEN16, don't require panels only the components, but there is panel mounted surfaces on both of these floors, so for the hardware to connect these surfaces we don't know what to specify as we don't know the existing product.</p>	<p>Q7</p> <p>Dans un amendement précédent, la réponse indique que JEN7 et JEN16, ne nécessitent pas de panneaux uniquement les composants, mais il y a des surfaces montées sur panneau sur ces</p>	

Solicitation No. - N° de l'invitation
B8114-210044/A
Client Ref. No. - N° de réf. du client
B8114-210044

Amd. No. - N° de la modif.
Amd003
File No. - N° du dossier
pq994 B8114-210044

Buyer ID - Id de l'acheteur
pq994
CCC No./N° CCC - FMS No./N° VME

Please let us know if we should exclude all hardware.	deux étages, donc pour que le matériel connecte ces surfaces, nous ne savons pas quoi spécifier car nous ne connaissons pas le produit existant. Veuillez nous indiquer si nous devons exclure tout le matériel.	Solicitation amend 002
<p>A7</p> <ul style="list-style-type: none"> Cat 1B is also not included for JEN7 and JEN16. Please refer to schedule below included in each of the CAD files: <p>Item A and B of Cat 1B are Not in Contract and so is item R of Cat 2.</p>	<p>R7</p> <ul style="list-style-type: none"> Le Cat 1B n'est pas non plus inclus pour JEN7 et JEN16. Veuillez vous référer au calendrier ci-dessous inclus dans chacun des fichiers CAO: <p>Les articles A et B de la catégorie 1B ne sont pas contractuels, tout comme l'article R de la catégorie 2.</p>	

ITEM	QTY	CATEGORY 1B PRODUCTS	
	38	24"D X 72"W WORK SURFACE, PANEL MOUNTED, RECTANGULAR - 24" X 72" SURFACE DE TRAVAIL, MONTÉ SUR CLOISON, RECTANGULAIRE,	N.I.C
	6	24"D X 72"W WORK SURFACE, 2 OPEN GABLE - METAL FINISH - 24" X 72" SURFACE DE TRAVAIL AVEC 2 CÔTÉ OUVERT, FINISH METALIQUE	
CATEGORY 2 PRODUCTS			
	38	24"D X 48"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 48" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	N.I.C
	7	30"D X 48"W WORK SURFACE, SIT-STAND, RECTANGULAR - 30" x 48" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	1	30"D X 72"W WORK SURFACE, SIT-STAND, RECTANGULAR - 30" X 72" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	2	BENCHING - 4 WORK SURFACES LONG - 1 SIDED - RECTANGULAR - LAMINATE - 30"D X 60"L / SURFACE DE TRAVAIL INDIVIDUELLES A HAUTEUR FIXE, 4 SURFACE DE TAVAIL LONG, 1 CÔTÉ, RECTANGULAIRE, 30" X 60"	
	1	BENCHING - 2 WORK SURFACES LONG - 1 SIDED - RECTANGULAR - LAMINATE - 30"D X 60"L / SURFACE DE TRAVAIL INDIVIDUELLES A HAUTEUR FIXE, 2 SURFACE DE TAVAIL LONG, 1 CÔTÉ, RECTANGULAIRE, 30" X 60"	
	14	24"D X 60"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 60" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	6	24"D X 72"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 72" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	2	MODULAR HEIGHT ADJUSTABLE BENCHING - 2 WORK SURFACE LONG - RECTANGULAR - LAMIANTE - 30"D X 60"L - ELECTRIC - FABRIC PRIVACY SCREEN / SURFACE DE TRAVAIL MODULAIRE DE TYPE COMPTOIR A HAUTEUR REGLABLE - LONGUEUR DE 2 SURFACES DE TRAVAIL - RECTANGULAIRE - S STRATIFIÉ - 30"D X 60" - ELECTRIQUE - PANNEAU EN TISSU	
CATEGORY 5 PRODUCTS			
	73	DUAL MONITOR - 1 ARM CONNECT - CLAMP MOUNT - SUPPORT D'ÉCRAN - 1 BRAS, - FIXÉ PAR UNE PINCE	
	68	TASK LIGHT - DESK BASE - USB - LAMPE DE TRAVAIL, POSÉE SUR LE BUREAU, USB	
	23	SYSTEM FURNITURE PAC POLE - POTEAU POUR ÉLECTRICITÉ ET DATA	

English	French	Question Posted
<p>Q8</p> <p>In regards to the RFP, please see our questions below:</p>	<p>Q8</p> <p>En ce qui concerne la demande de propositions, veuillez consulter nos questions ci-dessous:</p>	

Solicitation No. - N° de l'invitation
 B8114-210044/A
 Client Ref. No. - N° de réf. du client
 B8114-210044

Amd. No. - N° de la modif.
 Amd003
 File No. - N° du dossier
 pq994 B8114-210044

Buyer ID - Id de l'acheteur
 pq994
 CCC No./N° CCC - FMS No./N° VME

<ol style="list-style-type: none"> 1. Cat.1a: What is the ceiling height? 2. Cat.1a: How many data cables need to fit into the troughs of the panels? 3. Cat.6a-Item 2 & 3: Would you also accept a banquette with legs? (6SBATWXXLUW3G19LMNN, 6SBATHXXLUW5G19LMNN) 4. Cat.6a-Item 4: The product table on the floor plan for JES06 indicates Qty.16 flip-top tables with no modesty panels. Can you confirm the quantity of 12 on the RFP product table is correct, and confirm that the modesty panels are not required? 5. Cat.6b-Item 1: The GoCUID description is for open shelf and 'keyless' digital locks. Please confirm that open shelves with no doors and no locks are required. 6. Cat.6b-Item 4: A wood base is not compatible with the swivel mechanics. Would a swivel/upholstered base, or a fixed/wood base also be acceptable (6SLCWAXXFUXXXXXXMXXX or 6SLCWAXXWUXXXXXXMXXX)? 7. Cat.6b-Item 16 & 17 & 18: On the screen is upholstery required on the inside/outside/both/neither? 8. Cat.6b-Item 17: Is a monitor tower required as part of the work pod? 9. Cat.6c- Item 1 & 2: <i>Would you also accept a 4 legs base?</i> (6KBSCHxxLY15XXXPOYX, 6KKCSAxxLY16XXXMOYX) 10. Cat.2- Item 7 & 10: Will these benches be connected to the building using a base feed or a ceiling feed 	<ol style="list-style-type: none"> 1. Cat.1a: Quelle est la hauteur du plafond? 2. Cat.1a: Combien de câbles de données doivent être insérés dans les auges des panneaux? 3. Cat.6a-Item 2 & 3: Accepteriez-vous également une banquette avec pattes? (6SBATWXXLUW3G19LMNN, 6SBATHXXLUW5G19LMNN) 4. Cat.6a-Item 4: Le tableau des produits sur le plan d'étage pour JES06 indique Qté 16 tables rabattables sans panneaux de fond. Pouvez-vous confirmer que la quantité de 12 sur le tableau des produits de la demande de propositions est correcte et confirmer que les panneaux de fond ne sont pas nécessaires? 5. Cat.6b-Item 1: La description du GoCUID concerne les verrous numériques à étagère ouverte et «sans clé». Veuillez confirmer que des étagères ouvertes sans portes et sans serrures sont nécessaires. 6. Cat.6b-Item 4: Une base en bois n'est pas compatible avec la mécanique pivotante. Une base pivotante / rembourrée ou une base fixe / en bois serait-elle également acceptable (6SLCWAXXFUXXXXXXMXXX ou 6SLCWAXXWUXXXXXXMXXX)? 7. Cat.6b-Item 16 & 17 & 18: Sur l'écran, le rembourrage est-il nécessaire à l'intérieur / à l'extérieur / les deux / ni l'un ni l'autre? 8. Cat.6b-Item 17: Une tour de contrôle est-elle nécessaire dans le cadre du module de travail? 9. Cat.6c- Item 1 & 2: Accepteriez-vous également une base à 4 pieds? (6KBSCHxxLY15XXXPOYX, 6KKCSAxxLY16XXXMOYX) 10. Cat.2- Articles 7 et 10: Ces bancs seront-ils connectés au bâtiment à l'aide d'une alimentation de base ou d'une alimentation de plafond. 	<p>Solicitation amend 003</p>
<p>A8</p> <ol style="list-style-type: none"> 1. 2570mm to the underside of ceiling. 2. Two cables feed two outlets per workstation. 3. Yes. 4. (4) flip-top tables are crossed out on JES06 drawing. These are excluded from tender but shown for layout reference. The total required for that floor is 12 flip-top tables. No Modesty panels required. 5. Open shelves only. No doors required. 	<p>R8</p> <ol style="list-style-type: none"> 1. 2570 mm sous le plafond. 2. Deux câbles alimentent deux prises par poste de travail. 3. Oui. 4. (4) les tables rabattables sont barrées sur le dessin JES06. Ceux-ci sont exclus de l'appel d'offres mais indiqués pour référence de mise en page. Le total requis pour cet étage est de 12 tables rabattables. Aucun panneau de modestie requis. 	

Solicitation No. - N° de l'invitation
 B8114-210044/A
 Client Ref. No. - N° de réf. du client
 B8114-210044

Amd. No. - N° de la modif.
 Amd003
 File No. - N° du dossier
 pq994 B8114-210044

Buyer ID - Id de l'acheteur
 pq994
 CCC No./N° CCC - FMS No./N° VME

<p>6. No.</p> <p>7. Fabric required inside and outside.</p> <p>8. Yes.</p> <p>9. Yes.</p> <p>10. Base feed.</p>	<p>5. Les étagères ouvertes seulement. Aucune porte requise.</p> <p>6. Non.</p> <p>7. Tissu requis à l'intérieur et à l'extérieur.</p> <p>8. Oui.</p> <p>9. Oui.</p> <p>10. Alimentation de base</p>	
<p>Q9</p> <p>I have come across a couple more questions. I am comparing the charts from the provided CAD files as well as the pricing document in the Tender and have found some discrepancies between the drawing and document:</p> <p>JEN7</p> <ul style="list-style-type: none"> On the drawing item tagged as "R", is a 24"x48" height adjustable table – the chart in the tender document does not have a 24"x48" height adjustable table under CAT 2, only 30"x48". The drawing also has 30"x48" height adjustable tables but those items are tagged differently as "C".... There is benching on the drawing tagged as "F" and "G", but the descriptions do not match the tender document as on the drawing they are asking for single sided and 4 long, which is nowhere in the Tender document <p>JEN16</p> <ul style="list-style-type: none"> On the drawing item tagged as "R", is a 24"x48" height adjustable table – the chart in the tender document does not have a 24"x48" height adjustable table under CAT 2, only 30"x48". The drawing also has 30"x48" height adjustable tables but those items are tagged differently as "C".... There is benching on the drawing tagged as "F" and "G", but the descriptions do not match the tender document as on the drawing they are asking for single sided and 4 long, which is nowhere in the Tender document <p>JEN6</p> <ul style="list-style-type: none"> There is benching on the drawing tagged as "F" and "G", but the descriptions do not match the tender document as on the drawing they are asking for single sided and 4 long, which is nowhere in the Tender document 	<p>Q9</p> <p>J'ai rencontré quelques autres questions. Je compare les graphiques des fichiers CAO fournis ainsi que le document de tarification de l'offre et j'ai trouvé des divergences entre le dessin et le document:</p> <p>JEN7</p> <ul style="list-style-type: none"> Sur l'élément de dessin étiqueté R», se trouve une table réglable en hauteur de 24 "x48" - le tableau dans le document d'appel d'offres n'a pas de table réglable en hauteur de 24 "x 48" sous CAT 2, seulement 30 "x48". Le dessin comporte également des tables réglables en hauteur de 30 "x48", mais ces éléments sont étiquetés différemment comme "C".... Il y a un banc sur le dessin étiqueté «F» et «G», mais les descriptions ne correspondent pas au document d'appel d'offres, car sur le dessin qu'ils demandent pour une face et 4 longs, ce qui n'est nulle part dans le document d'appel d'offres <p>JEN16</p> <ul style="list-style-type: none"> Sur l'élément de dessin étiqueté «R», se trouve une table réglable en hauteur de 24 "x48" - le tableau dans le document d'appel d'offres n'a pas de table réglable en hauteur de 24 "x 48" sous CAT 2, seulement 30 "x48". Le dessin comporte également des tables réglables en hauteur de 30 "x48", mais ces éléments sont étiquetés différemment comme "C".... Il y a un banc sur le dessin étiqueté «F» et «G», mais les descriptions ne correspondent pas au document d'appel d'offres, car sur le dessin qu'ils demandent pour une face et 4 longs, ce qui n'est nulle part dans le document d'appel d'offres <p>JEN6</p> <ul style="list-style-type: none"> Il y a un banc sur le dessin étiqueté «F» et «G», mais les descriptions ne correspondent pas au document d'appel d'offres, car sur le dessin 	<p>Solicitation amend 003</p>

Solicitation No. - N° de l'invitation
B8114-210044/A
Client Ref. No. - N° de réf. du client
B8114-210044

Amd. No. - N° de la modif.
Amd003
File No. - N° du dossier
pq994 B8114-210044

Buyer ID - Id de l'acheteur
pq994
CCC No./N° CCC - FMS No./N° VME

<p>JEN7</p> <ul style="list-style-type: none"> There is benching on the drawing tagged as "F" and "G", but the descriptions do not match the tender document as on the drawing they are asking for single sided and 4 long, which is nowhere in the Tender document <p>OTHER NOTES:</p> <ul style="list-style-type: none"> There is a discrepancy between the Tender document and drawing, see below. All other counts match up. <ul style="list-style-type: none"> CAT 1B, the panel hung 24x72 surfaces, the Tender document has 70, based on the drawings I have a total of 146 CAT 1B. the freestanding 24x72 surfaces, the Tender document as 10, based on the drawings I have a total of 22 	<p>qu'ils demandent pour une face et 4 longs, ce qui n'est nulle part dans le document d'appel d'offres</p> <p>JEN7</p> <ul style="list-style-type: none"> Il y a un banc sur le dessin étiqueté «F» et «G», mais les descriptions ne correspondent pas au document d'appel d'offres, car sur le dessin qu'ils demandent pour une face et 4 longs, ce qui n'est nulle part dans le document d'appel d'offres <p>AUTRES NOTES:</p> <ul style="list-style-type: none"> Il y a une divergence entre le document d'appel d'offres et le dessin, voir ci-dessous. Tous les autres comptes correspondent. <ul style="list-style-type: none"> CAT 1B, le panneau accroché 24x72 surfaces, le document d'appel d'offres en a 70, sur la base des dessins, j'ai un total de 146 CAT 1B. les surfaces autoportantes 24x72, le document d'appel d'offres comme 10, basé sur les dessins, j'ai un total de 22 	
<p>A9 item R is not included in contract for JEN07.</p>	<p>R9 L'article R n'est pas inclus dans le contrat pour JEN07</p>	

ITEM	QTY	DESCRIPTION	
CATEGORY 1B PRODUCTS			
	38	24"D X 72"W WORK SURFACE, PANEL MOUNTED, RECTANGULAR - 24" X 72" SURFACE DE TRAVAIL, MONTÉ SUR CLOISON, RECTANGULAIRE,	N.I.C
	6	24"D X 72"W WORK SURFACE, 2 OPEN GABLE - METAL FINISH - 24" X 72" SURFACE DE TRAVAIL AVEC 2 CÔTÉ OUVERT, FINISH METALIQUE	
CATEGORY 2 PRODUCTS			
	38	24"D X 48"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 48" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	N.I.C
	7	30"D X 48"W WORK SURFACE, SIT-STAND, RECTANGULAR - 30" x 48" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	1	30"D X 72"W WORK SURFACE, SIT-STAND, RECTANGULAR - 30" X 72" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	2	BENCHING - 4 WORK SURFACES LONG - 1 SIDED - RECTANGULAR - LAMINATE - 30"D X 60"L / SURFACE DE TRAVAIL INDIVIDUELLES A HAUTEUR FIXE, 4 SURFACE DE TAVAIL LONG, 1 CÔTÉ, RECTANGULAIRE, 30" X 60"	
	1	BENCHING - 2 WORK SURFACES LONG - 1 SIDED - RECTANGULAR - LAMINATE - 30"D X 60"L / SURFACE DE TRAVAIL INDIVIDUELLES A HAUTEUR FIXE, 2 SURFACE DE TAVAIL LONG, 1 CÔTÉ, RECTANGULAIRE, 30" X 60"	
	14	24"D X 60"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 60" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	6	24"D X 72"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 72" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	2	MODULAR HEIGHT ADJUSTABLE BENCHING - 2 WORK SURFACE LONG - RECTANGULAR - LAMIANTE - 30"D X 60"L - ELECTRIC - FABRIC PRIVACY SCREEN / SURFACE DE TRAVAIL MODULAIRE DE TYPE COMPTOIR A HAUTEUR REGLABLE - LONGUEUR DE 2 SURFACES DE TRAVAIL - RECTANGULAIRE - STRATIFIÉ - 30"D X 60" - ELECTRIQUE - PANNEAU EN TISSU	
CATEGORY 5 PRODUCTS			
	73	DUAL MONITOR - 1 ARM CONNECT - CLAMP MOUNT - SUPPORT D'ÉCRAN - 1 BRAS, - FIXÉ PAR UNE PINCE	
	68	TASK LIGHT - DESK BASE - USB - LAMPE DE TRAVAIL, POSÉE SUR LE BUREAU, USB	
	23	SYSTEM FURNITURE PAC POLE - POTEAU POUR ÉLECTRICITÉ ET DATA	

Solicitation No. - N° de l'invitation
B8114-210044/A
Client Ref. No. - N° de réf. du client
B8114-210044

Amd. No. - N° de la modif.
Amd003
File No. - N° du dossier
pq994 B8114-210044

Buyer ID - Id de l'acheteur
pq994
CCC No./N° CCC - FMS No./N° VME

English	French	Question Posted
<p>A9</p> <ul style="list-style-type: none"> Did we miss items F and G from tender? Item R is not included in contract for JEN16. 	<p>R9</p> <ul style="list-style-type: none"> Avons-nous manqué les éléments F et G dans l'appel d'offres? L'article R n'est pas inclus dans le contrat pour JEN16. 	<p>Solicitation amend 003</p>

ITEM	QTY	DESCRIPTION	
CATEGORY 1B PRODUCTS			
	38	24"D X 72"W WORK SURFACE, PANEL MOUNTED, RECTANGULAR - 24" X 72" SURFACE DE TRAVAIL, MONTÉ SUR CLOISON, RECTANGULAIRE,	N.I.C
	6	24"D X 72"W WORK SURFACE, 2 OPEN GABLE - METAL FINISH - 24" X 72" SURFACE DE TRAVAIL AVEC 2 CÔTÉ OUVERT, FINISH METALLIQUE	
CATEGORY 2 PRODUCTS			
	38	24"D X 48"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 48" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	N.I.C
	7	30"D X 48"W WORK SURFACE, SIT-STAND, RECTANGULAR - 30" x 48" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	1	30"D X 72"W WORK SURFACE, SIT-STAND, RECTANGULAR - 30" X 72" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	2	BENCHING - 4 WORK SURFACES LONG - 1 SIDED - RECTANGULAR - LAMINATE - 30"D X 60"L / SURFACE DE TRAVAIL INDIVIDUELLES A HAUTEUR FIXE, 4 SURFACE DE TAVAIL LONG, 1 CÔTÉ, RECTANGULAIRE, 30" X 60"	
	1	BENCHING - 2 WORK SURFACES LONG - 1 SIDED - RECTANGULAR - LAMINATE - 30"D X 60"L / SURFACE DE TRAVAIL INDIVIDUELLES A HAUTEUR FIXE, 2 SURFACE DE TAVAIL LONG, 1 CÔTÉ, RECTANGULAIRE, 30" X 60"	
	14	24"D X 60"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" x 60" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	6	24"D X 72"W WORK SURFACE, SIT-STAND, RECTANGULAR - 24" X 72" SURFACE DE TRAVAIL, A HAUTEUR RÉGLABLE, RECTANGULAIRE	
	2	MODULAR HEIGHT ADJUSTABLE BENCHING - 2 WORK SURFACE LONG - RECTANGULAR - LAMIANTE - 30"D X 60"L - ELECTRIC - FABRIC PRIVACY SCREEN / SURFACE DE TRAVAIL MODULAIRE DE TYPE COMPTOIR A HAUTEUR REGLABLE - LONGUEUR DE 2 SURFACES DE TRAVAIL - RECTANGULAIRE - STRATIFIÉ - 30"D X 60" - ELECTRIQUE - PANNEAU EN TISSU	
CATEGORY 5 PRODUCTS			
	73	DUAL MONITOR - 1 ARM CONNECT - CLAMP MOUNT - SUPPORT D'ÉCRAN - 1 BRAS, - FIXÉ PAR UNE PINCE	
	68	TASK LIGHT - DESK BASE - USB - LAMPE DE TRAVAIL, POSÉE SUR LE BUREAU, USB	
	23	SYSTEM FURNITURE PAC POLE - POTEAU POUR ÉLECTRICITÉ ET DATA	

English	French	Question Posted
<p>A9</p> <ul style="list-style-type: none"> Did we miss items F and G from tender? There is no JEN6. Did we miss items F and G from tender? Please follow tender numbers and numbers reflected in schedules on CAD drawings. Do not count off drawings as some items are 	<p>R9</p> <ul style="list-style-type: none"> Avons-nous manqué les éléments F et G dans l'appel d'offres? Il n'y a pas de JEN6. Avons-nous manqué les éléments F et G de l'appel d'offres? Veuillez suivre les numéros d'appel d'offres et les numéros indiqués dans les annexes sur les dessins CAO. Ne comptez pas sur les dessins, car certains éléments sont présentés à titre 	<p>Solicitation amend 003</p>

Solicitation No. - N° de l'invitation
B8114-210044/A
Client Ref. No. - N° de réf. du client
B8114-210044

Amd. No. - N° de la modif.
Amd003
File No. - N° du dossier
pq994 B8114-210044

Buyer ID - Id de l'acheteur
pq994
CCC No./N° CCC - FMS No./N° VME

shown for layout reference only but are not included in tender.	indicatif uniquement, mais ne sont pas inclus dans l'offre.	
Q10 may we please request an extension to allow us time to respond	Q10 pouvons-nous demander une prolongation pour nous laisser le temps de répondre	
A10 The solicitation has been extended and will close on December 18	R10 La sollicitation a été prolongée et se terminera le 18 décembre	

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Amendment 003 is raised to delete the RFB in its entirety and replace with the following:

TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement? No

Step 2. Competitive

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. General

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

Security Requirement:

There is no security requirement associated with this contract.

Solicitation No. - N° de l'invitation

B8114-210044/A

Client Ref. No. - N° de réf. du client

B8114-210044

Amd. No. - N° de la modif.

003

File No. - N° du dossier

pq434.B8114-210044

Buyer ID - Id de l'acheteur

pq994

CCC No./N° CCC - FMS No./N° VME

Bid Evaluation

An evaluation team composed of representatives of Canada will evaluate the bids.

Solicitation No. - N° de l'invitation

B8114-210044/A

Client Ref. No. - N° de réf. du client

B8114-210044

Amd. No. - N° de la modif.

003

File No. - N° du dossier

pq434.B8114-210044

Buyer ID - Id de l'acheteur

pq994

CCC No./N° CCC - FMS No./N° VME

RFB Issued by:	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
RFB Closing - Submit Bid: Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	See Cover Page
To physical location (<i>if applicable</i>)	Bid Receiving Unit – PWGSC 11 Laurier Street, Place du Portage, Phase III, Core 0B2 Gatineau, Quebec K1A 0S5
Additional Bid Submission option epost Connect service:	NCR address ONLY: TPSGC.DGAreceptiondessomissions- ABBidReceiving.PWGSC@tpsgc-pwgsc.gc.ca
RFB Enquiries	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority two business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	5 business days

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract	
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.	<input type="checkbox"/>	Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	<input type="checkbox"/>	Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.	<input checked="" type="checkbox"/>	There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority (IU)	
	Name:	Christopher Racette
	Title:	Supply Specialist
	Department/Agency/Crown Corporation:	Public Services and Procurement Canada (PSPC)
	Address:	140 O'Connor Street Ottawa, Ontario K1A 0R5
	Telephone No.:	819-664-1606
	E-mail address:	Christopher.Racette@tpsgc-pwgsc.gc.ca
4.2	Project Authority [To be completed at contract award] <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i> <i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	E-mail address:	
4.3	Contractor's Representative	
	As set out in Annex A, Table 9 below.	
5.	Method of Payment	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	<input type="checkbox"/>	Single Payment
	<input checked="" type="checkbox"/>	Multiple Payment
6.	Invoicing [To be completed at contract award]	
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:	
	Name of the organization and contact:	
	Address:	

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

ANNEX A
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

- Category 1**
- Category 2**
- Category 5**

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

Solicitation No. - N° de l'invitation	Amd. No. - N° de la modif.	Buyer ID - Id de l'acheteur
B8114-210044/A	003	pq994
Client Ref. No. - N° de réf. du client	File No. - N° du dossier	CCC No./N° CCC - FMS No./N° VME
B8114-210044	pq434.B8114-210044	

The requirement includes the following categories of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. Category 2 – Freestanding Height Adjustable Desk / Table Products

c. Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

e. Category 5 – Ancillary and Lighting Products

f. Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The category 6 will be subdivided by like product.

g. NSA Product(s) – Categories: 6A, 6B & 6D

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

****Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.****

In a resulting contract, the term "Bid" means the Supplier's commitment, the term "Bidder" means "Contractor".

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Product Categories: 1, 2 & 5**Table 1 – Product Table**

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 1A							
1		Refer to Annex C and Floor Plans. The product must work well with system furniture and sit-stands. Ideally should be flexible and/or articulated to make room for flexibly movement of cables (without snapping or unplugging of cables) with the movement of height adjustable tables.					\$
Category 1B							
2	1bFFHREN24L72WNOLNY		70	No		\$	\$
3	1bFFHREG24L72WNOLNY		10	No		\$	\$
Category 2							
4	2WSSREXXL30L48BELXX		100	No		\$	\$
5	2WSSREXXL30L60BELXX		14	No		\$	\$
6	2WSSREXXL30L72BELXX		23	No		\$	\$
7	2B3LREXXL30L60BELFA		2	No		\$	\$
8	2WSSREXXL24L60BELXX		28	No		\$	\$
9	2WSSREXXL24L72BELXX		12	No		\$	\$
10	2B2LREXXL30L60BELFA		2	No		\$	\$
Category 5							
11	5MOADUARMCLPMTXXXXX	The product must have a single arm with a straight cross bar that provides adjustability for separation between monitor sizes from 24in to 27in, in either landscape or portrait position. The Cross bar must allow for monitors to sit flush and adjacent to each other on the same x axis. The monitor arm must be able to provide vertical and horizontal depth adjustment by the user without the use of tools.	267	No		\$	\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

12	5PMOWKSMTACUSBXXXXX		219	No		\$	\$
**Provide additional information:							
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
						Product Total	\$

Table 2 - Delivery

Product Item # from Table 1	Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	N/A N/A	2021/11/01 2021/03/08	Outside Normal	_____ : weeks	\$
2	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	36 34	2021/11/01 2021/03/08	Outside Normal		\$
3	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	5 5	2021/11/01 2021/03/08	Outside Normal		\$
4	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	45 41 7 7	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
5	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	7 7	2021/11/01 2021/03/08	Outside Normal		\$
6	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	9 12 1 1	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
7	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 7 th floor	2	2021/03/08	Outside Normal		\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

8	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	14 14	2021/03/01 2021/09/20	Outside Normal		\$
9	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	6 6	2021/03/01 2021/09/20	Outside Normal		\$
10	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	1 1	2021/03/01 2021/09/20	Outside Normal		\$
11	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	59 70 65 73	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
12	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor	65 78 76	2021/11/01 2021/03/08 2021/03/01	Outside Normal		\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					Delivery Total:	\$

Table 3 – Installation

Product Item # from Table 1	Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	N/A N/A	2021/11/01 2021/03/08	Outside Normal	_____ : weeks from date of supply and delivery	\$
2	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	36 34	2021/11/01 2021/03/08	Outside Normal		\$
3	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	5 5	2021/11/01 2021/03/08	Outside Normal		\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

4	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	45	2021/11/01			
	Jean Edmonds tower south 7 th floor	41	2021/03/08			
	Jean Edmonds tower north 7 th floor	7	2021/03/01			
	Jean Edmonds tower north 16 th floor	7	2021/09/20			
5	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	7	2021/11/01			
	Jean Edmonds tower south 7 th floor	7	2021/03/08			
6	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	9	2021/11/01			
	Jean Edmonds tower south 7 th floor	12	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
7	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
8	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	14	2021/03/01			
	Jean Edmonds tower north 16 th floor	14	2021/09/20			
9	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	6	2021/03/01			
	Jean Edmonds tower north 16 th floor	6	2021/09/20			
10	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
11	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	59	2021/11/01			
	Jean Edmonds tower south 7 th floor	70	2021/03/08			
	Jean Edmonds tower north 7 th floor	65	2021/03/01			
	Jean Edmonds tower north 16 th floor	73	2021/09/20			
12	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	65	2021/11/01			
	Jean Edmonds tower south 7 th floor	78	2021/03/08			
	Jean Edmonds tower north 7 th floor	76	2021/03/01			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Table 4 – Optional Product

 Not Applicable

Table 5 – Optional Delivery

 Not Applicable

Table 6 – Optional Installation

 Not Applicable

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	365 Laurier Ave, West, Ottawa, ON
B	Dock	Standard size
C	Lift	Yes, limit 6000 lbs
D	Door	7.5’ W by 9’ H
E	Freight Elevator	Yes, in the loading dock area
F	Other (specify, if any)	<p>1. There can be no deliveries between 7am - 6pm on weekdays by trucks that are greater than 25’ in length as per building management.</p> <p>2. Trucks greater than 25’ can do deliveries on weeknights and on weekends no problem. It is best we reserve the dock with building management to avoid conflicts.</p> <p>3. We cannot do any moves before 17:00 on weekdays as we cannot put the elevator on service before that time.</p> <p>4. Tractor Trailers (53’ or larger) cannot delivery to JES/JEN due to size issues, large possibility of blocking street traffic and that if cars are parked on the other side of the street (which is almost always the case) then it is highly impossible for the driver to back the truck into the space.</p>
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Product Category: 5**Table 1 – Product Table**

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 5							
1	5TLTDSKBAUSBPWXXXXX		264	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
						Product Total	\$

Table 2 - Delivery

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks	\$
	Jean Edmonds tower south 6 th floor	65	2021/11/01			
	Jean Edmonds tower south 7 th floor	63	2021/03/08			
	Jean Edmonds tower north 7 th floor	68	2021/03/01			
	Jean Edmonds tower north 16 th floor	68	2021/09/20			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Table 3 – Installation

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	65 63 68 68	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal	_____ : weeks from date of supply and delivery	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Table 4 – Optional Product Not Applicable**Table 5 – Optional Delivery** Not Applicable**Table 6 – Optional Installation** Not Applicable**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes	
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	365 Laurier Ave, West, Ottawa, ON
B	Dock	Standard size
C	Lift	Yes, limit 6000 lbs
D	Door	7.5' W by 9' H
E	Freight Elevator	Yes, in the loading dock area
F	Other (specify, if any)	1. There can be no deliveries between 7am - 6pm on weekdays by trucks that are greater than 25' in length as per building management. 2. Trucks greater than 25' can do deliveries on weeknights and on weekends no problem. It is best we reserve the dock with building management to avoid conflicts. 3. We cannot do any moves before 17:00 on weekdays as we cannot put the elevator on service before that time.

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	4. Tractor Trailers (53' or larger) cannot delivery to JES/JEN due to size issues, large possibility of blocking street traffic and that if cars are parked on the other side of the street (which is almost always the case) then it is highly impossible for the driver to back the truck into the space.
3.	Continuance of Certifications
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Product Category: 3**Table 1 – Product Table**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	3LSL1HXXLM12D20XHXS	Each personal locker must be provided with a coat rod, 1 hook, 1 boot tray and 1 top shelf. Height must be between 52"(1321mm) – 54"(1372mm)	480	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks	\$
	Jean Edmonds tower south 6 th floor	120	2021/11/01			
	Jean Edmonds tower south 7 th floor	120	2021/03/08			
	Jean Edmonds tower north 7 th floor	120	2021/03/01			
	Jean Edmonds tower north 16 th floor	120	2021/09/20			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Table 3 – Installation

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON					
	Jean Edmonds tower south 6 th floor	120	2021/11/01		_____ : weeks from date of supply and delivery	\$
	Jean Edmonds tower south 7 th floor	120	2021/03/08			
	Jean Edmonds tower north 7 th floor	120	2021/03/01			
	Jean Edmonds tower north 16 th floor	120	2021/09/20			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Table 4 – Optional Product Not Applicable**Table 5 – Optional Delivery** Not Applicable**Table 6 – Optional Installation** Not Applicable**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes	
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.	
	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.	
	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery	
	<i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
	<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	365 Laurier Ave, West, Ottawa, ON
B	Dock	Standard size
C	Lift	Yes, limit 6000 lbs
D	Door	7.5' W by 9' H
E	Freight Elevator	Yes, in the loading dock area
F	Other (specify, if any)	1. There can be no deliveries between 7am - 6pm on weekdays by trucks that are greater than 25' in length as per building management. 2. Trucks greater than 25' can do deliveries on weeknights and on weekends no problem. It is best we reserve the dock with building management to avoid conflicts. 3. We cannot do any moves before 17:00 on weekdays as we cannot put the elevator on service before that time.

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	4. Tractor Trailers (53' or larger) cannot delivery to JES/JEN due to size issues, large possibility of blocking street traffic and that if cars are parked on the other side of the street (which is almost always the case) then it is highly impossible for the driver to back the truck into the space.
3.	Continuance of Certifications
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation
 B8114-210044/A
 Client Ref. No. - N° de réf. du client
 B8114-210044

Amd. No. - N° de la modif.
 003
 File No. - N° du dossier
 pq434.B8114-210044

Buyer ID - Id de l'acheteur
 pq994
 CCC No./N° CCC - FMS No./N° VME

Product Category: 6A

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6MMTSMROPL36XXXWNNX		8	No		\$	\$
2	6MMTSMROPL42XXXWNNX Also acceptable: 6SBATWXXLUW3G19LMNN 6SBATHXXLUW5G19LMNN		2	No		\$	\$
3	6MMTSMROPL48XXXWNNX Also acceptable: 6SBATWXXLUW3G19LMNN 6SBATHXXLUW5G19LMNN		2	No		\$	\$
4	6MTRFTRECL30L60WYYY		12	No		\$	\$
5	6CCTVAREGL20L48JNXX		8	No		\$	\$
6	6CCTVAROPL36XXXJNXX		6	No		\$	\$
7	6CSTVAROPL24XXXJNXX		7	No		\$	\$
8	6CKIVAREWL36L60TNXX		4	No		\$	\$
9	6CKIVAREWL36L72TNXX		2	No		\$	\$
10	6CCLVAROPL42XXXAvXX		2	No		\$	\$
11	6CLTVAREXLW7<36ONXX		36	No		\$	\$
12	6CMUSHTZRL54L84WYXX		10	No		\$	\$

****Provide additional information:**

Canada is requesting bidders to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products (must not exceed 30% of the firm quantity by category)

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
13	Fixed Height Table <u>Description</u>	8	Yes		\$	\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	<ol style="list-style-type: none"> 1. Freestanding table must have one rectangular surface. 2. Dual, square or disc base pedestals. <p><u>Dimension</u></p> <ol style="list-style-type: none"> 1. Rectangular surface must be 36" (914mm)Wx 72"(1829mm)L. 2. Surface height should be 29" (737mm) when measure from the floor to the top of the surface. 3. A tolerance of ±25 mm (±1 in.) will be accepted <p><u>Finishes</u></p> <ol style="list-style-type: none"> 1. Surface must be painted MDF or high-pressure laminate. 2. Disc base or square base pedestals must be chrome or painted metal. <p><u>Power and Data</u></p> <p>None</p> <p><u>Support</u></p> <ol style="list-style-type: none"> 1. Surface must be supported by dual pedestals. Each pedestals should be a post on a disc or a square base. 					
				Product Total	\$	\$

Table 2 - Delivery

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks	\$
	Jean Edmonds tower south 6 th floor	4	2021/11/01			
	Jean Edmonds tower south 7 th floor	4	2021/03/08			
2	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

3	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	1 1	2021/11/01 2021/03/08	Outside Normal		\$
4	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor	12	2021/11/01	Outside Normal		\$
5	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	2 2 2 2	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
6	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor	2 3 1	2021/11/01 2021/03/08 2021/03/01	Outside Normal		\$
7	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	3 4	2021/11/01 2021/03/08	Outside Normal		\$
8	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	1 1 1 1	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
9	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	1 1	2021/11/01 2021/03/08	Outside Normal		\$
10	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	1 1	2021/03/01 2021/09/20	Outside Normal		\$
11	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	10 11 7 8	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
12	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	2 2 3 3	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
13	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	2 2	2021/11/01 2021/03/08	Outside Normal		\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	Jean Edmonds tower north 7 th floor	2	2021/03/01			
	Jean Edmonds tower north 16 th floor	2	2021/09/20			
	*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
	**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks from date of supply and delivery	\$
	Jean Edmonds tower south 6 th floor	4	2021/11/01			
	Jean Edmonds tower south 7 th floor	4	2021/03/08			
2	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
3	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	1	2021/11/01			
	Jean Edmonds tower south 7 th floor	1	2021/03/08			
4	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	12	2021/11/01			
5	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	2	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
	Jean Edmonds tower north 7 th floor	2	2021/03/01			
	Jean Edmonds tower north 16 th floor	2	2021/09/20			
6	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	2	2021/11/01			
	Jean Edmonds tower south 7 th floor	3	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
7	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	3	2021/11/01			
	Jean Edmonds tower south 7 th floor	4	2021/03/08			
8	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	1	2021/11/01			
	Jean Edmonds tower south 7 th floor	1	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

9	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	1 1	2021/11/01 2021/03/08	Outside Normal		\$
10	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	1 1	2021/03/01 2021/09/20	Outside Normal		\$
11	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	10 11 7 8	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
12	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	2 2 3 3	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
13	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	2 2 2 2	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					Installation Total:	\$

Table 4 – Optional Product

 Not Applicable

Table 5 – Optional Delivery

 Not Applicable

Table 6 – Optional Installation

 Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.
2.	Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>
2.1	Loading Dock/Location
A	Location 365 Laurier Ave, West, Ottawa, ON
B	Dock Standard size

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

C	Lift	Yes, limit 6000 lbs
D	Door	7.5' W by 9' H
E	Freight Elevator	Yes, in the loading dock area
F	Other (specify, if any)	<p>1. There can be no deliveries between 7am - 6pm on weekdays by trucks that are greater than 25' in length as per building management.</p> <p>2. Trucks greater than 25' can do deliveries on weeknights and on weekends no problem. It is best we reserve the dock with building management to avoid conflicts.</p> <p>3. We cannot do any moves before 17:00 on weekdays as we cannot put the elevator on service before that time.</p> <p>4. Tractor Trailers (53' or larger) cannot delivery to JES/JEN due to size issues, large possibility of blocking street traffic and that if cars are parked on the other side of the street (which is almost always the case) then it is highly impossible for the driver to back the truck into the space.</p>
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Product Category: 6B**Table 1 – Product Table**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6ZFHLXX18L72HSSSSSX	Open shelves only. No doors required	5	No		\$	\$
2	6SBATWXXBUW3G19LMNN	Banquette seating cannot exceed 52" (1321mm) W	14	YES		\$	\$
3	6SBATHXXBUW5G19LMNN	Banquette seating cannot exceed 75" (1905mm) W	8	YES		\$	\$
4	6SLCWAXXWUXXXXXXMXXX	Must be provided with a wood base	33	YES		\$	\$
5	6SSOTWXXLUW4XXXQNNY		16	No		\$	\$
6	6SSOTWXXLUW4XXXQNNN		9	No		\$	\$
7	6SSOTHXXLUW6XXXQNNY		3	No		\$	\$
8	6STCWRXXLUXXXXXXNNX		20	No		\$	\$
9	6STCWLXXLUXXXXXXNNX		10	No		\$	\$
10	6SUOPRXXLUXXXXXLNNN		6	No		\$	\$
11	6SUCROXXLUX8XXXLXXX		38	No		\$	\$
12	6SMORBXXLU25G19LNNN		26	No		\$	\$
13	6SMORBXXLU25G19LYNN		2	No		\$	\$
14	6SMPRBXXLU25G19LYNN		2	No		\$	\$
15	6SMOCBXXLU37G19LYNN	MODULAR BENCHING - CURVILINEAR BENCH - BACK REST - ARMLESS - FORM SEMI CIRCLE ARRANGEMENT	14	YES		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products (must not exceed 30% of the firm quantity by category) The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
16	<p>Individual Work Pod with Worksurface and Task Light</p> <p><u>Description</u></p> <ol style="list-style-type: none"> Freestanding unit must include a work surface and task light for a single user and privacy screen(s). Work surface and privacy screen(s) must be from the same product line. Privacy screen(s) must surround the users on no less than three sides, including both the work surface and the user. Interconnecting systems panels are not an acceptable solution. Corners of panels must be rounded; panels which connect at a square or 90-degree angle are not acceptable. Seat will be provided separately and does not form part of this specification. <p><u>Dimension</u></p> <ol style="list-style-type: none"> Work surface must be a maximum height of 762mm (30 in) with a tolerance of - 76.2mm (-3 in) when measured from the floor to the top of the work surface Privacy screen(s) height must be a minimum of 1194mm (47 in.) to a maximum of 1549mm (61 in.). Overall diameter footprint of unit must be 1524mm (60 in.) maximum, ±102 mm (4 in.) <p><u>Finishes</u></p> <ol style="list-style-type: none"> Work surface must be painted MDF, or high-pressure laminate. Privacy screens must be fabric covered, high-pressure laminate, or low-pressure laminate. <p><u>Power and Data</u></p> <ol style="list-style-type: none"> Must provide a combination of one duplex and one USB as a minimum. <p><u>Support/Table Bases</u></p> <ol style="list-style-type: none"> Floor supports must be minimal, no higher than 50.4 mm (2 in.). 2. Supports/legs for the work surface must be formed to the privacy panels and must appear to be supported by the panels, however may be supported on itself. 	6	Yes		\$	\$
17	<p>Group Work Pods</p> <p><u>Description</u></p> <ol style="list-style-type: none"> Freestanding unit which must include two upholstered lounge sofas, <i>work surface</i>, and privacy enclosure/screens. 	2	Yes		\$	\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

2. Each lounge sofa must allow for two adults to sit comfortable side-by-side.
3. Sofa, *work surface*, and *privacy screens* must be from the same product line. All parts must be snugly fitted into one another.
4. Privacy screens must form an enclosure surrounding 75% of all users and interior furniture combined. Interconnecting systems panels are not an acceptable solution. Corners of panels must be rounded; panels which connect at a square or 90-degree angle are not acceptable.
5. Work surface must be situated between the lounge sofas to provide useable work surface space to all 4 users.

Dimension

1. Sofa seat must be 381mm (15 in.) to 457mm (18 in.) when measured from the top of the seat to the finished floor, ± 25 mm (± 1 in.).
2. Work surface must compatible with the lounge height seating.
3. Privacy screen(s) height must be a minimum of 1194mm (47 in.) and a maximum of 1549mm (61 in.).
4. Overall foot diameter footprint of the unit must be 2007mm (79 in.) diameter to 2591mm (102 in.) diameter, ± 152 mm (± 6 in.).

Finishes

The seat and back of the sofas must be:

1. Fully upholstered.
2. Back must allow for different fabric option other than the seat.
3. Work surface must be painted MDF or high-pressure laminate.
4. Work surface support(s) must be chrome or painted metal.
5. Privacy screens must be fabric covered, high-pressure laminate or low-pressure laminate.

Power and Data

1. Must provide one duplex outlet as a minimum.

Support/Table Bases

1. Floor supports must be minimal, no higher than 50.4mm (2 in.).
2. Supports/legs for the *work surface* must be formed to the privacy panels and must appear to be

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	<p>supported by the panels, however may be supported on itself.</p> <p>3. Table must be from the same lines as the privacy panels and seating. Table must have only one visible pedestal leg.</p> <p>4. Sofas can be integrated with the privacy panels, however may be self-supported.</p>					
18	<p>INDIVIDUAL PRIVATE LOUNGE CHAIR</p> <p><u>Description</u></p> <ol style="list-style-type: none"> 1. Freestanding unit must include one upholstered lounge chair, a <i>work surface</i>, and privacy enclosure/screens. 2. Lounge chair must allow for one adult to sit comfortably. 3. Lounge chair, <i>work surface</i>, and <i>privacy screens</i> must be from the same product line. All parts must be snugly fitted into one another 4. Privacy screen(s) must surround the user on no less than three sides, including both the work surface and the user. Interconnecting systems panels are not an acceptable solution. Corners of panels must be rounded; panels which connect at a square or 90-degree angle are not acceptable. <p><u>Dimension</u></p> <ol style="list-style-type: none"> 1. Lounge chair seat must be 381mm (15 in.) to 457mm (18 in.) when measured from the top of the seat to the finished floor, ± 25 mm (± 1 in.). 2. Work surface must compatible with the lounge height seating. 3. Privacy screen(s) height must be a minimum of 1168mm (46 in.) and a maximum of 1625mm (64 in.). 4. Overall foot diameter footprint of the unit must be 1066mm (42 in.) diameter to 1524mm (60 in.) diameter, ± 101 mm (± 4 in.). <p><u>Finishes</u></p> <p>The seat, back and arms of the lounge chair must be:</p> <ol style="list-style-type: none"> 1. Fully upholstered. 2. Back must allow for different fabric option other than the seat. 3. Work surface must be painted MDF or high-pressure laminate. 4. Lounge chair legs must be chrome or painted metal. 5. Privacy screens must be fabric covered, high-pressure laminate or low-pressure laminate. 	10	Yes		\$	\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

<p><u>Power and Data</u></p> <p>1. Must provide one duplex outlet as a minimum.</p> <p><u>Support</u></p> <p>1. Floor supports must be minimal, no higher than 50.4mm (2 in.).</p> <p>2. Supports/legs for the lounge chair can be formed to the privacy panels and appear to be supported by the panels, however may be supported on itself.</p> <p>3. Work surface must be tablet style supported on one of the lounge chair arms preferably with adjustability mechanism.</p>						
				Product Total	\$	\$

Table 2 - Delivery

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks	\$
	Jean Edmonds tower south 6 th floor	3	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
2	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	8	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
	Jean Edmonds tower north 7 th floor	2	2021/03/01			
	Jean Edmonds tower north 16 th floor	2	2021/09/20			
3	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	2	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
	Jean Edmonds tower north 7 th floor	2	2021/03/01			
	Jean Edmonds tower north 16 th floor	2	2021/09/20			
4	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	9	2021/11/01			
	Jean Edmonds tower south 7 th floor	10	2021/03/08			
	Jean Edmonds tower north 7 th floor	4	2021/03/01			
	Jean Edmonds tower north 16 th floor	10	2021/09/20			
5	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	4	2021/11/01			
	Jean Edmonds tower south 7 th floor	4	2021/03/08			

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	4 4	2021/03/01 2021/09/20			
6	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 2 3 1 3	 2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
7	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	 1 2	 2021/11/01 2021/03/08	Outside Normal		\$
8	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 8 7 2 3	 2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
9	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 4 3 1 2	 2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
10	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 3 1 1 1	 2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
11	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 12 12 7 7	 2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
12	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 6 6 7 7	 2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal		\$
13	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 1 1	 2021/03/01 2021/09/20	Outside Normal		\$
14	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	 1 1	 2021/03/01 2021/09/20	Outside Normal		\$
15	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor	 6 6 1	 2021/11/01 2021/03/08 2021/03/01	Outside Normal		\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	Jean Edmonds tower north 16 th floor	1	2021/09/20			
16	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	3	2021/03/01			
	Jean Edmonds tower north 16 th floor	3	2021/09/20			
17	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
18	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	5	2021/11/01			
	Jean Edmonds tower south 7 th floor	5	2021/03/08			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Table 3 – Installation

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks from date of supply and delivery	\$
	Jean Edmonds tower south 6 th floor	3	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
2	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	8	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
	Jean Edmonds tower north 7 th floor	2	2021/03/01			
	Jean Edmonds tower north 16 th floor	2	2021/09/20			
3	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	2	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
	Jean Edmonds tower north 7 th floor	2	2021/03/01			
	Jean Edmonds tower north 16 th floor	2	2021/09/20			
4	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	9	2021/11/01			
	Jean Edmonds tower south 7 th floor	10	2021/03/08			
	Jean Edmonds tower north 7 th floor	4	2021/03/01			
	Jean Edmonds tower north 16 th floor	10	2021/09/20			

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

5	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	4	2021/11/01			
	Jean Edmonds tower south 7 th floor	4	2021/03/08			
	Jean Edmonds tower north 7 th floor	4	2021/03/01			
	Jean Edmonds tower north 16 th floor	4	2021/09/20			
6	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	2	2021/11/01			
	Jean Edmonds tower south 7 th floor	3	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	3	2021/09/20			
7	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	1	2021/11/01			
	Jean Edmonds tower south 7 th floor	2	2021/03/08			
8	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	8	2021/11/01			
	Jean Edmonds tower south 7 th floor	7	2021/03/08			
	Jean Edmonds tower north 7 th floor	2	2021/03/01			
	Jean Edmonds tower north 16 th floor	3	2021/09/20			
9	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	4	2021/11/01			
	Jean Edmonds tower south 7 th floor	3	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	2	2021/09/20			
10	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	3	2021/11/01			
	Jean Edmonds tower south 7 th floor	1	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
11	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	12	2021/11/01			
	Jean Edmonds tower south 7 th floor	12	2021/03/08			
	Jean Edmonds tower north 7 th floor	7	2021/03/01			
	Jean Edmonds tower north 16 th floor	7	2021/09/20			
12	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	6	2021/11/01			
	Jean Edmonds tower south 7 th floor	6	2021/03/08			
	Jean Edmonds tower north 7 th floor	7	2021/03/01			
	Jean Edmonds tower north 16 th floor	7	2021/09/20			
13	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
14	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

15	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	6	2021/11/01			
	Jean Edmonds tower south 7 th floor	6	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
16	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	3	2021/03/01			
	Jean Edmonds tower north 16 th floor	3	2021/09/20			
17	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
18	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	5	2021/11/01			
	Jean Edmonds tower south 7 th floor	5	2021/03/08			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Table 4 – Optional Product

 Not Applicable

Table 5 – Optional Delivery

 Not Applicable

Table 6 – Optional Installation

 Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.	
	Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.	
	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery	
	<i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i>	
	<i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	365 Laurier Ave, West, Ottawa, ON
B	Dock	Standard size
C	Lift	Yes, limit 6000 lbs
D	Door	7.5' W by 9' H
E	Freight Elevator	Yes, in the loading dock area
F	Other (specify, if any)	1. There can be no deliveries between 7am - 6pm on weekdays by trucks that are greater than 25' in length as per building management. 2. Trucks greater than 25' can do deliveries on weeknights and on weekends no problem. It is best we reserve the dock with building management to avoid conflicts.

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	3. We cannot do any moves before 17:00 on weekdays as we cannot put the elevator on service before that time. 4. Tractor Trailers (53' or larger) cannot delivery to JES/JEN due to size issues, large possibility of blocking street traffic and that if cars are parked on the other side of the street (which is almost always the case) then it is highly impossible for the driver to back the truck into the space.
3.	Continuance of Certifications
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Product Category: 6C**Table 1 – Product Table**

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6KBSCHxxSL15XXXPOYX	4 leg option is acceptable	36	No		\$	\$
2	6KKCSAxxSL16XXXMOYX	4 leg option is acceptable	32	No		\$	\$
		Also acceptable: 6KBSCHxxLY15XXXPOYX, 6KKCSAxxLY16XXXMOYX					
**Provide additional information:							
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
					Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks	\$
	Jean Edmonds tower south 6 th floor	14	2021/11/01			
	Jean Edmonds tower south 7 th floor	14	2021/03/08			
	Jean Edmonds tower north 7 th floor	4	2021/03/01			
	Jean Edmonds tower north 16 th floor	4	2021/09/20			
2	365 Laurier Ave, West, Ottawa, ON			Outside Normal		\$
	Jean Edmonds tower south 6 th floor	16	2021/11/01			
	Jean Edmonds tower south 7 th floor	16	2021/03/08			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Table 3 – Installation

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	14 14 4 4	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal	_____ : weeks from date of supply and delivery	\$
2	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor	16 16	2021/11/01 2021/03/08	Outside Normal		\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization. .						

Table 4 – Optional Product Not Applicable**Table 5 – Optional Delivery** Not Applicable**Table 6 – Optional Installation** Not Applicable**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada's Facilities to Accommodate the Delivery	
	<p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	365 Laurier Ave, West, Ottawa, ON
B	Dock	Standard size
C	Lift	Yes, limit 6000 lbs
D	Door	7.5' W by 9' H

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

E	Freight Elevator	Yes, in the loading dock area
F	Other (specify, if any)	<p>1. There can be no deliveries between 7am - 6pm on weekdays by trucks that are greater than 25' in length as per building management.</p> <p>2. Trucks greater than 25' can do deliveries on weeknights and on weekends no problem. It is best we reserve the dock with building management to avoid conflicts.</p> <p>3. We cannot do any moves before 17:00 on weekdays as we cannot put the elevator on service before that time.</p> <p>4. Tractor Trailers (53' or larger) cannot delivery to JES/JEN due to size issues, large possibility of blocking street traffic and that if cars are parked on the other side of the street (which is almost always the case) then it is highly impossible for the driver to back the truck into the space.</p>
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Product Category: 6D**Table 1 – Product Table**

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
**Provide additional information:						
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.						
NSA products (must not exceed 30% of the firm quantity by category)						
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.						
Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	TREADMILL DESK .1 Treadmill: .1 Weight capacity: to a maximum user Weight or 350 lbs. .2 Speed range from .4 to 2.0 mph with 0.1 mph speed adjustments. .3 Belt area: .1 Width range from 457 mm (18") to 508 mm (20"). .2 Length range from 1270 mm (50" to 1350mm (53"). .4 Belt Markings: to identify when the belt is moving and indicate the belt edge. .5 Belt Finish selected from manufacturers range of colours. .6 Deck to have independent compression shock absorbers. .7 Deck height between 100mm and 175 mm .8 Noise control: motor operating noise not to exceed 50dB. .2 Height Adjustable Worksurface .1 Surface: High pressure Laminate. .2 Laminate edging: PVC edge banding, colour to match the surface finish. .3 Table armrest: continuous padded armrest across entire front edge of unit. .4 Dimensions: 1219 mm w x 762 mm d. .5 Travel Speed: ±43 mm (1.7") per second. .6 Dynamic load bearing capacity per table: 200 lbs. .7 Wire Management: provide wire management to prevent cables from interfering with unit operation. .8 Table must be integrated with treadmill to form one stable unit and must not be a	4	Yes		\$	\$

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	separate freestanding item.					
.9	Supports:					
.1	Two legs.					
.2	Electric height adjustment from 711 mm (28") to 1270 mm (50").					
.3	Painted Metal.					
.4	Levelling Glides with 25mm (1") adjustment.					
.3	Controls:					
.1	Controls must be on front of desk, operable from the usual working position, and not require the use of any unsupplied tools.					
.2	Controls used to effect continuous adjustments shall have adequate clearance to permit the user to make the adjustment.					
.3	Height adjustment controls to be integrated with treadmill keypad.					
				Product Total	\$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (D/M/Y)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON			Outside Normal	_____ : weeks	\$
	Jean Edmonds tower south 6 th floor	1	2021/11/01			
	Jean Edmonds tower south 7 th floor	1	2021/03/08			
	Jean Edmonds tower north 7 th floor	1	2021/03/01			
	Jean Edmonds tower north 16 th floor	1	2021/09/20			
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

Table 3 – Installation

		Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Quantity	Desired Date** (D/M/Y)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1	365 Laurier Ave, West, Ottawa, ON Jean Edmonds tower south 6 th floor Jean Edmonds tower south 7 th floor Jean Edmonds tower north 7 th floor Jean Edmonds tower north 16 th floor	1 1 1 1	2021/11/01 2021/03/08 2021/03/01 2021/09/20	Outside Normal	_____ : weeks from date of supply and delivery	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5					Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.						

Table 4 – Optional Product Not Applicable**Table 5 – Optional Delivery** Not Applicable**Table 6 – Optional Installation** Not Applicable**Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications**

1.	Standard Finishes	
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A. The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	365 Laurier Ave, West, Ottawa, ON
B	Dock	Standard size
C	Lift	Yes, limit 6000 lbs
D	Door	7.5' W by 9' H
E	Freight Elevator	Yes, in the loading dock area
F	Other (specify, if any)	1. There can be no deliveries between 7am - 6pm on weekdays by trucks that are greater than 25' in length as per building management. 2. Trucks greater than 25' can do deliveries on weeknights and on weekends no problem. It is best we reserve the dock with building management to avoid conflicts. 3. We cannot do any moves before 17:00 on weekdays as we cannot put the elevator on service before that time.

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

	4. Tractor Trailers (53' or larger) cannot delivery to JES/JEN due to size issues, large possibility of blocking street traffic and that if cars are parked on the other side of the street (which is almost always the case) then it is highly impossible for the driver to back the truck into the space.
3.	Continuance of Certifications
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4) <i>(Applicable if Option is exercised)</i>	\$
5	Optional Delivery Total (Table 5) <i>(Applicable if Option is exercised)</i>	\$
6	Optional Installation Total (Table 6) <i>(Applicable if Option is exercised)</i>	\$
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation

B8114-210044/A

Client Ref. No. - N° de réf. du client

B8114-210044

Amd. No. - N° de la modif.

003

File No. - N° du dossier

pq434.B8114-210044

Buyer ID - Id de l'acheteur

pq994

CCC No./N° CCC - FMS No./N° VME

ANNEX B
SECURITY REQUIREMENTS

There is no security requirement associated with this contract.

Solicitation No. - N° de l'invitation

B8114-210044/A

Client Ref. No. - N° de réf. du client

B8114-210044

Amd. No. - N° de la modif.

003

File No. - N° du dossier

pq434.B8114-210044

Buyer ID - Id de l'acheteur

pq994

CCC No./N° CCC - FMS No./N° VME

ANNEX C FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).

As a minimum the product listing must include the following information:

- Supplier part numbers including NSA products forming part of this category;
- brief product descriptions;
- quantities;
- firm unit prices.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

***At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and/or AutoCAD floor plan

- JEN-REV2
- JEN16-REV1
- JES6-REV1
- JES7-REV1

2) Panel Details

- a. All required panel heights: [Seated Privacy Add-on Height \(54"H\)](#)
- b. When power is required, the power is located [below](#) work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: [Power Pole\(Top Feed\)](#)
- d. Component System Accessories: whiteboard top panels in some panel types as indicated in panel matrix.

3) Panel Matrix or Workstation Layout

See attached Panel Matrix or Workstation Layout

Solicitation No. - N° de l'invitation
 B8114-210044/A
 Client Ref. No. - N° de réf. du client
 B8114-210044

Amd. No. - N° de la modif.
 003
 File No. - N° du dossier
 pq434.B8114-210044

Buyer ID - Id de l'acheteur
 pq994
 CCC No./N° CCC - FMS No./N° VME

a. Panel Matrix

PANEL MATRIX A5448		PANEL MATRIX B5448	
Seated Privacy Height Add-On, Powered Outlet(s) below Work Surface (Single Sided)		Seated Privacy Height Add-On, Non Powered	
Upper Element 1	Upper Element 2	Upper Element 1	Upper Element 2
Fabric / Tissu	Fabric / Tissu	Fabric / Tissu	Fabric / Tissu
Lower Element 1	Lower Element 2	Lower Element 1	Lower Element 2
Cut-out(s) for power & data at the base, fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Fabric / Tissu	Fabric / Tissu	Fabric / Tissu
SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)	SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)

PANEL MATRIX C5448		PANEL MATRIX D5424	
Seated Privacy Height Add-On, Powered Outlet(s) below Work Surface (Double Sided)		Seated Privacy Height Add-On, Non Powered	
Upper Element 1	Upper Element 2	Upper Element 1	Upper Element 2
Fabric / Tissu	Fabric / Tissu	Fabric / Tissu	Fabric / Tissu
Lower Element 1	Lower Element 2	Lower Element 1	Lower Element 2
Cut-out(s) for power & data at the base, fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Cut-out(s) for power & data at the base, fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Fabric / Tissu	Fabric / Tissu
SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)	SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)

PANEL MATRIX E5424		PANEL MATRIX F5424	
Seated Privacy Height Add-On, Powered Outlet(s) below Work Surface (Double Sided)		Seated Privacy Height Add-On, Powered Outlet(s) below Work Surface (Single Sided)	
Upper Element 1	Upper Element 2	Upper Element 1	Upper Element 2
Fabric / Tissu	Fabric / Tissu	Fabric / Tissu	Fabric / Tissu
Lower Element 1	Lower Element 2	Lower Element 1	Lower Element 2
Cut-out(s) for power & data at the base, fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Cut-out(s) for power & data at the base, fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Cut-out(s) for power & data at the base, fabric / Cavité(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Fabric / Tissu
SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)	SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)

Solicitation No. - N° de l'invitation

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

B8114-210044/A

003

pq994

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No./N° VME

B8114-210044

pq434.B8114-210044

PANEL MATRIX G5460		PANEL MATRIX H5430	
Seated Privacy Height Add-On, Powered Outlet(s) below Work Surface (Single Sided)		Seated Privacy Height Add-On, Powered Outlet(s) below Work Surface (Single Sided)	
Upper Element 1	Upper Element 2	Upper Element 1	Upper Element 2
Fabric / Tissu	Fabric / Tissu	Fabric / Tissu	Fabric / Tissu
Lower Element 1	Lower Element 2	Lower Element 1	Lower Element 2
Cut-out(s) for power & data at the base, fabric / Cavitée(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Fabric / Tissu	Cut-out(s) for power & data at the base, fabric / Cavitée(s) finie(s) pour l'insertion de prise(s) électrique(s) et informatique(s) a la base, tissu	Fabric / Tissu
SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)	SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)
PANEL MATRIX I5430		PANEL MATRIX J5430	
Seated Privacy Height Add-On, Non Powered		Seated Privacy Height Add-On, Non Powered	
Upper Element 1	Upper Element 2	Upper Element 1	Upper Element 2
White board/ Tableau blanc	White board/ Tableau blanc	White board/ Tableau blanc	Fabric / Tissu
Lower Element 1	Lower Element 2	ELEMENT	ELEMENT
Fabric / Tissu	Fabric / Tissu	Fabric / Tissu	Fabric / Tissu
SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)	SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)
PANEL MATRIX K5430			
Seated Privacy Height Add-On, Non Powered			
Upper Element 1	Upper Element 2		
Fabric / Tissu	Fabric / Tissu		
Lower Element 1	Lower Element 2		
Fabric / Tissu	Fabric / Tissu		
SIDE 1 (INSIDE PANEL)	SIDE 2 (OUTSIDE PANEL)		

Solicitation No. - N° de l'invitation

B8114-210044/A

Client Ref. No. - N° de réf. du client

B8114-210044

Amd. No. - N° de la modif.

003

File No. - N° du dossier

pq434.B8114-210044

Buyer ID - Id de l'acheteur

pq994

CCC No./N° CCC - FMS No./N° VME

ANNEX D

Additional Specifications, Certifications

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.

1. Specifications

Category 6A – table 1 – see generic description

Category 6B – table 1 – see generic description

Category 6D – table 1 – see generic description

2. Certifications

.1 NSA Product Conformance

2.1 NSA Product Conformance *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.