Tendering Procedures: To all pre-qualified suppliers

Comprehensive Land Claim Agreement: No

Nature of Requirements: Laboratory Supplies

THIS REQUEST IS RESERVED FOR HOLDERS OF SUPPLY ARRANGEMENT # E60PV-19EQUI ONLY, FOR THE PURCHASE OF LABORATORY AND SCIENTIFIC EQUIPMENT, PARTS AND ACCESSORIES, SERVICES AND SUPPLIES.

Only Suppliers currently pre-qualified on Supply Arrangement E60PV-19EQUI have been invited to bid.

As a requirement of the Supply Arrangement, this notice is published on Buy and Sell Canada for a period of 40 calendar days. The closing date published on this notice identifies how long the notice will be published. For the closing date of any solicitation under the supply arrangement, invited suppliers should refer to the solicitation documents.

Suppliers that do not have a Supply Arrangement for the supply of Laboratory and Scientific Equipment, Parts and Accessories, Services and Supplies with Public Works and Government Services Canada, cannot submit a bid. Any bids received from suppliers not pre-qualified on the Supply Arrangement will not be evaluated.

Suppliers may qualify under Supply Arrangement E60PV-19EQUI for Laboratory and Scientific Equipment, Parts and Accessories, Services and Supplies, at any time. Interested suppliers should download solicitation document E60PV-19EQUI /C from Buyandsell.gc.ca and submit a response as per the requirements of the Request for Supply Arrangement.

Requirement

The Department of Fisheries and Oceans has a requirement for the supply of Axygen and Corning products.

Item	Product Number	Number of Units	Unit of Issue
1	PCR-96-FLT-C	70	Case
2	PCR-96-FS-C	70	Case
3	P-2ML-SQ-C	70	Case
4	3679	35	Case
5	TF-50-L-R-S	30	Case
6	TF-200-L-R-S	30	Case
7	TF-300-L-R-S	30	Case

Item	Product Number	Number of	Unit of
		Units	Issue
8	TF-1000-L-R-S	30	Case
9	TF-20-L-R-S	40	Case
10	T-200-Y-STK	65	Case
11	T-350-C-L-R	55	Case
12	T-300-STK	55	Case
13	PCR-AS-200	10	Case
14	MF-300	200	Case
15	PCR-TS	10	Case
16	PCR-02CP-C	40	Case
17	PCR-0208-CP-C	40	Case
18	352098	10	Case