



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Public Works and Government Services Canada
Canada Place/Place du Canada
10th Floor/10e étage
9700 Jasper Ave/9700 ave Jasper
Edmonton
Alberta
T5J 4C3
Bid Fax: (780) 497-3510

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Fitness Equipment	
Solicitation No. - N° de l'invitation W0127-20P018/A	Date 2020-12-22
Client Reference No. - N° de référence du client W0127-20P018	
GETS Reference No. - N° de référence de SEAG PW-\$PWU-005-11962	
File No. - N° de dossier PWU-0-43177 (005)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Mountain Standard Time MST on - le 2021-01-19 Heure Normale des Rocheuses HNR	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Virakorn, Matthew	Buyer Id - Id de l'acheteur pwu005
Telephone No. - N° de téléphone (780) 278-6153 ()	FAX No. - N° de FAX (780) 497-3510
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE ATTN: 408 SQN HANGAR 2 P.O.BOX 10500 STN FORCES EDMONTON Alberta T5J4J5 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada
Canada Place / Place du Canada
10th Floor / 10e étage
9700 Jasper Ave / 9700 ave Jasper
Edmonton
Alberta
T5J 4C3

Delivery Required - Livraison exigée See Herein – Voir ci-inclus	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION	2
1.1 REQUIREMENT	2
1.2 DEBRIEFINGS	2
1.3 EPOST CONNECT SERVICE	2
PART 2 - BIDDER INSTRUCTIONS	3
2.1 STANDARD INSTRUCTIONS, CLAUSES AND CONDITIONS	3
2.2 SUBMISSION OF BIDS.....	3
2.3 ENQUIRIES - BID SOLICITATION	3
2.4 APPLICABLE LAWS.....	4
2.5 BID CHALLENGE AND RECOURSE MECHANISMS.....	4
PART 3 - BID PREPARATION INSTRUCTIONS.....	5
3.1 BID PREPARATION INSTRUCTIONS	5
PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION	6
4.1 EVALUATION PROCEDURES.....	6
4.2 BASIS OF SELECTION.....	6
PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION	7
5.1 CERTIFICATIONS REQUIRED WITH THE BID	7
5.2 CERTIFICATIONS PRECEDENT TO CONTRACT AWARD AND ADDITIONAL INFORMATION	7
PART 6 - RESULTING CONTRACT CLAUSES	8
6.1 SECURITY REQUIREMENTS	8
6.2 REQUIREMENT	8
6.3 STANDARD CLAUSES AND CONDITIONS	8
6.4 TERM OF CONTRACT	8
6.5 AUTHORITIES	8
6.6 PAYMENT	9
6.7 INVOICING INSTRUCTIONS	10
6.8 CERTIFICATIONS AND ADDITIONAL INFORMATION.....	10
6.9 APPLICABLE LAWS.....	10
6.10 PRIORITY OF DOCUMENTS	10
6.11 SACC MANUAL CLAUSES	10
6.12 DISPUTE RESOLUTION.....	11
ANNEX "A"	12
REQUIREMENT.....	12
ANNEX "B"	16
COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS	16
ANNEX "C".....	29
BASIS OF PAYMENT	29
ANNEX "D"	32
ELECTRONIC PAYMENT INSTRUMENTS.....	32

PART 1 - GENERAL INFORMATION

1.1 Requirement

The requirement is detailed under Article 6.2 of the resulting contract clauses.

1.2 Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days from receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

1.3 epost Connect service

This bid solicitation allows bidders to use the epost Connect service provided by Canada Post Corporation to transmit their bid electronically. Bidders must refer to Part 2 entitled Bidder Instructions, and Part 3 entitled Bid Preparation Instructions, of the bid solicitation, for further information.

PART 2 - BIDDER INSTRUCTIONS

2.1 Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2020-05-28) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Delete: 60 days
Insert: 180 days

2.2 Submission of Bids

Bids must be submitted only to the Public Works and Government Services Canada (PWGSC) Bid Receiving Unit specified below by the date and time indicated on page 1 of the bid solicitation:

PWGSC Western Region Bid Receiving Unit

Only bids submitted using epost Connect service will be accepted. The Bidder must send an email requesting to open an epost Connect conversation to the following address:

roreceptionSoumissions.wrbidreceiving@tpsgc-pwgsc.gc.ca

Note: Bids will not be accepted if emailed directly to this email address. This email address is to be used to open an epost Connect conversation, as detailed in Standard Instructions [2003](#), or to send bids through an epost Connect message if the bidder is using its own licensing agreement for epost Connect.

It is the Bidder's responsibility to ensure the request for opening an epost Connect conversation is sent to the email address above at least six days before the solicitation closing date.

Bids transmitted by facsimile or hardcopy to PWGSC will not be accepted.

2.3 Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by Bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all Bidders. Enquiries not submitted in a form that can be distributed to all Bidders may not be answered by Canada.

2.4 Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the Bidders.

2.5 Bid Challenge and Recourse Mechanisms

- (a) Several mechanisms are available to potential suppliers to challenge aspects of the procurement process up to and including contract award.
- (b) Canada encourages suppliers to first bring their concerns to the attention of the Contracting Authority. Canada's [Buy and Sell](#) website, under the heading "[Bid Challenge and Recourse Mechanisms](#)" contains information on potential complaint bodies such as:
 - Office of the Procurement Ombudsman (OPO)
 - Canadian International Trade Tribunal (CITT)
- (c) Suppliers should note that there are **strict deadlines** for filing complaints, and the time periods vary depending on the complaint body in question. Suppliers should therefore act quickly when they want to challenge any aspect of the procurement process.

PART 3 - BID PREPARATION INSTRUCTIONS

3.1 Bid Preparation Instructions

If the Bidder chooses to submit its bid electronically, Canada requests that the Bidder submits its bid in accordance with section 08 of the 2003 standard instructions. Bidders must provide their bid in a single transmission. The epost Connect service has the capacity to receive multiple documents, up to 1GB per individual attachment.

The bid must be gathered per section and separated as follows:

Section I: Technical Bid
Section II: Financial Bid
Section III: Certifications

Bids transmitted by facsimile or hardcopy will not be accepted.

Section I: Technical Bid

In their technical bid, Bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment.

3.1.1 Electronic Payment of Invoices – Bid

If you are willing to accept payment of invoices by Electronic Payment Instruments, complete Annex "D" Electronic Payment Instruments, to identify which ones are accepted.

If Annex "D" Electronic Payment Instruments is not completed, it will be considered as if Electronic Payment Instruments are not being accepted for payment of invoices.

Acceptance of Electronic Payment Instruments will not be considered as an evaluation criterion.

3.1.2 Exchange Rate Fluctuation

SACC Manual Clause [C3011T](#) (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications and additional information required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

4.1 Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

4.1.1 Technical Evaluation

4.1.1.1 Mandatory Technical Criteria

Failure to meet any of the following mandatory criteria at solicitation closing will render your submission non-compliant and given no further consideration:

1. Compliance with the terms and conditions contained in this document.
2. Ability to perform the full scope of the work, as described in Annex "A" and Annex "B".

4.1.2 Financial Evaluation

The Total Bid Price will be calculated in the following method:

The unit quantity will be multiplied by the firm unit price to arrive at a total price per item. The total prices per item will be aggregated to determine the Total Assessed Bid Price.

SACC Manual Clause [A0222T](#) (2014-06-26), Evaluation of Price – Canadian / Foreign Bidders

4.2 Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

SACC Manual Clause [A0031T](#) (2010-08-16), Basis of Selection – Mandatory Technical Criteria

PART 5 – CERTIFICATIONS AND ADDITIONAL INFORMATION

Bidders must provide the required certifications and additional information to be awarded a contract.

The certifications provided by Bidders to Canada are subject to verification by Canada at all times. Unless specified otherwise, Canada will declare a bid non-responsive, or will declare a contractor in default if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority will render the bid non-responsive or constitute a default under the Contract.

5.1 Certifications Required with the Bid

Bidders must submit the following duly completed certifications as part of their bid.

5.1.1 Integrity Provisions - Declaration of Convicted Offences

In accordance with the Integrity Provisions of the Standard Instructions, all bidders must provide with their bid, **if applicable**, the declaration form available on the [Forms for the Integrity Regime](http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html) website (<http://www.tpsgc-pwgsc.gc.ca/ci-if/declaration-eng.html>), to be given further consideration in the procurement process.

5.2 Certifications Precedent to Contract Award and Additional Information

The certifications and additional information listed below should be submitted with the bid, but may be submitted afterwards. If any of these required certifications or additional information is not completed and submitted as requested, the Contracting Authority will inform the Bidder of a time frame within which to provide the information. Failure to provide the certifications or the additional information listed below within the time frame provided will render the bid non-responsive.

5.2.1 Integrity Provisions – Required Documentation

In accordance with the section titled Information to be provided when bidding, contracting or entering into a real procurement agreement of the [Ineligibility and Suspension Policy](http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ci-if/politique-policy-eng.html>), the Bidder must provide the required documentation, as applicable, to be given further consideration in the procurement process.

5.2.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list available at the bottom of the page of the [Employment and Social Development Canada \(ESDC\) - Labour's](https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#) website (<https://www.canada.ca/en/employment-social-development/programs/employment-equity/federal-contractor-program.html#>).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

The following clauses and conditions apply to and form part of any contract resulting from the bid solicitation.

6.1 Security Requirements

6.1.1 There is no security requirement applicable to the Contract.

6.2 Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

6.3 Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

6.3.1 General Conditions

[2010A](#) (2020-05-28), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

6.4 Term of Contract

6.4.1 Delivery Date

All the deliverables must be received on or before **2021-03-31**.

6.4.2 Delivery Points

Delivery of the requirement will be made to delivery point(s) specified at Annex "A" of the Contract.

6.5 Authorities

6.5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Matthew Virakorn
Title: Procurement Officer
Public Services and Procurement Canada
Acquisitions Branch

Address:
10th Floor, Canada Place
9700 Jasper Ave.
Edmonton, AB T5J 4C3

Telephone: 780-278-6153
Facsimile: 780-497-3510
E-mail address: matthew.virakorn@tpsgc-pwgsc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

6.5.2 Project Authority (*To be released at contract award*)

The Project Authority for the Contract is:

(To be named in the Contract)

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

6.5.3 Contractor's Representative (*To be filled in by bidder*)

Name: _____

Title: _____

Organization: _____

Address: _____

Telephone: _____ - _____ - _____

Facsimile: _____ - _____ - _____

E-mail address: _____

6.6 Payment

6.6.1 Basis of Payment

SACC Manual Clause [H1000C](#) (2008-05-12), Single Payment

6.6.2 Electronic Payment of Invoices – Contract

The Contractor accepts to be paid using any of the following Electronic Payment Instrument(s):

- a. Visa Acquisition Card;
- b. MasterCard Acquisition Card;
- c. Direct Deposit (Domestic and International);
- d. Electronic Data Interchange (EDI);
- e. Wire Transfer (International Only);
- f. Large Value Transfer System (LVTS) (Over \$25M)

6.6.3 Inspection and Acceptance

SACC Manual Clause [D5328C](#) (2014-06-26), Inspection and Acceptance

6.64 Taxes – Foreign-based Contractor

SACC Manual Clause [C2000C](#) (2007-11-30), Taxes – Foreign-based Contractor

6.7 Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - a. The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.
 - b. One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

6.8 Certifications and Additional Information

6.8.1 Compliance

Unless specified otherwise, the continuous compliance with the certifications provided by the Contractor in its bid or precedent to contract award, and the ongoing cooperation in providing additional information are conditions of the Contract and failure to comply will constitute the Contractor in default. Certifications are subject to verification by Canada during the entire period of the Contract.

6.9 Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in _____. (*insert the name of the province or territory as specified by the Bidder in its bid, if applicable*).

6.10 Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions [2010A](#) (2020-05-28), General Conditions - Goods (Medium Complexity);
- (c) Annex "A", Requirement;
- (d) Annex "B", Compliance Matrix – Minimum Mandatory Performance Specifications;
- (e) Annex "C", Basis of Payment;
- (f) the Contractor's bid dated _____ (*insert date of bid*) (If the bid was clarified or amended, insert at the time of contract award: "as clarified on _____" **or** "as amended on _____" and insert date(s) of clarification(s) or amendment(s)).

6.11 SACC Manual Clauses

[B7500C](#) (2006-06-16), Excess Goods
[G1005C](#) (2016-01-28), Insurance - No Specific Requirement

6.12 Dispute Resolution

- (a) The parties agree to maintain open and honest communication about the Work throughout and after the performance of the contract.
- (b) The parties agree to consult and co-operate with each other in the furtherance of the contract and promptly notify the other party or parties and attempt to resolve problems or differences that may arise.
- (c) If the parties cannot resolve a dispute through consultation and cooperation, the parties agree to consult a neutral third party offering alternative dispute resolution services to attempt to address the dispute.
- (d) Options of alternative dispute resolution services can be found on Canada's Buy and Sell website under the heading "[Dispute Resolution](#)".

ANNEX "A"

REQUIREMENT

1.1. Purpose

The purpose of this Statement of Requirement (described as SOR from herein) is to define the requirement for new gym equipment at 408 Tactical Helicopter Squadron (408 THS).

1.2. Background

Canadian Armed Forces members must maintain a high standard of health and physical fitness in order to remain fit for duty. 408 THS is a highly deployable unit and focuses heavily on daily fitness training. The unit gym facilities must remain outfitted with commercial quality, durable equipment that can support the training of all members.

1.3. Intended Use

Use of materials delivered under the SOR are intended for the physical fitness training of CAF members at 408 THS.

1.4. Acronyms

Acronym	Definition
CAF	Canadian Armed Forces
THS	Tactical Helicopter Squadron
DND	Department of National Defence
SOR	Statement of Requirement
TA	Technical Authority

2. Applicable Documents

The following reference documents impact the deliverables of this SOR:

- a. Equipment Source List: Annex B.

3. Requirements

3.1 Scope of Requirement

The contractor is responsible for the provision of gym equipment and for the arrangement of safe transport from the point of manufacturing to reception at location within the specified DND facility.

3.2 Tasks

Supplier will prepare and deliver all items as defined by this SOR within the specifications of the outlined deliverables. Complete delivery all equipment procured as a result of this SOR will be received at:

408 Tactical Helicopter Squadron (408 THS) SQMS
Hangar 2- Door 7
2 Rhine Rd.
Edmonton Garrison
Edmonton, Alberta
T5J 4J5

3.2.1 Delivery

Delivery will take place no later than 31 March 2021.

The contractor will provide sufficient transport of deliverables to the specified location, selected to prevent undue damage to product or in transit loss of materials due to error or negligence. Partial Delivery will not accepted, provided that it does not alter final cost of the contract, or jeopardize project delivery timeline requirements, such as delivery prior to 31 March 2021.

All deliverables must be delivered on or before 2020-03-31

PLEASE INDICATE:

(TO BE COMPLETED BY BIDDER)

- Meet Delivery Requirement
OR
 Unable to Meet Delivery Requirement

If the bidder is unable to meet the delivery date requirement, the bid will be deemed non-responsive and given no further consideration.

3.3 Constraints

The requirements defined by this SOR must be fulfilled no later than 31 March 2021.

3.4 Support Provided by Canada

Escorts will be provided for contractor to access 408 THS property.

4. Acceptance Process and Criteria

4.1 General

Upon receipt of deliverables, all components will be inspected by the TA to ensure compliance to the specifications defined under this SOR.

4.2 Acceptance/Refusal

Upon completion of the inspection of the deliverables, the TA will make a decision to accept the product as delivered, or refuse the delivery. The TA will proceed with selecting one of the following courses of action:

- a. Deliverables accepted, as received at delivery. No further action required as the contract is complete and the supplier is compliant;
- b. Deliverables damaged as a result of negligence during transit. The TA will liaise with the supplier and their freight provider to seek resolution. Deliverables will not be accepted as delivered and resolution of freight damage will lie with the supplier and their chosen shipping agent; or
- c. Deliverables not compliant. In the event of non-compliance. The deliverables will be refused by the TA as the terms of the contract have not been met. The TA will liaise with the procurement authority and the supplier to remedy the deviations immediately.

4.3 Deliverables

10-90 ADJUSTABLE DUMBELLS
FOAM PLYO BOXES
SLED PULL MECHANISM
SUSPENSION TRAINER
ABDOMINAL TRAINER WHEEL
STAIRCLIMBER
TREADMILL
BENCH FULL COMMERCIAL
ARM CURL BENCH
AGILITY LADDER
STEEL WEIGHT PLATE, 45lbs
STEEL WEIGHT PLATE, 25lbs
STEEL WEIGHT PLATE, 10lbs
ROLLING BUMPER PLATE CARRIERS (plate storage)
STAND UP BARBELL HOLDER
COMMERCIAL FUNCTIONAL TRAINER
STAND UP TWO-SIDED TIMER

TRAP BAR
AIR BIKES
STRENGTH BAND 0.75" YELLOW
STRENGTH BAND 0.5" RED
STRENGTH BAND 1.75" GREEN
STRENGTH BAND 2.5" BLUE
GHD (GLUTE HAM DEVELOPER)
AXLE BAR ADAPTERS
BATTLE ROPES
BATTLE ROPE ANCHOR
ROLL-OUT MATS
WEIGHT LIFTING CHAIN, 44 LB PAIR
AIR ROWER
SLED
OLYMPIC BARBELL
ADJUSTABLE HURDLES
MULTI-PURPOSE GYM JUNGLE

ANNEX “B”

COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS

A complete list of the minimum mandatory performance specifications are detailed below in the “Compliance Matrix”. Bidders are to clearly demonstrate compliance with each mandatory specification.

1. Bidders **must** show compliance by addressing each performance specification in the Compliance Matrix, whether the product offered “meets” or “doesn’t meet”.
2. Bidders are requested to indicate how they meet each performance specification by recording this information under the Performance Specification Offered column in the Compliance Matrix.
3. It is requested that supporting technical documentation, including but not limited to, specification sheets, technical brochures, photographs or illustrations be provided with the bid at solicitation close and be cross-referenced on the Compliance Matrix for each performance specification to outline where in the supporting technical documentation it demonstrates compliance. It is the Bidders responsibility to ensure that the submitted supporting technical documentation provides detail to prove that the proposed product(s) meet the requirements of the Performance Specification. If published supporting technical document is not available, the Bidder should prepare a written narrative complete with a detailed explanation of how its bid demonstrates technical compliance.
4. If the supporting documentation referenced above has not been provided at bid closing, the Contracting Authority will notify the Bidder that they must provide supporting documentation within two (2) business days following notification. Failure to comply with the request of the Contracting Authority within that time period, will deem the bid non-responsive and the bid will be given no further consideration.
5. Bidders must address any concerns with the performance specifications in written detail to the Contracting Authority before bid closing as outlined in the Request for Proposal (RFP) document.
6. Failure to meet each performance specification will result in the bid being deemed non-responsive, and be given no further consideration.

Solicitation No. - N° de l'invitation
W0127-20P018/A
Client Ref. No. - N° de réf. du client
W0127-20P018/A

Amd. No. - N° de la modif.
File No. - N° du dossier
PWU-0-43177

Buyer ID - Id de l'acheteur
pwu005
CCC No./N° CCC - FMS No./N° VME

COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS:

Requirement:	Manufacturer(s) Offered:	Model Number(s) Offered:
10-90 ADJUSTABLE DUMBELLS		
FOAM PLYO BOXES		
SLED PULL MECHANISM		
SUSPENSION TRAINER		
ABDOMINAL TRAINER WHEEL		
STAIRCLIMBER		
TREADMILL		
BENCH FULL COMMERCIAL		
ARM CURL BENCH		
AGILITY LADDER		
STEEL WEIGHT PLATE, 45lbs		
STEEL WEIGHT PLATE, 25lbs		
STEEL WEIGHT PLATE, 10lbs		
ROLLING BUMPER PLATE CARRIERS (plate storage)		
STAND UP BARBELL HOLDER		
COMMERCIAL FUNCTIONAL TRAINER		
STAND UP TWO-SIDED TIMER		
TRAP BAR		
AIR BIKES		
STRENGTH BAND 0.75" YELLOW		
STRENGTH BAND 0.5" RED		
STRENGTH BAND 1.75" GREEN		
STRENGTH BAND 2.5" BLUE		
GHD (GLUTE HAM DEVELOPER)		
AXLE BAR ADAPTERS		
BATTLE ROPES		

Solicitation No. - N° de l'invitation
W0127-20P018/A
Client Ref. No. - N° de réf. du client
W0127-20P018/A

Amd. No. - N° de la modif.
File No. - N° du dossier
PWU-043177

Buyer ID - Id de l'acheteur
pwu005
CCC No./N° CCC - FMS No./N° VME

BATTLE ROPE ANCHOR		
ROLL-OUT MATS		
WEIGHT LIFTING CHAIN, 44 LB PAIR		
AIR ROWER		
SLED		
OLYMPIC BARBELL		
ADJUSTABLE HURDLES		
MULTI-PURPOSE GYM JUNGLE		

Item #	Performance Specification	Status (M) Mandatory (D) Desirable*	Performance Specification Met? Indicate either Yes/No	Performance Specification Offered: Bidder <u>should</u> indicate how they meet the performance specification by recording this information in this column	Cross Reference: In this column, Bidders should cross-reference where this performance specification is indicated in their supporting documents.
1 10-90lb Adjustable Dumbbells					
A	Unit must have 17 weight settings in 5lbs increments	M			
B	Easy-to-use selection dials for adjusting weights	M			
C	Must be dimensions 17.5"L x 10"W x 10"H (each)	M			
2 Foam Flyo Boxes					
A	Unit must be Heights: 6", 12", 20", and 24"	M			
B	Ability to stack the boxes	M			
C	Heavy Duty Vinyl Upholstery	D			
D	Large hook and loop strips on all 4 sides	M			
3 Sled Pull Mechanism					
A	Unit must have vest with pulling handles/straps and be adjustable	M			
B	Unit must have a added shoulder straps.	D			
C	Unit must be 8.3' dual sled strap with heavy duty carabineers, and tow d-ring soft grip pull handles.	D			
D	Unit must have Dimensions 5.25" x 11.02" x 4.72"	D			
4 Suspension Trainer					
A	Unit must have rubber handles	M			
B	Unit must have anchors to door anchor, suspension anchor	D			
C	Unit must have oversized foot cradle	M			
D	Unit must have D-Ring adjuster	M			
E	Unit weight 1.2lbs	D			

5 Abdominal Trainer Wheel					
A	Unit must have durable handle with dual wheels (14cm wheels)	M			
B	Unit must have rubberized ergonomic handles for stability and comfort	D			
C	Unit dimensions: Dimensions: 12.5" (L) x 5.5" (H)	D			
D	Unit must have Handle Dimensions: 4.25" (L) x 1.25" Diameter	D			
6 Stairclimber					
A	STEP DEPTH 9". STEP-ON	D			
B	HEIGHT 10.5"	D			
C	STEP HEIGHT 5.6"	D			
D	STEP WIDTH 15.8"	D			
E	RESISTANCE SYSTEM Exact Force Induction Brake	D			
F	RESISTANCE RANGE 25 levels, electronically adjustable	M			
G	DELINEATED STEPS	D			
H	STEPS PER MINUTE 24–137 SPM	D			
I	HANDLE BAR TYPE Multi-position, stationary with resistance / pause & stop toggles and heart rate grips. Water Bottle Holder	D			
J	ELECTRICAL REQUIREMENTS 120V AC power, 15A circuit.	M			
K	POWER SUPPLY NEMA 5-15 Power cord.	D			
L	ASSEMBLED WEIGHT 296 lbs.	D			
M	ASSEMBLED DIMENSIONS (L X W X H) 53" x 28" x 75".	D			
N	MAX USER WEIGHT (LBS) Minimum: 99 lbs. Maximum: 300 lbs	M			
7 Treadmills					
A	Storage Oversize water bottle and accessory pockets	M			
B	LCD Display consol	M			

C	Metric or U.S. Standard	M			
D	Preset Workouts	M			
E	No software updates required	D			
F	Touch heart rate monitoring	M			
G	Speed 0.5 =12 mph /0.8-19.3 km/h	D			
H	2% decline to 15% incline	M			
I	Maintenance-free belt with dry silicone lubrication.	M			
J	Power Requirements - 120V, 60 Hz; Dedicated 15A circuit.	M			
8	Bench – Full Commercial				
A	Heavy gauge steel construction	M			
B	Adjustable with 10 backrest positions and 5 seating position	D			
C	Rubber pad under front foot to prevent damage to floor	M			
D	Durable Molded Foam Pads	M			
E	Colour, Black	D			
F	Length: 60.6". Width: 23.5"	D			
G	Padding Dimensions: Seat: 9.5" (W) x 11.75" (L) x 3" (H) Backrest: 9.5" (W) x 34.5" (L) x 3" (H)	D			
9	Arm Curl Bench				
A	Heavy gauge steel construction	M			
B	300lb weight capacity	D			
C	Extra-wide seat and arm pads	D			
D	Dimensions - 37"H x 33"L x 36"W.	D			
10	Agility Ladder				
A	Adjustable agility ladder (10m x .5m, 25 rung)	M			
B	Elevated Dimensions: (12.5' feet) 150" inch Length x 20" inch Width	D			

	x 3.5" inch Height				
C	Flat Dimensions: (12.5' feet) 150" inch Length x 25.5" inch Width	D			
D	Stepping surface space between Rungs when Elevated: 19.5" x 14.75" inches	D			
E	Stepping surface space between Rungs when Flat: 24.75" x 14.75" inches	D			
11	Steel weight plate, 45lbs				
A	Steel plates for deadlift / powerlifting. 45lbs plate without rubber coating	M			
12	Steel weight plate, 25lbs				
A	Steel plates for deadlift / powerlifting. 25lbs plate without rubber coating	M			
13	Steel weight plate, 10lbs				
A	Steel plates for deadlift / powerlifting. 10lbs plate without rubber coating	M			
14	Rolling bumper plate carriers (plate storage)				
A	Footprint: 24" x 24"	D			
B	Base: Two 2x2" 11-gauge steel tubes	M			
C	Hardware included	M			
D	Optional wheels (set of 4) available for order at additional cost	M			
E	36.5" Loadable Post Length	D			
F	Total Height: 39.75" (without wheels) / 42.75" (with wheels)	D			
15	Stand up barbell holder				
A	Footprint: 32-3/8" x 26"	D			
B	2 x 3" 11-gauge steel tube supports	M			
C	(10) Vertical barbell storage tubes: 2" diameter, 7" length	M			
D	3/8" laser cut steel end	D			

	plates				
E	Can be bolted to floor through holes in foot plates	M			
16	Commercial Functional Trainer				
A	Weight stack: 210 lbs x 2 (10 lbs per weight plate)	M			
B	Frame: Heavy-duty steel. Oval Tubing 50 x 100 x 3mm	M			
C	Powder Coated Finish Colour: Gray	D			
D	Weight Stack: 2 x 210lb. commercial weight stacks	M			
E	Finish: Electrostatic powder coat finish to ensure maximum adhesion and durability	D			
F	Product Dimensions: 1161 x 1519 x 2178mm (45.7" x 59.8" x 85.74")	D			
G	Floating/lock positions for swivel pin on arms	D			
H	Hooks to hold added attachments	D			
I	Adjustable towers offer multiple exercise options	D			
J	Pull-up bar with multiple hand angle positions	M			
17	Stand Up Two-Sided Timer				
A	2 LED Clock Displays with 4" High Red/Green Numbers	D			
B	Remote Control for convenient pausing/re-programming	M			
C	Easily create and save Custom Intervals (up to 10 at a time)	M			

D	Stopwatch can be set to 1/100 seconds	M			
E	In-depth programming instruction provided	D			
F	Input: AC100-240V / Output: 12V	M			
G	Color: Black	D			
H	Multi-Country adapters included	D			
I	Tripod height is adjustable from 40" - 65" (Not including height of timer)	M			
J	Included power cord is required for use	M			
18	Trap Bar				
A	32" (16" per sleeve)	M			
B	Overall dimensions: 84 " x 30" x 8"	M			
C	Handle: 1.5" dia. Square steel tube 2"	M			
D	Finish: textured black matte. Weight : 60# (unloaded)	D			
E	Unit weight 1.2lbs	D			
19	Air Bike				
A	2 pack, quality steel construction, LCD console display with customizable modes, belt driven steel fan, 350lb weight limit, adjustable seat with 8 height and 5 front/back settings.	M			
B	Quality Steel Construction for Dependable Stability	M			
C	Height: 52.75" (to top of handles)	D			
D	Length: 58.875" (overall with seat in position furthest from fan cage)	D			
E	Width: 29.875" (at handles - widest point)	D			
F	Footprint: 44.5" x 23.75"	D			
G	LCD Console Display (Batteries Included) with customizable modes	M			
H	Belt Driven Steel Fan	M			
I	Adjustable Seat with 8 height and 5 front/back	M			

	settings				
J	1.5" diameter rubber grip handles	M			
K	Metal Pedals	M			
L	Texture Black powder coat finish	D			
M	Rubber Leveling Feet	M			
N	All Hardware & Assembly Tools Included	D			
O	Weight: 127LB, 350LB weight limit	D			
20	Strength band 0.75" yellow				
A	Colour: Yellow	M			
B	Dimensions: 41" (L) x 0.75" (H)	M			
C	Thickness: 3/16"	D			
21	Strength band 0.5" red				
A	Colour: Red	M			
B	Dimensions: 41" (L) x 0.5" (H)	M			
C	Thickness: 3/16"	D			
22	Strength band 1.75" green				
A	Colour: Green	M			
B	Dimensions: 41" (L) x 1.75" (H)	M			
C	Thickness: 3/16"	D			
23	Strength Band 2.5" blue				
A	Colour: Blue	M			
B	Dimensions: 41" (L) x 2.5" (H)	M			
C	Thickness: 3/16"	D			
24	Glute Ham Developer (GHD)				
A	Atop GHD (Glute Ham Developer) Bench, 12 slots for adjusting distance between hip and foot pads.	M			
B	Foot Pad Specs: 7.25" length x 3.5" diameter	D			
C	Hip Pad Specs: 10.5" x 17.5"	D			
D	16" x 11.75" foot plate	D			
E	12 slots for adjusting distance between hip and foot pads	M			
F	Foot print: 73" x 44.5" x 48"	D			
25	Axle Bar Adapter				
A	2.25" (5.5 cm) thick and 5" (12.5 cm) long	M			

26	Battle Ropes				
A	Heavy duty nylon rope	M			
B	50' length	M			
C	1.5" thick	M			
D	capped ends	M			
E	weight 30lbs	M			
27	Battle Rope Anchor				
A	Metal anchor with fastening hardware	M			
B	Must fit 2 x heavy duty rope 50' length through anchors at the same time	M			
28	Roll Out Mats				
A	Dimensions: 18'x18'x1 5/8"	M			
B	Durable 24oz. vinyl	M			
C	Constructed with a closed cell polyethylene foam for shock absorption	M			
D	Non-slip and non-abrasive surface	M			
E	Colour - Black	D			
29	Weight Lifting Chain				
A	44lb Pair	M			
B	Can attach to any Olympic Bar	M			
C	Weighs 22lbs	M			
D	63" long	M			
30	Air Rower				
A	Monitor PM5	M			
B	Length 95 in (244 cm)	D			
C	Width 24 in (61 cm)	D			
D	Seat Height 14 in (36 cm)	M			
E	Monorail Length 54 in (137 cm) Fits inseams up to 36 in (91 cm).	D			
F	Power Generation for PM PM5: Provides operating power when indoor rower is in use	M			
G	Maximum User Weight 500 lb (227 kg)	M			
H	Support Legs Aluminum front legs, steel rear legs	M			
I	Monitor Arm ABS plastic. Pivots for storage and to adjust monitor height. Monitor angle can also be adjusted.	D			

J	Finish Powder coat	M			
K	Color Scheme Black	D			
L	Storage - Can be separated into two parts for easy storage	D			
M	Space Requirements Assembled: 8 ft x 2 ft (244 cm x 61 cm) With Clearance for Use: 9 ft x 4 ft (274 cm x 122 cm) For Storage: 25 in x 33 in x 54 in (63.5 cm x 83.8 cm x 137.2 cm)	D			
N	Machine Weight 57 lb (26 kg)	D			
31	Sled				
A	Dimensions: 20" x 16" x 17.5"	D			
B	Folded Dimensions: 29.5" x 20" x 3"	D			
C	Post Length: 15.5"	D			
D	Weight: 33 lbs	D			
E	Holds up to 10 x 1.5" thick plates	M			
32	Olympic Barbell				
A	Barbell with diameter 28.5MM	M			
B	bar weight 20KG	M			
C	dual knurl marks	M			
D	no center knurl	M			
E	190,000 PSI tensile strength steel	M			
F	black e-coat shaft	D			
33	Adjustable Hurdles				
A	Adjustable between 6", 9", 12" or 15" height Features	M			
B	Hurdle is adjustable to 6", 9", 12", or 15"	M			
C	Four-point stability base	D			
D	Can be assembled with different length stability legs for varying stability requirements	D			
E	Lightweight, high-impact ABS	D			
F	Foldable for storage	D			
G	Hurdle can be assembled with glue (not included) for those looking for a fixed height hurdle	D			

H	Hurdle width 18"	D			
I	Kit contains one hurdle that can set to 4 different heights	D			
34	Multi-Purpose Gym Jungle				
A	Adjustable cable crossover	M			
B	Two seated rows	M			
C	Two lat pulldowns	M			
D	Two adjustable cable columns	M			
E	Multi-grip pull up bars	M			
F	Dual-pulley seated row and lat pulldown stations	M			
G	Comes with two patent-protected MAG handles	D			
H	Four web grip handles	M			
I	One split rope attachment	M			
J	One curl bar	M			
K	Up to nine users can train at once	M			
L	Dimensions: 148.5 x 214 x 78.5	D			
M	Weight: 3729lbs	D			

ANNEX "C"

BASIS OF PAYMENT

Firm unit prices are in Canadian Dollars, the Goods and Services Tax (GST) excluded, delivered DDP destination address specified, and customs duties and excise taxes included.

Firm unit price shall be inclusive of all direct and indirect expenses incurred in performing the Requirement including but not limited to all labour, fringe benefits, overhead, supervision, tools, equipment, materials, parts, manuals, travel time, travel and living expenses, transportation costs, reports, general and administrative costs, profit required to do the work, all related duties and other costs paid by the Supplier such as additional surcharges, and transportation fees. No other charges will be accepted.

GST is not to be included in the unit prices. GST will be added as a separate item to any invoice issued.

Item #	Description	Quantity	Unit Price	Extended Price
1	10-90 ADJUSTABLE DUMBELLS	2	\$ /Unit (CAD)	\$ (CAD)
2	FOAM PLYO BOXES	1	\$ /Unit (CAD)	\$ (CAD)
3	SLED PULL MECHANISM	1	\$ /Unit (CAD)	\$ (CAD)
4	SUSPENSION TRAINER	4	\$ /Unit (CAD)	\$ (CAD)
5	ABDOMINAL TRAINER WHEEL	4	\$ /Unit (CAD)	\$ (CAD)
6	STAIR CLIMBER	1	\$ /Unit (CAD)	\$ (CAD)
7	TREADMILL	3	\$ /Unit (CAD)	\$ (CAD)
8	BENCH FULL COMMERCIAL	1	\$ /Unit (CAD)	\$ (CAD)

9	ARM CURL BENCH	1	\$	/Unit (CAD)	\$	(CAD)
10	AGILITY LADDER	3	\$	/Unit (CAD)	\$	(CAD)
11	STEEL WEIGHT PLATE, 45lbs	8	\$	/Unit (CAD)	\$	(CAD)
12	STEEL WEIGHT PLATE, 25lbs	4		/Unit (CAD)	\$	(CAD)
13	STEEL WEIGHT PLATE, 10lbs	4		/Unit (CAD)	\$	(CAD)
14	ROLLING BUMPER PLATE CARRIERS (plate storage)	3		/Unit (CAD)	\$	(CAD)
15	STAND UP BARBELL HOLDER	1		/Unit (CAD)	\$	(CAD)
16	COMMERCIAL FUNCTIONAL TRAINER	1		/Unit (CAD)	\$	(CAD)
17	STAND-UP TWO-SIDED TIMER	1		/Unit (CAD)	\$	(CAD)
18	TRAP BAR	1		/Unit (CAD)	\$	(CAD)
19	AIR BIKE	2		/Unit (CAD)	\$	(CAD)
20	STRENGTH BAND 0.75" YELLOW	6		/Unit (CAD)	\$	(CAD)
21	STRENGTH BAND 0.5" RED	6		/Unit (CAD)	\$	(CAD)

22	STRENGTH BAND 1.75" GREEN	6	/Unit (CAD)	\$	(CAD)
23	STRENGTH BAND 2.5" BLUE	6	/Unit (CAD)	\$	(CAD)
24	GHD (GLUTE HAM DEVELOPER)	1	/Unit (CAD)	\$	(CAD)
25	AXLE BAR ADAPTER	2	/Unit (CAD)	\$	(CAD)
26	BATTLE ROPES	2	/Unit (CAD)	\$	(CAD)
27	BATTLE ROPE ANCHOR	2	/Unit (CAD)	\$	(CAD)
28	ROLL-OUT MATS	1	/Unit (CAD)	\$	(CAD)
29	WEIGHT LIFTING CHAIN, 44 LB PAIR	1	/Unit (CAD)	\$	(CAD)
30	AIR ROWER	1	/Unit (CAD)	\$	(CAD)
31	SLED	1	/Unit (CAD)	\$	(CAD)
32	OLYMPIC BARBELL	2	/Unit (CAD)	\$	(CAD)
33	ADJUSTABLE HURDLES	6	/Unit (CAD)	\$	(CAD)
34	MULTI-PURPOSE GYM JUNGLE	1	/Unit (CAD)	\$	(CAD)
			Total Price	\$	(CAD)

Solicitation No. - N° de l'invitation
W0127-20P018/A
Client Ref. No. - N° de réf. du client
W0127-20P018/A

Amd. No. - N° de la modif.
File No. - N° du dossier
PWU-0-43177

Buyer ID - Id de l'acheteur
pwu005
CCC No./N° CCC - FMS No./N° VME

ANNEX "D"

ELECTRONIC PAYMENT INSTRUMENTS

The Bidder accepts any of the following Electronic Payment Instrument(s):

- VISA Acquisition Card;
- MasterCard Acquisition Card;
- Direct Deposit (Domestic and International);
- Electronic Data Interchange (EDI);
- Wire Transfer (International Only);
- Large Value Transfer System (LVTS) (Over \$25M)