



**REPUBLIC  
ARCHITECTURE  
INC**


385 St. Mary Avenue  
Winnipeg, MB R3C 0N1  
T 204 989 0102  
F 204 989 0094  
www.republicarchitecture.ca



0 ISSUED FOR TENDER DEC 14 2020  
revisions date  
project project  
**FISH LAB RENOVATION  
FACILITY FOR  
INTELLIGENT MARINE  
SYSTEMS  
B.I.O., DARTMOUTH, NS**

drawing dessin  
**DEMOLITION PLAN -  
FIRST FLOOR**

designed TS/RP/HT conçu  
date 2020-12-14  
drawn CS/HT/RP dessiné  
date 2020-12-14  
approved - approuvé  
date 2020-12-14  
Tender IAN SCELES Soumission  
PWGSC Project Manager Administrateur de projets TPSCG  
project number no. du projet  
**R.089911.001**  
drawing no. no. du dessin  
**AD01.3**



**1** DEMOLITION PLAN - FIRST FLOOR  
AD01.3 1:100

**GENERAL NOTES**

- THE BUILDING CONTAINS KNOWN HAZARDOUS MATERIALS THAT ARE TO BE REMOVED UNDER THIS CONTRACT. REFER TO SPECIFICATIONS.
- EXISTING DIMENSIONS AND LOCATIONS OF EXISTING BUILDING ELEMENTS ARE TO BE CONSIDERED APPROXIMATE. NOTIFY THE DEPARTMENTAL REPRESENTATIVE IF ANY DISCREPANCIES ARE FOUND BETWEEN DRAWINGS AND ACTUAL SITE CONDITIONS.
- PROTECT EXISTING STRUCTURAL ELEMENTS AND ITEMS IDENTIFIED AS NOT TO BE DEMOLISHED. RETURN TO PRE-DEMOLITION CONDITION IF DAMAGED.
- COORDINATE DEMOLITION WORK WITH MECHANICAL AND ELECTRICAL DISCONNECTS, REMOVALS, AND DEMOLITION. REPORT CONFLICTS TO DEPARTMENTAL REPRESENTATIVE IMMEDIATELY.
- INTERIOR PARTITIONS AND DOORS ARE TO BE DEMOLISHED THROUGHOUT UNLESS NOTED OTHERWISE, REFER TO LEGEND.
- REMOVE GWB FINISH, VAPOUR BARRIER, AND STUD CAVITY INSULATION FROM INTERIOR SIDE OF EXTERIOR WALLS. STUD FRAMING AND HYDRONIC HEATING UNITS TO REMAIN.
- REMOVE GWB FINISH, STUD FRAMING AND FURRING ENCLOSING STRUCTURAL MEMBERS TO REMAIN.
- PROVIDE CONSTRUCTION SITE GUARD RAILS WHERE GUARD RAILS OR PARTITIONS HAVE BEEN REMOVED AND THERE IS A CHANGE IN ELEVATION OF 600mm OR GREATER. GUARDS ARE TO REMAIN WITH THE BUILDING AFTER COMPLETION OF THE WORK.
- DEMOLISH INTERIOR WOOD SILLS AT EXISTING WINDOWS WHERE GWB DEMOLISHED.
- EXTERIOR CLADDING AND EXTERIOR INSULATION IS TO REMAIN. DO NOT DEMOLISH.
- EXTERIOR WINDOWS AND DOORS ARE TO REMAIN. DO NOT DEMOLISH.
- ROOF IS NOT IN SCOPE, EXCEPT WHERE MECHANICAL OR ELECTRICAL REMOVALS ARE SPECIFIED. CAP OR PATCH AND MAKE GOOD OPENINGS, REPAIR PENETRATIONS AND DAMAGE RESULTING FROM WORK TO LIKE NEW CONDITION.

**# AD01.3 DEMOLITION NOTES**

- PORTION OF EXISTING RIGID FRAME STRUCTURE TO BE REMOVED. REFER TO STRUCTURAL.
- PARTIAL EXISTING RIGID FRAME STRUCTURE TO BE REMOVED.
- DEMOLISH CAST IN PLACE CONCRETE-MEZZANINE FLOOR AND SUPPORTING MEMBERS.
- DEMOLISH CATWALK.
- PEDWAY AND SUPPORTING STRUCTURE TO REMAIN.
- EXTENT OF SELECTIVE DEMOLITION ON INTERIOR SIDE OF EXTERIOR WALL. REFER TO GENERAL NOTES FOR SCOPE.
- NOT IN SCOPE OF ARCH OR STRUCT DEMO