



**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Furn CAT 1-6 ZIBI Ottawa	
Solicitation No. - N° de l'invitation EP916-211811/A	Date 2021-01-06
Client Reference No. - N° de référence du client 20211811	
GETS Reference No. - N° de référence de SEAG PW-\$\$PQ-998-79536	
File No. - N° de dossier pq998.EP916-211811	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2021-01-26 Heure Normale du l'Est HNE	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Bouvier, Patrick	Buyer Id - Id de l'acheteur pq998
Telephone No. - N° de téléphone (819) 360-2596 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF PUBLIC WORKS AND GOVERNMENT SERVICES CANADA PORTAGE III 11 LAURIER ST National Capital Area (Gatineau) Gatineau Quebec K1A0S5 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Furniture Division/Division des ameublements
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7e étage,
140 O'Connor, Street,
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Delivery Required - Livraison exigée See Herein – Voir ci-inclus	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation
EP916-211811/A
Client Ref. No. - N° de réf. du client
20211811

Amd. No. - N° de la modif.
File No. - N° du dossier
pq998.EP916-211811

Buyer ID - Id de l'acheteur
pq998
CCC No./N° CCC - FMS No./N° VME

SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)

Is this a Manufacturer Product Specific Procurement? **No**

Step 2. Competitive

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
 1. a current published price list indicating the percentage discount available to Canada; or
 2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
 3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
 4. any other supporting documentation as requested by Canada.

Step 3. General

Terms of the RFB:

This RFB is issued pursuant to the Supplier's Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier's SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

Security Requirement:

1. Conditions
 - a. the Bidder must hold a designated organization security (DOS) clearance as indicated in Annex D;
 - b. the Bidder's proposed individuals requiring access to classified or protected information, assets or sensitive work site(s) must meet the security requirement as indicated in Annex D.
2. For additional information on security requirements, bidders should refer to the Canadian Industrial Security Directorate (CISD), Industrial Program of Public Works and Government Services Canada (<http://ssi-iss.tpsgc-pwgsc.gc.ca/index-eng.html>) website.

Solicitation No. - N° de l'invitation
EP916-211811/A
Client Ref. No. - N° de réf. du client
20211811

Amd. No. - N° de la modif.
File No. - N° du dossier
pq998.EP916-211811

Buyer ID - Id de l'acheteur
pq998
CCC No./N° CCC - FMS No./N° VME

3. The conditions in article 1 above must be met by the Bidder (the checked box applies):
- a. by the closing date of the bid;
 - b. before the award of a contract. Bidders are reminded to obtain the required security clearance promptly. Any delay in the award of a contract to allow the successful bidder to obtain the required clearance will be at the entire discretion of the Contracting Authority.
4. Bidders are to supply the following information, as a minimum, to demonstrate compliance with the Security Requirement.
- a. The Bidder's valid VOS clearance number issued by CISD;
 - b. The name of all individuals who will require access to classified or protected information, assets or sensitive work sites. It is desirable to also include their date of birth, their middle name, and their security clearance number issued by CISD.

Bid Evaluation

An evaluation team composed of representatives of Canada will evaluate the bids.

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

RFB Issued by:	
Identified User's (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
RFB Closing - Submit Bid: Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	See cover page
Format of Bid Submission	<p>Preferred method</p> <p><input checked="" type="checkbox"/> Electronic epost submission (epost Connect) or <input checked="" type="checkbox"/> Fax or <input checked="" type="checkbox"/> Hard copy</p> <p>Given that many people are currently working from home due to COVID-19, bidders are highly encouraged to transmit their bid electronically using the epost Connect service. Information on the epost Connect service can be found on Buyandsell.gc.ca SACC manual clause 2003 (2020-05-28) Standard Instructions – Goods or Services - Competitive Requirements, Section 08 Transmission by facsimile or by epost Connect.</p>
To physical location (if applicable)	<p>Bid Receiving Unit – PWGSC 11 Laurier Street Place du Portage, Phase III Core 0B2 Gatineau, Quebec K1A 0S5 Telephone: 819-420-7201</p>
Additional Bid Submission option epost Connect service:	<p>Request an epost Connect session to submit a bid. For NCR address ONLY: tpsgc.dgareceptiondessoumissions-abbidreceiving.pwgsc@tpsgc-pwgsc.gc.ca</p>
Additional Bid Submission option Facsimile (Fax):	For NCR address ONLY: 819-997-9776
RFB Enquiries	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority two business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	5 business days

SECTION 2 - RESULTING CONTRACT CLAUSES

1.	Terms and Conditions of the Contract	
	The terms and conditions of Parts 6B and 6C of the Supplier's SA within the series E60PQ-140003/PQ apply to and form part of this Contract.	
2.	Security Requirement (the checked article applies)	
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.	
a.	<input type="checkbox"/>	Contractor may be escorted; possession of security clearance not required. Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	<input type="checkbox"/>	Possession of security clearance(s) is required. The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.	<input checked="" type="checkbox"/>	There is no security requirement associated with this contract.
3.	Requirement	
3.1	The Contractor must perform the Work listed in Annex A herein.	
4.	Authorities	
4.1	Contracting Authority (IU)	
	Name:	Patrick Bouvier
	Title:	Supply Officer
	Department/Agency/Crown Corporation:	Public Services and Procurement Canada (PSPC)
	Address:	L'Esplanade Laurier, East Tower 140 O'Connor Street, 7FL, 7113 Ottawa, ON K1A 0S5
	Telephone No.:	819-360-2596
	E-mail address:	Patrick.Bouvier@tpsgc-pwgsc.gc.ca
4.2	Project Authority [To be completed at contract award] <i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i> <i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>	
	Name:	
	Title:	
	Department/Agency/Crown Corporation:	
	Address:	
	Telephone No.:	
	E-mail address:	
4.3	Contractor's Representative	
	As set out in Annex A, Table 9 below.	
5.	Method of Payment	
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.	
	<input type="checkbox"/>	Single Payment
	<input checked="" type="checkbox"/>	Multiple Payment

Solicitation No. - N° de l'invitation
EP916-211811/A
Client Ref. No. - N° de réf. du client
20211811

Amd. No. - N° de la modif.
File No. - N° du dossier
pq998.EP916-211811

Buyer ID - Id de l'acheteur
pq998
CCC No./N° CCC - FMS No./N° VME

6.	Invoicing
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:
	Name of the organization and contact: <i>[To be completed at contract award]</i>
	Address:
7.	SACC Manual Clauses
	<i>There may be additional clauses that are relevant to the requirement but are not already included in this template.</i>

Solicitation No. - N° de l'invitation
EP916-211811/A
Client Ref. No. - N° de réf. du client
20211811

Amd. No. - N° de la modif.
File No. - N° du dossier
pq998.EP916-211811

Buyer ID - Id de l'acheteur
pq998
CCC No./N° CCC - FMS No./N° VME

ANNEX A
REQUIREMENT and BASIS OF PAYMENT

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

- Category 1
- Category 2
- Category 5

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following categories of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. Category 2 – Freestanding Height Adjustable Desk / Table Products

c. Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA **(table 1 Additional product details)**

d. Category 4 – Wood Veneer – Freestanding Products

e. Category 5 – Ancillary and Lighting Products

f. Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

g. NSA Product(s) – Category(ies): 1b, 4 and 6

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. *(Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)*

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

****Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.****

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

Product Categories: 1, 2 and 5

Table 1 – Product Table CAT 1, 2 and 5

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Category 1A							
Refer to Annex B and Floor Plans.							\$
Category 1B							
2	1bFFHREN24L72WNOLNY	Tag: 1B1 Fixed Height Work Surfaces	286	No		\$	\$
3	1bFFHREC24L72WNOLNY	Tag: 1B4 Fixed Height Work Surface with C-legs	6	No		\$	\$
4	1bFFHREC30L72WNOLNY	Tag: 1B5 Fixed Height Work Surface with C-legs	34	No		\$	\$
5	1bFMB2LT30L48WCLNYYN	Tag: 1B6 Modular benching interconnectable 2 work surface long Must include for cable management for power and data, privacy screens and grommet to allow for monitor arms (CAT 5, Tag 5-3). See plans	10	No		\$	\$
6	1bCPSXXNXXL24XFRNNN	Tag: G1 Panel mounted privacy screen	428	No		\$	\$
7	1bCPSXXNXXL30XFRNNN	Tag: G2 Panel mounted privacy screen	404	No		\$	\$
8	1bCPSXXNXXL36XFRNNN	Tag: G3 Panel mounted privacy screen	517	No		\$	\$
9	1bCPSXXSXXL54XFRNNN	Tag: G5 Work surface mounted privacy screen	206	No		\$	\$
10	1bSPSCLGL242454XKXX	Tag: 1B8 Personal storage tower	4	No		\$	\$
Category 2							
11	2WSSREXXL30L66BELXX	Tag: 2-2 Individual height adjustable work surface - sit stand - electric	287	No		\$	\$

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

12	2WSSREXXL30L72BELXX	Tag: 2-3 Individual height adjustable work surface - sit stand - electric	19	No		\$	\$
13	2WSSDEXXL30L60BELXX	Tag: 2-4 Individual height adjustable work surface - sit stand - electric - 120 degrees	48	No		\$	\$
Category 5							
14	5PMOWKSMTACUSBXXXXX	Tag: 5-2 Power module - work surface mounted-AC and USB power	150	No		\$	\$
15	5MOASGARMGRMMTXXXXX	Tag: 5-3 Single monitor arm-grommet mount	502	No		\$	\$
16	5TLTDSKBAACUSBXXXXX	Tag: 5-4 Task light - desk base - AC and USB	663	No		\$	\$

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products (must not exceed 30% of the firm quantity by category)

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT				Section B - SUPPLIER'S BID		
#	NSA Product(s) Description	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
17	Partial Height Credenza Tag : 1B7 - Right Side - Open Shelf - Left Side - Open Shelf - Laminate - 1372 mm Wide X 508 mm Deep X 610 mm High (all dimensions +/- 25 mm) - 54" Wide X 20" Deep X 24" High (all dimensions +/- 1")	12	No		\$	\$
					Product Total	\$

Table 2 – Delivery – CAT 1, 2 and 5

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-17	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa, ON Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/14 to End: 2021/08/10	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation - CAT 1, 2 and 5

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-17	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/19 to End: 2021/08/24	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

Table 4 – Optional Product

Not Applicable

Table 5 – Optional Delivery

Not Applicable

Table 6 – Optional Installation

Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	Ottawa, ZIBI site 125 Zaida Eddy Private Ottawa, ON
B	Dock	Yes. Information not available
C	Lift	Information not available
D	Door	2134 mm (84”) H x 965 mm (38”) W
E	Freight Elevator	Yes. Information not available
F	Other (specify, if any)	
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

Table 8 - Bid Evaluation and Contract Total – CAT 1, 2 and 5
(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Table 1 – Product Table – CAT 3

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	3FLT3DXXP36D18XXXK	Tag: 3 3 Drawer lateral filing Cabinet	16	No		\$	\$
2	3SOPHHXXPM36D18HIXX	Tag: 3-1 Open storage cabinet 44 to 54”H (1118 to 1372 mm) H	3	No		\$	\$
3	3S2RMHXXPM36D20MEXK	Tag: 3-2 2 Doors storage cabinet 34 to 43” H (864 to 1092 mm) H	8	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	NON-SA Product(s)		QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
						\$	\$
					Product Total	\$	\$

Table 2 – Delivery – CAT 3

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-3	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/14 to End: 2021/08/10	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the					

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.		
---	--	--

Table 3 – Installation – CAT 3

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-3	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/19 to End: 2021/08/24	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 4 – Optional Product

Not Applicable

Table 5 – Optional Delivery

Not Applicable

Table 6 – Optional Installation

Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	Ottawa, ZIBI site 125 Zaida Eddy Private Ottawa, ON
B	Dock	Yes. Information not available

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

C	Lift	Information not available
D	Door	2134 mm (84") H x 965 mm (38") W
E	Freight Elevator	Yes. Information not available
F	Other (specify, if any)	
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total - CAT 3
(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

Table 1 – Product Table – CAT 4

Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	4FSMTREEGWVN36L60WN	Tag: 4-1 Meeting table with end gables	4	No		\$	\$
2	4CZHHWV2460BFDDONK	Tag: 4-2 Height 610 mm (24") Credenza-box-file drawer -partial height	6	No		\$	\$
3	4FSMTROPEWVN42XXXWN	Tag: 4-3 Round meeting table with pedestal base	2	No		\$	\$
**Provide additional information:							
Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.							
NSA products (must not exceed 30% of the firm quantity by category)							
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.							
Section A - IU REQUIREMENT					Section B – SUPPLIER'S BID		
#	NON-SA Product(s)		QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
4	Meeting Table – Tag : 4-4 - Rectangular - Panel Base - No Modesty Panels - No Grommets - Wood Veneer to match all other CAT. 4 components - 1829 mm +/- 25 mm L x 914 mm +/- 25 mm D x 737 mm H - 72" +/- 1" L x 36" +/- 1" D x 29" H		2	No		\$	\$
5	Collaborative Table – Tag : 4-5 - Narrow Side Table - Lounge height - Rectangular - End Gable - No Modesty Panels - No Grommets - Wood Veneer to match all other CAT. 4 components - 1219 mm +/- 25 mm L x 406 to 457 mm D x 559 to 838 mm H - 48" +/- 1"L x 16" to 18"D x 22" to 33"H		2	No		\$	\$
					Product Total	\$	\$

Table 2 – Delivery – CAT 4

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-5	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors 6 & 7 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/14 to End: 2021/08/10	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation – CAT 4

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-5	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors 6 & 7 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/19 to End: 2021/08/24	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

Table 4 – Optional Product
 Table 5 – Optional Delivery
 Table 6 – Optional Installation

Not Applicable
 Not Applicable
 Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	Ottawa / Gatineau, ZIBI site 125 Zaida Eddy Private Ottawa, ON
B	Dock	Yes. Information not available
C	Lift	Information not available
D	Door	2134 mm (84”) H x 965 mm (38”) W
E	Freight Elevator	Yes. Information not available
F	Other (specify, if any)	
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME


Table 8 - Bid Evaluation and Contract Total - CAT 4
(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:


Table 1 – Product Table – CAT 6a

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6MTRFTRECL30L60WYYY	Tag: 6Aa1 Training table – flip top – C, T or Y legs	163	No		\$	\$
2	6MTRFTRECL30L54WYYY	Tag: 6Aa2 Training table – flip top – C, T or Y legs	10	No		\$	\$
3	6MMTSMROPL42XXXWNNX	Tag: 6Aa5 Small round table with pedestal base – 29”H (737mm) H	13	No		\$	\$
4	6MMTMDREOL36L72WYNYX	Tag: 6Aa7 Medium table with post legs column – 29”H (737mm) H	5	No		\$	\$
5	6MMLTGREW54144WYNYX	Tag: 6Aa9 Large table with panel base – 29”H (737mm) H	2	No		\$	\$
6	6CMUSHDSRL42L96WYXX	Tag: 6Ab2 Multi-media table – seated height – D-shape Base must allow for knee space. Cable management must be provided.	5	Yes		\$	\$
7	6CMUSHDSRL42L84WYXX	Tag: 6Ab7 Multi-media table – seated height 30” High (762mm) High Base must allow for knee space. Cable management must be provided.	5	Yes		\$	\$
8	6SBAINXXBUW1G19LMNN	 <p>Tag: 6Ba1 Banquette w/out backrest bolster-individual Width: 610mm to 787mm +/- 25mm (24 to 31” +/-1”) Must be placed in ganged groups of three each side of a 6Aa3 table. Overall width of three ganged units must be 2362 mm to</p>	60	Yes		\$	\$

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

		2438 mm (93" to 96"). Acceptable to have 4 units ganged instead of 3 to meet the overall width but additional units are an addition to the stated count but must be included in cost of the bid					
9	6SBATHXXLUW5G19LMNN 	Tag: 6Ba6 Banquette w/out backrest bolster-three seater-63 to 75" (1600 to 1905mm) Width must be compatible with table 6Aa3 (1829 mm (72") which is Non-SA	34	Yes		\$	\$

****Provide additional information:**
 Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products (must not exceed 30% of the firm quantity by category)
 The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
10	Meeting Table – Tag : 6Aa3 - Small - Rectangular - Pedestal Base - No Power/Data - Laminate Finish - 1829 mm +/- 25 mm W x 762 mm +/- 25 mm D x 737 mm H - 72" +/- 1"W x 30" +/- 1"D x 29"H - Must be compatible with Tag 6Ba6. - This table must be placed with seating 6Ba6 and seating 6Ba1	27	No		\$	\$
				Product Total	\$	\$

Table 2 – Delivery – CAT 6a

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-10	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/14 to End: 2021/08/10	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation – CAT 6a

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-10	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/19 to End: 2021/08/24	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

Table 4 – Optional Product

Not Applicable

Table 5 – Optional Delivery

Not Applicable

Table 6 – Optional Installation

Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	Ottawa, ZIBI site 125 Zaida Eddy Private Ottawa, ON
B	Dock	Yes. Information not available
C	Lift	Information not available
D	Door	2134 mm (84”) H x 965 mm (38”) W
E	Freight Elevator	Yes. Information not available
F	Other (specify, if any)	
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

Table 8 - Bid Evaluation and Contract Total – CAT 6a
(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

Table 1 – Product Table – CAT 6b

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6CCTVAOVPL24L36JNXX	Tag: 6Ab9 Coffee table – oval – pedestal base - 14 to 21" H (356 to 533mm)	6	No		\$	\$
2	6SMOCBXXLU37G19LYNN	Tags: 6Ba8 Modular benching – curvilinear bench Must be ganged with 6Ba9 and must be from the same series Must be between 37" and 48" (940 and 1219mm) Refer to layout for configuration	32	Yes		\$	\$
3	6SMPCBXXLU37G19LYNN	Tags: 6Ba9 Modular benching with power/data side table – curvilinear bench Must be ganged with 6Ba8 and must be from the same series. Must be between 37" and 48" (940 and 1219mm) Refer to layout for configuration	16	Yes		\$	\$

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
				Product Total	\$	\$

Table 2 – Delivery – CAT 6b

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-3	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment	Start: 2021/05/14 to End: 2021/08/10	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation – CAT 6b

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-3	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/19 to End: 2021/08/24	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

Table 4 – Optional Product
Table 5 – Optional Delivery
Table 6 – Optional Installation

Not Applicable
 Not Applicable
 Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	Ottawa / Gatineau, ZIBI site 125 Zaida Eddy Private Ottawa, ON
B	Dock	Yes. Information not available
C	Lift	Information not available
D	Door	2134 mm (84”) H x 965 mm (38”) W
E	Freight Elevator	Yes. Information not available
F	Other (specify, if any)	
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

Table 8 - Bid Evaluation and Contract Total – CAT 6b
(Canada may complete if not completed by the Bidder)


1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Table 1 – Product Table – CAT 6c

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6MMTMSQPL36L36WNNX 	33	No		\$	\$	
2	6CNTCHRTLLW8606UYXX	Tag: 6Ab1 Narrow side table-counter height – 4 post legs Height must be compatible with seat height of item 6Bb4 (stool)	10	No		\$	\$
3	6CNTCHREGLW8606UYXX	Tag: 6Ab8 Narrow side table-counter height – end gable Height must be compatible with seat height of item 6Bb4 (stool)	7	No		\$	\$
4	6KKCSAxxLY16XXXMONX	Tag: 6Bb1 Bar stools-standard height 28 to 32”H (711 to 813mm H) Seat Height must be compatible with table 6Aa6	106	No		\$	\$
5	6KBSBHxxLY15XXXRONX	Tag: 6Bb2 Bar stools-bar height – 28 to 32”H (711 to 813mm H) Seat Height must be compatible with an existing table measuring 1067 mm (42”) high. Bar stools must be placed as per the floor plans.	72	No		\$	\$

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

6	6KBSCHxxLY15XXXPONX	Tag: 6Bb4 Bar stool – counter height – 24 to 27”H (610 to 686mm H) Seat Height must be compatible with tables 6Ab1 and 6Ab8 and with 914 mm (36”) high millwork counter	90	No		\$	\$
---	---------------------	---	----	-----------	--	----	----

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products (must not exceed 30% of the firm quantity by category)

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER’S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
7	Kitchenette Chairs – Tag 6Bb3 - Standard height Stool - Standard chair height - 4 legs - Sled base - Without armrest - No seat cushions - Width >381 mm (15”) - Height – 432 mm to 508 mm (17” to 20”) (Must match Tag : 6Bb1) - Coordinate seat height with millwork counter height of 750 mm (29.5”)	36	No		\$	\$
				Product Total	\$	\$

Table 2 - Delivery– CAT 6c

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-7	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/14 to End: 2021/08/10	Normal Business Hours	____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>	Delivery Total:	\$
---	-----------------	----

Table 3 – Installation – CAT 6c

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-7	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/19 to End: 2021/08/24	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Installation Total:	\$

Table 4 – Optional Product

Not Applicable

Table 5 – Optional Delivery

Not Applicable

Table 6 – Optional Installation

Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes			
1.1	<p>IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.</p>			
2.	<p>Canada's Facilities to Accommodate the Delivery</p> <p><i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>			
2.1	<p>Loading Dock/Location</p> <table border="1"> <tr> <td>A</td> <td>Location</td> <td>Ottawa, ZIBI site 125 Zaida Eddy Private Ottawa, ON</td> </tr> </table>	A	Location	Ottawa, ZIBI site 125 Zaida Eddy Private Ottawa, ON
A	Location	Ottawa, ZIBI site 125 Zaida Eddy Private Ottawa, ON		

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

B	Dock	Yes. Information not available
C	Lift	Information not available
D	Door	2134 mm (84") H x 965 mm (38") W
E	Freight Elevator	Yes. Information not available
F	Other (specify, if any)	
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total – CAT 6c
(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Table 1 – Product Table – CAT 6d

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6CCTVAROPL30XXXJNXX	Tag: 6Ab5 Coffee table – 14 to 21”H (356 to 533mm) H	38	No		\$	\$
2	6CNTLHREGLW8606NYXX	Tag: 6Ab6 Narrow side table – lounge height Height: 23 to 33” (584 to 838mm) Width :12 to 18” (305 to 457mm) Length: 60 to 66” (1524 to 1676mm)	10	No		\$	\$
3	6CCTVAOVP24L36JNXX	Tag: 6Ab10 Coffee table – oval – pedestal base-14 to 21” H (356 to 533mm) H	4	No		\$	\$
4	6CSTVAROLG18XXXJNXX	Tag: 6Ab11 Side table – round – 14 to 21” H (356 to 533mm) H	1	No		\$	\$
5	6SBATWXXBUW3G19LMNN	Tag: 6Ba2 Banquette w/out backrest bolster-two seater	24	No		\$	\$
6	6SBATHXXBUW5G19LMNN	Tag: 6Ba3 Banquette w/out backrest bolster-three seater	15	No		\$	\$
7	6STCWRXXLUXXXXXNXX	Tag: 6Ba4 Tablet chairs-w/ armrest-right	64	No		\$	\$
8	6SUOPRXXLUXXXXXLNNN	Tag: 6Ba5 Upholstered ottoman-small round	61	No		\$	\$
9	6SLCOAXXFUXXXXXMXXX	Tag: 6Ba7 Lounge chair	26	No		\$	\$
10	6SUOMRXXLUXXXXXLNNN	Tag: 6Ba12 Upholstered ottoman – medium round – 16 to 19” H (406 to 483mm) H	3	No		\$	\$
11	6SMORBXXLU25G19LNNN	Tag: 6Ba13 Modular benching – rectilinear bench - >19” deep,16 to 19” H (406 to 483mm) – no back or screens	4	No		\$	\$

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

12	6SBAINXXLUW1G19LMYN	Tag: 6Ba14 Banquette w/out backrest bolster – mid back – 16 to 20" H (406 to 508mm) H – privacy screen	10	No		\$	\$
13	6SLCWAXXFUXXXXMXXX	Tag: 6Ba15 Lounge chairs	14	No		\$	\$
14	6SSOTHXXLUW6XXXQNNY	Tag: 6Ba16 Sofas-three seater	4	No		\$	\$

****Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

NSA products (must not exceed 30% of the firm quantity by category)

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
15	Collaborative Tables/ Multi-Media Table – Tag 6Ab3 - Seated height - D shape - Single Monitor Mount - With Power/Data - 2413 mm +/- 25 mm L x 914 mm +/- 25 mm D x 737 mm H - 95" +/- 1"L x 36" +/- 1"D x 29"H - Base must allow for knee space. - Cable management must be provided.	6	No		\$	\$
16	Laptop Table – Tag 6Ab4 - Height >610 mm (24") <660 mm (26") - Width >457 mm (18") <610 mm (24") - Length >330 mm (13")	103	No		\$	\$
				Product Total	\$	\$

Table 2 - Delivery- CAT 6d

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
1-16	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/14 to End: 2021/08/10	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation – CAT 6d

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
1-16	ZIBI – BLOCK 211 125 Zaida Eddy Private Ottawa Floors P2, 2 to 8 This building is currently under construction. Further information will be made available by contract amendment.	Start: 2021/05/19 to End: 2021/08/24	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Installation Total:	\$

- Table 4 – Optional Product
- Table 5 – Optional Delivery
- Table 6 – Optional Installation

- Not Applicable
- Not Applicable
- Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	Ottawa, ZIBI site 125 Zaida Eddy Private Ottawa, ON
B	Dock	Yes. Information not available
C	Lift	Information not available
D	Door	2134 mm (84”) H x 965 mm (38”) W
E	Freight Elevator	Yes. Information not available
F	Other (specify, if any)	
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

Table 8 - Bid Evaluation and Contract Total – CAT 6d
(Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6 + 7)	\$
9	Contract Price(1+2+3+7):	\$
10	Applicable Tax(es):	\$
11	Total Estimated Cost (9+10):	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Solicitation No. - N° de l'invitation
EP916-211811/A
Client Ref. No. - N° de réf. du client
20211811

Amd. No. - N° de la modif.
File No. - N° du dossier
pq998.EP916-211811

Buyer ID - Id de l'acheteur
pq998
CCC No./N° CCC - FMS No./N° VME

ANNEX B FLOOR PLAN(S)

INSTRUCTIONS TO BIDDERS:

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).
As a minimum the product listing must include the following information:
 - Supplier part numbers including NSA products forming part of this category;
 - brief product descriptions;
 - quantities;
 - firm unit prices.

***** Products from categories other than Category 1a shown on floor plan are for information purposes only*****

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

***At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

Category 1a Requirement:

1) Floor Plan(s)

See attached pdf and AutoCAD floor plan

AutoCAD file: 19-249-FURN-TYPICALS.dwg

2) Panel Details

- a. All required panel heights: **Work Surface Privacy Add-on Height**;
- b. When power is required, the power is located **below and above** work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: **Base feed**

3) Panel Matrix and Workstation Layout

See attached Panel Matrix & Workstation Layout

Panel Type A

Panel Type B

Panel Type C

Panel Type D

Panel Type E

a. Panel Matrix

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

PANEL TYPE/ TYPE DE PANNEAU: A

PANEL HEIGHT/ HAUTEUR DES CLOISONS: WORK SURFACE PRIVACY
 HEIGHT ADD ON/ PANNEAU ADDITIONNEL POUR INTIMITÉ À LA
 SURFACE DE TRAVAIL

UPPER ELEMENT 1/ ÉLÉMENT SUPÉRIEUR 1 FABRIC / TISSU	UPPER ELEMENT 2/ ÉLÉMENT SUPÉRIEUR 2 FABRIC / TISSU
LOWER ELEMENT 1/ ÉLÉMENT INFÉRIEUR 1 FABRIC / TISSU	LOWER ELEMENT 2/ ÉLÉMENT INFÉRIEUR 2 FABRIC / TISSU

SIDE 1 / CÔTÉ 1

SIDE 2 / CÔTÉ 2

PANEL TYPE/ TYPE DE PANNEAU: B

PANEL HEIGHT/ HAUTEUR DES CLOISONS: WORK SURFACE PRIVACY
 HEIGHT ADD ON/ PANNEAU ADDITIONNEL POUR INTIMITÉ À LA
 SURFACE DE TRAVAIL

UPPER ELEMENT 1/ ÉLÉMENT SUPÉRIEUR 1 FABRIC / TISSU	UPPER ELEMENT 2/ ÉLÉMENT SUPÉRIEUR 2 FABRIC / TISSU
LOWER ELEMENT 1/ ÉLÉMENT INFÉRIEUR 1 CUT-OUT(S) FOR POWER & DATA, FABRIC - BELOW THE SURFACE - FABRIC/ CAVITÉE(S) FINIE(S) POUR L'INSERTION DE PRISE(S) ÉLECTRIQUE(S) ET INFORMATIQUE(S) - AU DESSOUS DE LA SURFACE - TISSU	LOWER ELEMENT 2/ ÉLÉMENT INFÉRIEUR 2 FABRIC / TISSU

SIDE 1 / CÔTÉ 1

SIDE 2 / CÔTÉ 2

PANEL TYPE/ TYPE DE PANNEAU: C

PANEL HEIGHT/ HAUTEUR DES CLOISONS: WORK SURFACE PRIVACY
 HEIGHT ADD ON/ PANNEAU ADDITIONNEL POUR INTIMITÉ À LA
 SURFACE DE TRAVAIL

UPPER ELEMENT 1/ ÉLÉMENT SUPÉRIEUR 1 FABRIC / TISSU	UPPER ELEMENT 2/ ÉLÉMENT SUPÉRIEUR 2 FABRIC / TISSU
LOWER ELEMENT 1/ ÉLÉMENT INFÉRIEUR 1 CUT-OUT(S) FOR POWER & DATA, FABRIC - BELOW THE SURFACE - FABRIC/ CAVITÉE(S) FINIE(S) POUR L'INSERTION DE PRISE(S) ÉLECTRIQUE(S) ET INFORMATIQUE(S) - AU DESSOUS DE LA SURFACE - TISSU	LOWER ELEMENT 2/ ÉLÉMENT INFÉRIEUR 2 CUT-OUT(S) FOR POWER & DATA, FABRIC - BELOW THE SURFACE - FABRIC/ CAVITÉE(S) FINIE(S) POUR L'INSERTION DE PRISE(S) ÉLECTRIQUE(S) ET INFORMATIQUE(S) - AU DESSOUS DE LA SURFACE - TISSU

SIDE 1 / CÔTÉ 1

SIDE 2 / CÔTÉ 2

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

PANEL TYPE/ TYPE DE PANNEAU: D

PANEL HEIGHT/ HAUTEUR DES CLOISONS: WORK SURFACE PRIVACY
 HEIGHT ADD ON/ PANNEAU ADDITIONNEL POUR INTIMITÉ À LA
 SURFACE DE TRAVAIL

UPPER ELEMENT 1/ ÉLÉMENT SUPÉRIEUR 1 CUT-OUT(S) FOR POWER & DATA, FABRIC - ABOVE THE SURFACE - FABRIC/ CAVITÉE(S) FINE(S) POUR L'INSERTION DE PRISE(S) ÉLECTRIQUE(S) ET INFORMATIQUE(S) - AU DESSUS DE LA SURFACE - TISSU	UPPER ELEMENT 2/ ÉLÉMENT SUPÉRIEUR 2 FABRIC / TISSU
LOWER ELEMENT 1/ ÉLÉMENT INFÉRIEUR 1 FABRIC / TISSU	LOWER ELEMENT 2/ ÉLÉMENT INFÉRIEUR 2 FABRIC / TISSU

SIDE 1 / CÔTÉ 1

SIDE 2 / CÔTÉ 2

PANEL TYPE/ TYPE DE PANNEAU: E

PANEL HEIGHT/ HAUTEUR DES CLOISONS: WORK SURFACE PRIVACY
 HEIGHT ADD ON/ PANNEAU ADDITIONNEL POUR INTIMITÉ À LA
 SURFACE DE TRAVAIL

UPPER ELEMENT 1/ ÉLÉMENT SUPÉRIEUR 1 CUT-OUT(S) FOR POWER & DATA, FABRIC - ABOVE THE SURFACE - FABRIC/ CAVITÉE(S) FINE(S) POUR L'INSERTION DE PRISE(S) ÉLECTRIQUE(S) ET INFORMATIQUE(S) - AU DESSUS DE LA SURFACE - TISSU	UPPER ELEMENT 2/ ÉLÉMENT SUPÉRIEUR 2 CUT-OUT(S) FOR POWER & DATA, FABRIC - ABOVE THE SURFACE - FABRIC/ CAVITÉE(S) FINE(S) POUR L'INSERTION DE PRISE(S) ÉLECTRIQUE(S) ET INFORMATIQUE(S) - AU DESSUS DE LA SURFACE - TISSU
LOWER ELEMENT 1/ ÉLÉMENT INFÉRIEUR 1 FABRIC / TISSU	LOWER ELEMENT 2/ ÉLÉMENT INFÉRIEUR 2 FABRIC / TISSU


SIDE 1 / CÔTÉ 1

SIDE 2 / CÔTÉ 2

b. Workstation Layout(s)

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**
- Should one typical workstation identify power and the other does not – power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

WKS



CATEGORY 1A/ CATÉGORIE 1A

REFER TO FLOOR PLANS/ SE REFERER AUX PLANS

CAT. 1B - FREE STANDING SYSTEMS/ SYSTÈMES AUTOSTABLES

1B1 FIXED HEIGHT WORK SURFACES (LAMINATE) - RECTANGULAR - PANEL MOUNTED - WITH GROMMETS
 SURFACES DE TRAVAIL À HAUTEUR FIXE (STRATIFIÉ) - RECTANGULAIRE - MONTÉ SUR CLOISON - AVEC PASSE-CÂBLES
 610 mm x 1830 mm (24" x 72") GoCUID/ CIUGdC: 1bCPSXXX00L24XFRNNN

CAT. 1B - COMPONENT SYSTEM ACCESSORIES/ ACCESSOIRES

G1 PRIVACY SCREENS - PANEL MOUNTED - ACRYLIC/ GLASS - FROSTED CLISON D'INTIMITÉ - MONTÉ SUR CLOISON - ACRYLIQUE/ VERRE GIVRÉ
 610 mm (24") GoCUID/ CIUGdC: 1bCPSXXX00L24XFRNNN

G2 PRIVACY SCREENS - PANEL MOUNTED - ACRYLIC/ GLASS - FROSTED CLISON D'INTIMITÉ - MONTÉ SUR CLOISON - ACRYLIQUE/ VERRE GIVRÉ
 782 mm (30") GoCUID/ CIUGdC: 1bCPSXXX00L30XFRNNN

G3 PRIVACY SCREENS - PANEL MOUNTED - ACRYLIC/ GLASS - FROSTED CLISON D'INTIMITÉ - MONTÉ SUR CLOISON - ACRYLIQUE/ VERRE GIVRÉ
 914 mm (36") GoCUID/ CIUGdC: 1bCPSXXX00L36XFRNNN


CAT. 5 - ANCILLARY PRODUCTS/ ARTICLES ACCESSOIRES

5-4 TASK LIGHT/LAMPE DE TRAVAIL

LEGEND/ LEGENDE

- ⚡ DUPLEX RECEPTACLE/ PRISE DE COURANT DOUBLE
- ▼ DATA/ SORTIE DE DONNÉES
- ABOVE WORK SURFACE/ AU DESSUS DE LA SURFACE DE TRAVAIL
- BASE FEED POWER/ ALIMENTATION DE BASE POUR

WKS1



CATEGORY 1A/ CATÉGORIE 1A

REFER TO FLOOR PLANS/ SE REFERER AUX PLANS

CAT. 1B - COMPONENT SYSTEM ACCESSORIES/ ACCESSOIRES

G2 PRIVACY SCREENS - PANEL MOUNTED - ACRYLIC/ GLASS - FROSTED CLISON D'INTIMITÉ - MONTÉ SUR CLOISON - ACRYLIQUE/ VERRE GIVRÉ
 782 mm (30") GoCUID/ CIUGdC: 1bCPSXXX00L30XFRNNN

CAT. 2 - FREE STANDING HEIGHT ADJUSTABLE WORK SURFACES
 SURFACES DE TRAVAIL INDIVIDUELLES À HAUTEUR RÉGLABLE

INDIVIDUAL HEIGHT ADJUSTABLE WORK SURFACES - SIT STAND - 120 DEGREE - LAMINATE - ELECTRIC
 SURFACE DE TRAVAIL INDIVIDUELLES À HAUTEUR RÉGLABLE - POSITION ASSISE OU DEBOUT - 120 DEGRÉ - STRATIFIÉ - ÉLECTRIQUE
 1829 mm x 782 mm (60" x 30")
 GoCUID/CIUGdC 2WSSDXXL30L60BELXX

CAT. 5 - ANCILLARY PRODUCTS/ ARTICLES ACCESSOIRES

5-4 TASK LIGHT/LAMPE DE TRAVAIL

LEGEND/ LEGENDE


- ⚡ DUPLEX RECEPTACLE/ PRISE DE COURANT DOUBLE
- ▼ DATA/ SORTIE DE DONNÉES
- ABOVE WORK SURFACE/ AU DESSUS DE LA SURFACE DE TRAVAIL
- BASE FEED POWER/ ALIMENTATION DE BASE POUR

Solicitation No. - N° de l'invitation
 EP916-211811/A
 Client Ref. No. - N° de réf. du client
 20211811

Amd. No. - N° de la modif.
 File No. - N° du dossier
 pq998.EP916-211811

Buyer ID - Id de l'acheteur
 pq998
 CCC No./N° CCC - FMS No./N° VME

WKS2



CATEGORY 1A/ CATÉGORIE 1A

REFER TO FLOOR PLANS/ SE REFERER AUX PLANS



PARTIAL HEIGHT - RIGHT SIDE - OPEN SHELF - LEFT SIDE - OPEN SHELF
 HAUTEUR PARTIELLE - CÔTÉ DROIT - TABLETTE OUVERTES - CÔTÉ
 GAUCHE - TABLETTE OUVERTES
 20" x 54" NON-SA GoCUID/ CIUGdC: 1bCHHLX20L60XOS0SSX
 NON-SA/ HORS ARRANGEMENT

CAT. 5 - ANCILLARY PRODUCTS/ ARTICLES ACCESSOIRES



TASK LIGHT/LAMPE DE TRAVAIL

CAT. 1B - COMPONENT SYSTEM ACCESSORIES/ ACCESSOIRES



PRIVACY SCREENS - PANEL MOUNTED - ACRYLIC/ GLASS - FROSTED
 CLISON D'INTIMITÉ - MONTÉ SUR CLOISON - ACRYLIQUE/ VERRE GIVRÉ
 610 mm (24") GoCUID/ CIUGdC: 1bCPSXXL24XFRNNN



PRIVACY SCREENS - PANEL MOUNTED - ACRYLIC/ GLASS - FROSTED
 CLISON D'INTIMITÉ - MONTÉ SUR CLOISON - ACRYLIQUE/ VERRE GIVRÉ
 914 mm (36") GoCUID/ CIUGdC: 1bCPSXXL36XFRNNN

LEGEND/ LEGENDE

- ▲ DUPLEX RECEPTACLE/ PRISE DE COURANT DOUBLE
- ▼ DATA/ SORTIE DE DONNÉES
- ABOVE WORK SURFACE/ AU DESSUS DE LA SURFACE DE TRAVAIL
- BASE FEED POWER/
 BF ALIMENTATION DE BASE POUR

Solicitation No. - N° de l'invitation
EP916-211811/A
Client Ref. No. - N° de réf. du client
20211811

Amd. No. - N° de la modif.
File No. - N° du dossier
pq998.EP916-211811

Buyer ID - Id de l'acheteur
pq998
CCC No./N° CCC - FMS No./N° VME

ANNEX C ADDITIONAL SPECIFICATIONS, CERTIFICATIONS

This Annex includes the additional Specifications, Certifications associated with NSA product forming part of the requirement.

1. Specifications

All the NSA products offered must conform to its specifications indicated in Annex A and B of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

2. Certifications

.1 NSA Product Conformance

2.1 NSA Product Conformance *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

Supplier's Signature

Date

NSA Product Conformance Certification *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.

Solicitation No. - N° de l'invitation
EP916-211811/A
Client Ref. No. - N° de réf. du client
20211811

Amd. No. - N° de la modif.
File No. - N° du dossier
pq998.EP916-211811

Buyer ID - Id de l'acheteur
pq998
CCC No./N° CCC - FMS No./N° VME

ANNEX D
SECURITY REQUIREMENTS

There is no security requirement associated with this contract.