



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
See herein for bid submission
instructions/

Voir la présente pour les
instructions sur la présentation
d'une soumission

NA
British Columbia

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada - Pacific
Region
401 - 1230 Government Street
Victoria, B. C.
V8W 3X4

Title - Sujet Containment Boom	
Solicitation No. - N° de l'invitation EZ108-211330/B	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client EZ108-211330	Date 2021-01-14
GETS Reference No. - N° de référence de SEAG PW-\$XLV-242-8145	
File No. - N° de dossier XLV-0-43163 (242)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Pacific Standard Time PST on - le 2021-01-19 Heure Normale du Pacifique HNP	
F.O.B. - F.A.B. Specified Herein - Précisé dans les présentes Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input checked="" type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Szczesniak, Michal	Buyer Id - Id de l'acheteur xl242
Telephone No. - N° de téléphone (250) 507-0647 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

SOLICITATION AMENDMENT 001

This Amendment is raised to address the following questions:

Question 1

What are the key differences in the technical requirements compared to those in the previous bid solicitation number EZ108-211330/A?

Response to Question 1

The Solicitation includes new and revised requirements for the containment boom 18-inch. There are additional revisions throughout Solicitation so as always, Bidders are encouraged to review the entire bid solicitation carefully and bid accordingly. Bidders who submitted bids in response to the previous bid solicitation must submit new bids if they wish to be considered for this Solicitation.

The bid solicitation documents contain all the requirements relating to the bid solicitation. Any other information or documentation provided to or obtained by a bidder from any source are not relevant. Bidders should not assume that practices used under previous bid solicitations or contracts will continue, unless they are described in the bid solicitation. Bidders should also not assume that their existing capabilities meet the requirements of the bid solicitation simply because they have met previous requirements.

Question 2

Regarding Annex A (Requirement), Section 2.8 (Boom Belting), 2.8.1 Polyvinyl chloride (PVC) coated conveyor belting:

Permanent boom belting has a wide range of product thickness (80oz to 172oz). Does Canada have a specification requirement with regards to belting weight?

Response to Question 2

No, Canada has no specific requirement for belting thickness. The product offered should be the supplier's standard material for their "off the shelf" 24" harbour containment boom.

Question 3

Regarding Annex A (Requirement), Section 2.8 (Boom Belting), 2.8.1 Polyvinyl chloride (PVC) coated conveyor belting:

Permanent boom will have in many cases a couple of temporary anchor points located along the section which is best accomplished using an eyebolt mounted to a plate with 4ea bolts secured to the belting above the water level. Does Canada have a requirement for anchor points and if so, advise the preferred spacing on each section?

Response to Question 3

Canada has no requirement for temporary anchor points in the Boom Belting.

N° de l'invitation - Solicitation No.
EZ108-211330/B
N° de réf. du client - Client Ref. No.
EZ108-211330

N° de la modif - Amd. No.
001
File No. - N° du dossier

Id de l'acheteur - Buyer ID
xlv242
N° CCC / CCC No./ N° VME - FMS

Question 4

Regarding Annex A (Requirement), Section 3.5 (Boom Flotation), 3.5.7. Skirt material Weight must be no less than 22oz/yd:

The industry standard for 22oz oil containment boom has become 500lb grab tensile strength. Can you confirm that this tensile strength is acceptable to Canada or confirm the minimum grab tensile strength required?

Response to Question 4

This tensile strength is acceptable to Canada.

Question 5

Can you tell me what it is referring to when it says "clips"? Is that the toggle pin?

Response to Question 5

Yes, the terms "clips" and "toggle pins" have the same meaning.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.