



RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
PWGSC/TPSGC Acquisitions Bid Receiving
Box/Boîte de Réception des Soumissions
Bid Receiving Box/Boîte de Récepti
1st Floor/1^{ère} étage, Suite 1212
100-1045 Main Street
Moncton
New Brunswick
E1C 1H1
Bid Fax: (506) 851-6759

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Acquisitions NB/PEI (Moncton Office) – Bureau
d'acquisitions N.-B./Î.-P.-É. (Moncton)
1045 Main Street / 1045, rue Main
Moncton
New Bruns
E1C 1H1

| | |
|---|--|
| Title - Sujet Dry Garbage Removal - Gagetown | |
| Solicitation No. - N° de l'invitation W6898-210525/A | Amendment No. - N° modif. 003 |
| Client Reference No. - N° de référence du client W6898-210525 | Date 2021-01-28 |
| GETS Reference No. - N° de référence de SEAG PW-\$MCT-037-5889 | |
| File No. - N° de dossier MCT-0-43114 (037) | CCC No./N° CCC - FMS No./N° VME |
| Solicitation Closes - L'invitation prend fin at - à 02:00 PM Atlantic Standard Time AST on - le 2021-02-03 Heure Normale de l'Atlantique HNA | |
| F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/> | |
| Address Enquiries to: - Adresser toutes questions à: MacDonald (MCT), Anne | Buyer Id - Id de l'acheteur mct037 |
| Telephone No. - N° de téléphone (902) 314-1009 () | FAX No. - N° de FAX (506) 851-6759 |
| Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: | |

Instructions: See Herein

Instructions: Voir aux présentes

| | |
|--|--|
| Delivery Required - Livraison exigée | Delivery Offered - Livraison proposée |
| Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur | |
| Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur | |
| Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie) | |
| Signature | Date |



**DEPARTMENT OF NATIONAL DEFENCE
REAL PROPERTY OPERATIONS
DETACHMENT (GAGETOWN)
5 CDSB GAGETOWN**


SPECIFICATION

SERVICE CONTRACT
REMOVAL OF DRY GARBAGE
BASE AND TRAINING AREA
01 APRIL 2021 TO 31 MARCH 2022
WITH OPTIONS TO RENEW FOR
TWO, ONE-YEAR PERIODS


Designed by


Fire Inspector


Project O


Engineering O

PF No:

Job No: L-G2-9900/1835

Date: 2020-06-15

| | | |
|--------------------------------|-------------------------|-------------------------|
| NATIONAL DEFENCE | LIST OF CONTENTS | SECTION 00 01 11 |
| JOB. NO. L-G2-9900/1835 | | PAGE 1 |
| 5 CDSB GAGETOWN, N.B. | | 2020-06-15 |

| | | |
|---|--|--------------|
| <u>Section</u> | <u>Title</u> | <u>Pages</u> |
| <u>Division 00 - Procurement and Contracting Requirements</u> | | |
| 00 21 13 | Instructions to Bidders | 5 |
| <u>Division 01 - General Requirements</u> | | |
| 01 35 30 | Health and Safety Requirements | 2 |
| 01 35 35 | DND Fire Safety Requirements | 3 |
| 01 35 43 | Environmental Procedures | 1 |
| <u>Annexes</u> | | |
| Annex A | Location, Quantity and Schedules of Front-Loads | 3 |
| Annex B | Location, Quantity and Schedules of Roll-Offs | 2 |
| Annex D | Location, Basis of Payment for Dumpsters not listed in Annex A & B | 1 |

END OF SECTION

1 GENERAL

1.01 DESCRIPTION OF WORK

- .1 The work under this Service Contract comprises the furnishing of all labour and equipment required to remove dry garbage from within the Base Area and transport to Fredericton Sanitary Landfill Site as specified herein.

1.02 PERIOD OF CONTRACT

- .1 This Service Contract is to be in effect from 01 April 2021 to 31 March 2022, with options to renew for two one-year periods.

1.03 ENGINEER

- .1 The Engineer is defined and stated in this specification will be the Officer Commanding Real Property Operations Detachment (Gagetown) or a designated representative.
- .2 The address of the Engineer is:
Contracts Office
Real Property Operations Det Gagetown
Building B-18
238 Champlain Avenue
PO Box 1700 Station Forces
Oromocto, NB E2V 4J5
Tel. (506) 422-2000 Ext. 2677
Fax (506) 422-1248

1.04 WORK EXCLUDED

- .1 The Contractor will not be required to handle large quantities of heavy metal parts.

1.05 CONTRACTOR'S USE OF SITE

- .1 Work site access will be directed by the Engineer.
- .2 Movement around the site is subject to restrictions laid down by the Engineer.
- .3 Do not unreasonably encumber the site with materials or equipment.

1.06 GARBAGE PICK-UP SCHEDULE

- .1 The location, sizes, and pick-up frequencies of all containers are as detailed in Annex A and Annex B of this specification. Please note that containers are to be placed and emptied at Camp Argonaut as per Annex A are for the months of June, July and August only.
- .2 DND may make temporary or permanent additions and/or deletions to the quantities and/or frequencies in Annex A and Annex B using the prices tendered by the Contractor for extra containers (See Annex D). Such changes

can be made at any time. When this service is required, the Engineer will notify the Contractor and detail the requirement, size of container, and frequency of pick-ups.

- .3 The Contractor will provide the services as indicated in Annex A, Annex B and Annex D between 0730hrs and 1700hrs on days noted in the schedule.
- .4 The Contractor will schedule pickups so not to interfere with locking of compounds.

1.07 TIPPAGE

- .1 Tipping fees are to be captured in the submitted price in section 00 21 13 sub section 1.14. Approx 2750 metric tons per year.

1.08 EQUIPMENT REQUIRED

- .1 The containers necessary for this contract will consist of the following:
 - .1 3m³ (4yd³), 4.5m³ (6yd³), 6m³ (8yd³), 15m³ (20yd³), 23m³ (30yd³) and 30.5m³ (40yd³) containers supplied by the Contractor.
- .2 Each front load container from 3m³ (4yd³) to 6m³ (8yd³) shall be of the following style:
 - .1 sloping top; and
 - .2 equipped with polyethylene lid and kept in good working condition at all times.
- .3 Each roll off container from 15m³ (20yd³) to 30.5m³ (40yd³) shall be equipped with a back door in good working order.
- .4 All container capacities are approximate.

1.09 RESPONSIBILITIES

- .1 The Contractor will ensure that the containers are maintained, cleaned quarterly, painted when required and free of objectionable odours. Contractor to supply a list of containers that have been maintained quarterly to the Engineer.
- .2 All containers that are used at all kitchen locations shall be removed from site and steam cleaned and sanitized once monthly. A report in writing will be faxed to the Engineer.
- .3 DND will not be responsible for any damage to the Contractor's equipment as a result of normal operation.
- .4 The Contractor will advise the Engineer of the telephone number or location at which they or their representative may be contacted at all times.
- .5 Work undertaken at the request of anyone other than the Engineer, or his designated representative, will be entirely at the Contractor's risk with regard to payment.
- .6 The Contractor will not refuse any call for service requested by the Engineer and will carry out the service within 24 hours.

1.10 WORK STANDARDS

- .1 In the event of spillage at the site during loading or in transit, the effected area will be cleaned up by the Contractor.
- .2 Care will be taken in the handling of garbage containers to prevent damage. Containers will be returned to their original locations with lids closed after emptying.
- .3 Contractor to allow provision for the possibility of having to remove frozen garbage from the containers located at pick-up points.

1.11 VEHICLE REGULATIONS

- .1 Contractor vehicles will be of adequate size to perform daily operations including hauling of materials and tools to each jobsite. Vehicles will also have the Company Logo attached minimum one per side.
- .2 Vehicles to be in good condition, equipped with lights, horn, signal lights, and rear view mirror in accordance with the Motor Vehicle Act of the Province of New Brunswick.
- .3 Vehicles to be equipped with a rear flashing amber light and back up beeper.
- .4 Vehicles and operators will be licensed in accordance with regulations of the Province of New Brunswick.
- .5 Contractor to ensure adherence by their personnel to DND regulations pertaining to traffic control, parking and speed limits.
- .6 Base policy states when vehicles will be parked, they will be backed into a parking space wherever possible.

1.12 CODES AND STANDARDS

- .1 Services will be performed in accordance with existing Provincial and Municipal Regulations and by-laws. The Contractor will be responsible for any charges imposed by such regulations and by-laws.

1.13 SPECIAL CONDITIONS

- .1 If the Contractor's access to a container is prevented due to illegal vehicle parking, the Contractor is to note the make, model and license number of the vehicle and forward the information to the Engineer. The blocked container will be emptied on its next scheduled pick-up. No additional charges will be paid for blocked containers.
- .2 If a major snowfall occurs on the day or evening preceding a regular scheduled pick-up, the pick-up will be delayed one day to allow access to all containers. No additional charge will be levied for such an occurrence.
- .3 Snow cleaning to allow the Contractor access to the containers will be the responsibility of DND.

1.14 TENDER

- .1 The Contractor will submit a monthly price for the locations, quantities and frequencies listed in Annex A and Annex B. Such prices are to include all costs to complete the work including supervision, equipment and profit.
- .2 The Contractor will submit prices as per Annex D attached. Annex D are for dumpsters not included in Annex A and B. Such prices are to include all costs to complete the work including supervisor, equipment.
- .3 Dry Garbage containers for Annex D will be located by way of Building Numbers or geographically located throughout the Training Area using the Global Positioning System (GPS). Horizontal coordinate for the collection bin locations will be collected to within 15m of their actual position. Therefore, a Garmin Model #GPS72-12 channel receiver or Megellan Triton 2000 - North America Model 20 channel receiver or an approved equal positioning device with a horizontal accuracy of 15m will be required. The GPS must be able to convert from GPS World Geodetic System 1984 (WGS84) coordinates (latitude/longitude) to the Universal Transverse Mercator (UTM), North American Datum 1983 (NAD83) coordinates. Coordinates will be given to the Contracts Manager to the nearest metre in the following format: 7 digit Northing (5000000N) and 6 digit Easting (700000E).

1.15 INVOICING AND RECEIPTS

- .1 The Contractor will forward the original copy of invoices at the end of each month covering all charges for the monthly period to the Engineer. Invoices sent to the Engineer must clearly indicate contract number, work order number and requisition number issued to the contractor at the beginning of the month for the containers listed in Annex A and Annex B. These are to be considered the basic service for the month and can be grouped as such on the invoice at the lump sum cost per month that was tendered. Containers listed in Annex A and B must be itemized to show date, location, size of container and cost as well as work order and requisition number issued on the request for additional service.
- .2 Containers listed in Annex D must be itemized to show date, location, size of container and cost as well as work order and requisition number issued on the request for additional service.
- .3 Charges may be verified by Government Audit before or after payment is made under the terms of this contract.

1.16 DAILY LOG

- .1 The Contractor shall maintain a daily log for verification purposes, of all garbage containers.
- .2 The log shall indicate the day and date each garbage container was emptied.
- .3 The log shall be signed by the employee completing the work.
- .4 The daily log is to be made available to the Engineer when requested.

1.17 CONTRACTOR PASSES

- .1 All Contractor employees will have in their possession at all times while on the Base an authorized Contractor Pass while employed on DND property. Such passes will be produced on demand to the Military Police, Commissionaires, Security Guards and persons in authority.
- .2 The Contractor will complete an application form for contractor passes for each individual. The Contractor will accompany the employee to the Military Police Identification Section building F-19 for the issuance of pass.
- .3 A photocopy of passes is to be provided to the Engineer.
- .4 The Contractor will ensure Contractor passes are recovered from employees who cease to be employed on DND property. Such passes shall be returned to the Military Police Identification Section by the Contractor.

1.18 SECURITY CLEARANCE

- .1 The Contractor shall maintain an up-to-date roster of all employees involved in this contract including managers, supervisors, tradespersons, drivers and labourers. This roster must be made available to the Engineer upon request.
- .2 The Contractor shall provide proof of the information contained within the roster to the Engineer upon request.

END OF SECTION

1 GENERAL

1.01 REFERENCES

- .1 Canada Labour Code, Part 2, Canada Occupational Safety and Health Regulations (Latest Version).
- .2 Province of New Brunswick
 - .1 Occupational Health and Safety Act, S.N.B. (Latest Version).

1.02 REGULATORY REQUIREMENTS

- .1 Do work in accordance with the safety measures of the National Building Code of Canada (latest edition), the Canada Labour Code Part II, the New Brunswick Occupational Health and Safety Act and WorkSafeNB provided that in any case of conflict or discrepancy the more stringent of requirements shall be applied.

1.03 RESPONSIBILITY

- .1 Be responsible for health and safety of persons on site, safety of property on site and for protection of persons adjacent to site and environment to extent that they may be affected by conduct of Work.
- .2 Comply with and enforce compliance by employees with safety requirements of Contract Documents, applicable federal, provincial, territorial and local statutes, regulations and ordinances. Contractor to provide a site-specific Health and Safety Plan for review by Engineer prior to award of this contract.

1.04 UNFORESEEN HAZARDS

- .1 Should any unforeseen or peculiar safety-related factor, hazard or condition become evident during performance of Work, the Contractor must have procedures in place to facilitate the Employee's Right to Refuse Work in accordance with Acts and Regulations of New Brunswick. The Contractor is to advise the Engineer verbally and in writing of any employee who exercises this right.

1.05 CORRECTION OF NON-COMPLIANCE

- .1 Immediately address health and safety non-compliance issues identified by authority having jurisdiction or by Engineer.
- .2 Provide Engineer with written report of action taken to correct non-compliance of health and safety issues identified.
- .3 Engineer may stop Work if non-compliance of health and safety regulations is not corrected.

1.06 WORK STOPPAGE

- .1 Give precedence to safety and health of public and site personnel and

protection of environment over cost and schedule considerations for Work.

1.07 SAFETY MEASURES

- .1 Observe and enforce safety regulations required by Part 2 Canada Labour Code; Canada Occupational Health and Safety Regulations; N.B. Occupational Health and Safety Regulations 91-191; Workplace Health, Safety and Compensation Commission of New Brunswick (WHSCC); all applicable Federal, Provincial and Municipal Legislation and Engineer Branch Safety Policies.
- .2 In the event of conflict between any provisions of the above authorities, the most stringent provisions will apply.
- .3 The Contractor shall ensure that employees have sufficient personal protective equipment to guard them from all hazards to which they may be exposed.

1.08 WHMIS

- .1 Comply with regulations regarding Workplace Hazardous Materials Information System (WHMIS) regarding use, handling, storage, and disposal of hazardous materials; and regarding labelling and provision of material safety data sheets acceptable to Human Resources and Skills development Canada and Health Canada.

END OF SECTION

1.01 FIRE SAFETY PLAN

- .1 Contractors and their personnel will be familiar with this section as well as the National Fire Code of Canada, latest edition and applicable building fire orders which are posted in all DND buildings.

1.02 FIRE DEPARTMENT BRIEFING

- .1 The Engineer shall coordinate arrangements for the Contractor to be briefed on Fire Safety at their pre-work conference by the Fire Chief before any work is commenced.

1.03 REPORTING FIRES

- .1 Know the location of nearest fire alarm box and telephone, including the emergency phone number.
- .2 Report immediately all fire incidents to the Fire Department as follows:
 - .1 Activate the nearest fire alarm pull station; or
 - .2 Telephone:
 - .1 Base - 911
 - .2 Range Control - 422-2000 Ext 2482.
- .3 Persons activating fire alarm box shall remain at a safe location outside of building to direct Fire Department to scene of fire.
- .4 When reporting a fire by telephone, give the location of the fire, name or number of building and be prepared to verify the location.

1.04 INTERIOR AND EXTERIOR FIRE PROTECTION AND ALARM SYSTEMS

- .1 Fire protection and alarm systems shall not be: be:
 - .1 Obstructed.
 - .2 Shut-off.
 - .3 Left inactive at the end of a working day or shift without notification and authorization from the Fire Chief or his representative.
- .2 Fire hydrants, standpipes and hose systems shall not be used for other than fire fighting purposes unless authorized by the Fire Chief.

1.05 FIRE EXTINGUISHERS

- .1 The Contractor shall supply fire extinguishers, as scaled by the Fire Chief, necessary to protect, in an emergency, the work in progress and the contractors physical plant on site.

1.06 BLOCKAGE OF ROADWAYS

- .1 The Fire Chief shall be advised of any work would impede fire apparatus response. This includes violation of minimum overhead clearance, as prescribed by the Fire Chief, erecting of barricades and the digging of trenches.

1.07 SMOKING PRECAUTIONS

- .1 Although smoking is not permitted in hazardous areas, care must still be exercised in the use of smoking materials in non-restricted areas.
- .2 Smoking is not permitted in DND buildings.

1.08 RUBBISH AND WASTE MATERIALS

- .1 Rubbish and waste materials are to be kept to minimum.
- .2 The burning of rubbish is prohibited unless approved by the Fire Chief.
- .3 Removal:
 - .1 All rubbish shall be removed from the work site at the end of the work day or shift or as directed.
- .4 Storage:
 - .1 Extreme care is required where it is necessary to store oily waste in work areas to ensure maximum possible cleanliness and safety.
 - .2 Greasy or oily rags or materials subject to spontaneous combustion shall be deposited and kept in an approved receptacle and removed as required.

1.09 FLAMMABLE LIQUIDS

- .1 The handling, storage and use of flammable liquids are to be governed by the current National Fire Code of Canada.
- .2 Flammable liquids such as gasoline, kerosene, naphtha may be kept for ready use in quantities not exceeding 45 litres provided they are stored in approved safety cans bearing the Underwriter's Laboratory of Canada or Factory Mutual seal of approval. Storage of quantities of flammable liquids exceeding 45 litres for work purposes, requires the permission of the Fire Chief.
- .3 Transfer of flammable liquids is prohibited within buildings.
- .4 Transfer of flammable liquids shall not be carried out in the vicinity of open flame or any type of heat-producing devices.
- .5 Flammable liquids having a flash point below 38°C such as naphtha or gasoline shall not be used as solvents or cleaning agents.
- .6 Flammable waste liquids, for disposal, shall be stored in approved containers located in a safe ventilated area. Quantities are to be kept to a minimum and the Fire Department is to be notified when disposal is required.

1.10 HAZARDOUS SUBSTANCES

- .1 If the work entails the use of any toxic or hazardous materials, chemicals and/or explosives, or otherwise creates a hazard to life, safety or health, work shall be in accordance with the National Fire Code of Canada.
- .2 The Fire Chief is to be advised, and a "Hot Work" permit issued in all cases involving welding, burning or the use of blow torches and salamanders, in

buildings or facilities. Special precautions are necessary to safeguard life and property from damage by fire or explosives.

- .3 Wherever work is being carried out in dangerous or hazardous areas involving the use of heat, fire watchers, equipped with sufficient fire extinguishers shall be provided. The determination of dangerous or hazardous areas along with the level of precaution necessary for fire Watch shall be at the discretion of the Fire Chief. Contractors are responsible for providing fire watch service for their work on a scale established and in conjunction with the Fire Chief at the pre-work conference.
- .4 Where flammable liquids, such as lacquers or urethanes are to be used, proper ventilation shall be assured and all sources of ignition are to be eliminated. The Fire Chief is to be informed prior to and at the cessation of such work.

1.11 QUESTIONS AND/ OR CLARIFICATION

- .1 Any questions or clarification on Fire Safety in addition to the above requirements shall be directed to and cleared through the Fire Chief.

1.12 FIRE INSPECTIONS

- .1 Site inspections by Fire Chief will be coordinated through Engineer.
- .2 The Fire Chief or his representative will allowed unrestricted access to work site.
- .3 Co-operate with Fire Chief during routine fire Safety inspection of work site.
- .4 Immediately remedy all unsafe fire situations observed by Fire Chief.
- .5 The Fire Chief shall be allowed unrestricted access to the work site.
- .6 The Contractor shall co-operate with the Fire Chief during routine inspections for the work site.
- .7 The Contractor shall immediately remedy all unsafe fire situations identified by the Fire Chief.

END OF SECTION

1.01 GENERAL

- .1 Contractors will take all reasonable steps to ensure that they and their employees have complied with all pertinent Legislation and have protected the environment.

1.02 DISPOSAL OF WASTES

- .1 Do not bury rubbish or waste on site. All wastes must be disposed of in designated containers, unless approved by the Engineer.
- .2 Contractor to handle and dispose of hazardous wastes in accordance with federal or provincial Legislation.
- .3 Hazardous wastes not to be disposed of in non-hazardous waste bin.
- .4 Contractor to have permission from Engineer prior to disposal of hazardous or non hazardous waste.

1.03 SPILL PROTECTION

- .1 The Contractor must have adequate spill response materials/equipment for any hazardous materials used in the completion of the work (ie. fuels, oils, lubricants, etc).
- .2 In the event of a spill the Contractor will immediately take corrective action to clean up the material.
- .3 In the event of a spill over one litre of a hazardous material, the Contractor will immediately inform proper authorities at the 5 CDSB Gagetown Firehall, tel, 1-506-422-2000 local 2106 and take necessary remedial action.

END OF SECTION

| BASE AREA | | | | | | | | |
|-------------|---------------------------|----------------|------|----------|-------|------|--------|------|
| DESCRIPTION | | | | SCHEDULE | | | | |
| BUILD# | LOCATION | m ³ | QTY. | Mon. | Tues. | Wed. | Thurs. | Fri. |
| A 5 | MUSEUM | 4.5 | 1 | √ | | | √ | |
| A 7 | QUARTERS | 3 | 1 | √ | | | √ | |
| A 9 | KITCHEN | 4.5 | 1 | √ | | √ | | √ |
| A 10 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| A 11 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| A 13 | WATER TREATMENT PLANT | 4.5 | 1 | √ | | | √ | |
| A 15 | SOLDIER ARENA | 3 | 1 | √ | | | √ | |
| A 29 | GAGE CENTER | 4.5 | 1 | √ | | | √ | |
| A 41 | RETAIL/STORAGE CANEX | 6 | 1 | √ | | | √ | |
| A 42 | MAIN COMPLEX | 4.5 | 1 | √ | | √ | | √ |
| A 42 | GRIFFINS RESTAURANT | 6 | 1 | √ | | √ | | √ |
| A 45 | MFRC | 4.5 | 1 | √ | | | √ | |
| A 47 | DENTAL TRAILER | 6 | 1 | √ | | | √ | |
| A 47 | MEDICAL BLDG | 4.5 | 1 | | | √ | | √ |
| B 1 | GARAGE | 4.5 | 2 | √ | | √ | | √ |
| B 7 | GARAGE | 4.5 | 1 | √ | | | √ | |
| B 9 | GARAGE | 4.5 | 2 | √ | | | √ | |
| B 10 | BASE SUPPLY | 4.5 | 4 | √ | | √ | | √ |
| B 14 | CE ROADS & GROUNDS | 4.5 | 3 | √ | | | √ | |
| B 18 | CE BRANCH | 4.5 | 3 | √ | | | √ | |
| B 19 | 4 ESR | 4.5 | 1 | √ | | √ | | √ |
| B 45 | GARAGE | 4.5 | 1 | √ | | | √ | |
| B 58 | GARAGE | 4.5 | 1 | √ | | | √ | |
| B 59 | HAZMAT | 4.5 | 1 | √ | | | √ | |
| B 71 | DCC OFFICE | 6 | 1 | √ | | | √ | |
| C 8 | GARAGE | 4.5 | 1 | √ | | | √ | |
| C 9 | C.H.P. | 3 | 1 | √ | | | √ | |
| D 4 | RECRUITING CENTER | 4.5 | 1 | √ | | | √ | |
| D 5 | SIGNALS | 4.5 | 2 | √ | | √ | | √ |
| D 10 | DRILL HALL | 4.5 | 1 | √ | | | √ | |
| D 15 | DRILL HALL | 4.5 | 1 | | | √ | | √ |
| D 17 | 2 RCR HQ | 3 | 1 | √ | | | √ | |
| D-21 | LECTURE TRAINING BUILDING | 3 | 1 | √ | | | | √ |
| D 22 | MARITIME CLUB | 4.5 | 1 | √ | | √ | | √ |
| D 23 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| D 24 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| D 25 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| D 27 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| D 55 | COMMS SQN | 3 | 1 | √ | | | √ | |
| D 56 | RCR MAINTENANCE BUILDING | 4.5 | 2 | √ | | √ | | √ |
| D 57 | RCR COMPLEX | 4.5 | 2 | √ | | √ | | √ |
| D-60 | QUARTERS | 6 | 2 | | | √ | | |
| F 1 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| F 2 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| F 6 | KITCHEN | 4.5 | 1 | √ | | | √ | |

Annex A

Job No. L-G2-9900/1835

Dated: 2020-06-15

| | | | | | | | | |
|-------|--------------------|-----------------|---|---|--|---|---|---|
| F 7 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| F 12 | THEATER | 3 | 1 | √ | | | √ | |
| F-19 | MAIN GATE | 4.5 | 1 | √ | | | √ | |
| G 1 | R.C. CHAPEL | 3 | 1 | √ | | | √ | |
| G 2 | PROT. CHAPEL | 3 | 1 | √ | | | √ | |
| G 3 | FIREHALL | 3 | 1 | √ | | | √ | |
| G 8 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| H 1 | QUARTERS | 4.5 | 2 | √ | | | √ | |
| H 3 | QUARTERS | 4.5 | 2 | √ | | | √ | |
| H 5 | LECTURE TRG BLD | 4.5 | 1 | √ | | | √ | |
| H 6 | SUPPLY STORES | 3 | 1 | √ | | | √ | |
| H 7 | SUPPLY STORES | 3 | 1 | √ | | | √ | |
| H 8 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| H 10 | ASG HEADQUARTERS | 4.5 | 1 | √ | | | √ | |
| H 12 | DRILL HALL | 3 | 1 | √ | | | √ | |
| H 16 | CTC HEADQUARTERS | 6 | 1 | √ | | | √ | |
| H 17 | M P HEADQUARTERS | 4.5 | 1 | √ | | | √ | |
| H 18 | SUPPLY STORES | 4.5 | 1 | √ | | | √ | |
| H 19 | TRIAL & EVALUATION | 4.5 | 1 | √ | | | √ | |
| H 20 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| H 21 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| H 23 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| H 24 | HOBBY SHOP | 4.5 | 1 | √ | | | √ | |
| H 33 | KITCHEN | 6 | 3 | √ | | √ | | √ |
| H 34 | LEARNING CENTER | 4.5 | 1 | √ | | √ | | |
| J 1 | GARAGE | 4.5 | 1 | √ | | | √ | |
| J 7 | CTC | 4.5 | 6 | √ | | √ | | √ |
| J 8 | AIR DEFENCE | 4.5 | 2 | | | √ | | |
| J 9 | AIR DEFENCE | 4.5 | 1 | | | √ | | √ |
| J 10 | CFSME | 4.5 | 3 | √ | | | √ | |
| K 1 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 4 | GARAGE | 4.5 | 2 | √ | | | √ | |
| K 6 | GARAGE | 4.5 | 2 | √ | | | √ | |
| K 8 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 10 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 13 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K13A | CWES | 4 | 1 | √ | | | √ | |
| K 14 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 15 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 16 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 17 | GARAGE | 4.5 | 2 | √ | | | √ | |
| K-18 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 19 | GARAGE | 4.5 | 1 | √ | | | √ | |
| K 60 | INDOOR WASH RACK | 3 | 1 | √ | | | √ | |
| K 69 | RANGE CONTROL | 4.5 | 1 | √ | | | √ | |
| K 71 | TARGET SHED | 3 | 1 | √ | | | √ | |
| K 73 | MAINTENANCE BLDG | 4.5 | 1 | √ | | | √ | |
| K 75 | TRAINING BLDG | 4.5 | 1 | √ | | | √ | |
| K 79 | GARAGE CFSME | 4.5 | 1 | | | √ | | |
| K 82 | FORESTRY | 3 | 1 | | | √ | | |
| K 92 | LAV TRG FACILITY | 6 | 3 | √ | | | √ | |
| K 95 | MAINTENANCE BLDG | 6 | 1 | √ | | | √ | |
| K 96 | TAPV Building | 3m ³ | 1 | √ | | | √ | |
| K-330 | DFO | 4.5 | 1 | | | | √ | |

| | | | | | | | | |
|-----------------------------------|---------------------|---------|---|-------------------------|---|---|---|---|
| L 4 | HELIPORT | 4.5 | 1 | | | √ | | |
| L 24 | SIMULATOR BUILD. | 4.5 | 1 | √ | | | | |
| L 28 | WAREHOUSE/STORAGE | 4.5 | 3 | | | | √ | |
| L 32 | HELIPORT | 4.5 | 2 | √ | | √ | | √ |
| L 33 | MTSC COMPLEX | 6 | 3 | √ | | | √ | |
| L-37 | ARMY MET CENTER | 4.5 | 1 | √ | | | √ | |
| L-38 | ABOLITION BUILDING | 4.5 | 2 | | | √ | | |
| L-60 | P.O.L. | 4.5 | 1 | √ | | | √ | |
| L 105 | MILITIA TRG CENTER | 4.5 | 2 | | | | √ | |
| LV 9 | LINDSAY VALLEY | 4.5 | 1 | √ | | | √ | |
| M 2 | GYM | 4.5 | 2 | √ | | | √ | |
| M 5 | QUARTERS | 4.5 | 2 | √ | | | √ | |
| N 104 | ARGONAUT SUPPLY | 4.5 | 2 | √ | | | √ | |
| N 310 | HEADQUARTERS | 4.5 | 1 | √ | | | √ | |
| N-5 | WWTP | 4.5 | 1 | √ | | | √ | |
| 75 REST | CF HEALTH CENTER | 4.5 | 1 | √ | | | √ | |
| ASA | OFFICE BLDG | 4.5 | 1 | | | √ | | |
| N/A | FREDERICTON ARMOURY | 4.5 | 1 | | √ | | √ | |
| N/A | ASPHALT PLANT AREA | 6 | 1 | √ | | | √ | |
| ROLLING HAND PICK | | | | | | | | |
| 302 MACK | ENGINEERING BLDG | 1 cu yd | 1 | | | | √ | |
| 7 DRUMM | JPSU | 1 cu yd | 3 | | | | √ | |
| F-20 | CFHA | 1 cu yd | 1 | | | | √ | |
| SWAN LAKE | | | | | | | | |
| SW-6 | BEAR PROOF DUMPSTER | 6 | 1 | Monthly (2nd Wednesday) | | | | |
| SW-11 | TRAINING BLDG | 6 | 1 | | | √ | | |
| LAUVINA WOODS | | | | | | | | |
| LW-7 | TRAINING BLDG | 6 | 1 | (Every 2nd Thursday) | | | | |
| CAMP PETERSVILLE | | | | | | | | |
| PC 23 | ABLUTIONS | 4.5 | 1 | | | √ | | |
| PC 25 | ABLUTIONS | 3 | 1 | | | √ | | |
| PC 27 | HOSE REEL SHED | 6 | 1 | | | √ | | |
| PC 31 | ELT. DEST. HUT | 3 | 1 | | | √ | | |
| PC 33 | KITCHEN | 6 | 2 | | | √ | | |
| PC 42 | GUARDHOUSE | 3 | 1 | | | √ | | |
| PC 45 | TERMINAL BLDG | 4.5 | 1 | | | √ | | |
| PC 54 | STORAGE SHED | 3 | 1 | | | √ | | |
| PC 56 | TARGET STORAGE | 4.5 | 1 | | | √ | | |
| CAMP ARGONAUT (01 JUN - 30 AUG) | | | | | | | | |
| N 18 | GENERAL STORAGE | 4.5 | 1 | √ | | | √ | |
| N 45 | CANTEEN | 6 | 2 | √ | | √ | | √ |
| N 48 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| N 76 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| N 78 | QUARTERS | 4.5 | 1 | √ | | | √ | |
| N 98 | SPRUNG SHELTER | 4.5 | 1 | √ | | | √ | |
| N 118 | MESS HALL | 4.5 | 3 | √ | | √ | | √ |
| N 121 | ABLUTION | 4.5 | 1 | √ | | | √ | |
| WILDERNESS - END ATLANTIC BLVD | | 4.5 | 1 | √ | | | √ | |
| WATER SITE - SAINT JOHN RIVER | | 4.5 | 1 | √ | | | √ | |

Annex B
Job No. L-G2-9900/1835
Date. 2020-06-15

SCHEDULE FOR ROLL OFF DUMPSTERS

| <u>BUILDING</u> | <u>SIZE</u> | <u>QUANTITY</u> | <u>FREQUENCY</u> |
|------------------------|--------------------|------------------------|---|
| A-42 (Canex) | 30.5m ³ | 1 | Weekly (Wednesday) |
| B-1 | 30.5m ³ | 1 | Monthly (4 th Monday) |
| B-10 | 30.5m ³ | 1 | Bi-Weekly (Wednesday) |
| B-10(wood) | 30.5m ³ | 1 | Bi-Weekly (Wednesday) |
| B-18 | 30.5m ³ | 3 | Bi-Weekly (Wednesday) |
| B-19 | 30.5m ³ | 1 | Monthly (2nd Wednesday) |
| D-57(wood) | 30.5m ³ | 1 | Monthly (2nd Wednesday) |
| D-59 | 30.5m ³ | 1 | Weekly (Wednesday) |
| J-7 (wood) | 30.5m ³ | 1 | Bi-Monthly (2 nd and 4 th Monday) |
| J-8/J-9 (wood) | 30.5m ³ | 1 | Bi-Monthly (2 nd and 4 th Monday) |
| J-10 | 30.5m ³ | 1 | Bi-Monthly (2 nd Monday) |
| J-10 (wood) | 30.5m ³ | 1 | Bi-Monthly (2 nd and 4 th Monday) |
| K-4 | 30.5m ³ | 1 | Bi-Monthly (2 nd Monday) |
| K-19 | 30.5m ³ | 1 | Bi-Monthly (2 nd Monday) |
| K-71 | 30.5m ³ | 1 | Monthly (2 nd Monday) |
| K-75 (wood) | 30.5m ³ | 1 | Bi-Monthly (2 nd and 4 th Monday) |
| K-79 (wood) | 30.5m ³ | 1 | Bi-Monthly (2 nd and 4 th Monday) |

Annex B
 Job No. L-G2-9900/1835
 Date. 2020-06-15

| | | | |
|------------------------------------|--------------------|---|---|
| LW-4 | 15m ³ | 1 | Bi-Monthly (2 nd Tuesday) |
| N-104 | 30.5m ³ | 1 | Monthly (1 st Monday) |
| SW-10 | 30.5m ³ | 1 | Quarterly (2 nd Monday) |
| TA 1 | 30.5m ³ | 1 | Monthly (1 st Monday) |
| ASA | 30.5m ³ | 2 | Bi-weekly (Mondays |
| FP 4/5 | 30.5m ³ | 2 | Monthly (4 th Monday) |
| South Boundary Demolition Range | 30.5m ³ | 2 | Semi-Annual (1 st Monday in May and 4 th Monday in October) |
| Worthington Tank Park | 30.5m ³ | 1 | Bi-Monthly (2 nd and 4 th Monday) |

Annex "D" to
Job No. L-G2-9900/1835
Dated: 2020-06-15

PRICING INFORMATION

Tenders will quote unit prices for various locations not included in Annex A & B.
The following is an approximate quantity for bidding purposes only.
Cost to include tippage fees, delivery and removal of container. Note: container may not be full upon removal.

| <u>Location</u> | <u>Size</u> | <u>Quantity</u> | <u>Price per Unit</u> | <u>Total cost</u> |
|-------------------------------|---------------------------------------|-----------------|-----------------------|-------------------|
| Base | 3m ³ (4yd ³) | 20 | | |
| Training Area | 3m ³ (4yd ³) | 20 | | |
| Base | 4.5m ³ (6yd ³) | 40 | | |
| Training Area | 4.5m ³ (6yd ³) | 40 | | |
| Base | 6m ³ (8yd ³) | 50 | | |
| Training Area | 6m ³ (8yd ³) | 50 | | |
| Training Area Bear proof bins | 6m ³ (8yd ³) | 15 | | |
| Base | 15m ³ (20yd ³) | 40 | | |
| Training Area | 15m ³ (20yd ³) | 60 | | |
| Base | 23m ³ (30yd ³) | 40 | | |
| Training Area | 23m ³ (30yd ³) | 60 | | |
| Base | 30m ³ (40yd ³) | 100 | | |
| Training Area | 30m ³ (40yd ³) | 125 | | |

Total amount =