



**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada  
800 Burrard Street, Room 219  
800, rue Burrard, pièce 219  
Vancouver  
British Columbia  
V6Z 0B9  
Bid Fax: (604) 775-9381

**SOLICITATION AMENDMENT  
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Public Works and Government Services Canada - Pacific  
Region  
800 Burrard Street, Room 219  
800, rue Burrard, pièce 219  
Vancouver  
British C  
V6Z 0B9

<b>Title - Sujet</b> Fort Nelson 12 Residences Building Amélioration de l'enveloppe du bâtiment de 12 résidences à Fort Nelson	
<b>Solicitation No. - N° de l'invitation</b> EZ899-211939/A	<b>Amendment No. - N° modif.</b> 004
<b>Client Reference No. - N° de référence du client</b>	<b>Date</b> 2021-02-08
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PWY-031-8909	
<b>File No. - N° de dossier</b> PWY-0-43172 (031)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> Pacific Standard Time PST <b>on - le 2021-02-11</b> Heure Normale du Pacifique HNP	
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Leung, Janie	<b>Buyer Id - Id de l'acheteur</b> pwy031
<b>Telephone No. - N° de téléphone</b> (778) 919-3273 ( )	<b>FAX No. - N° de FAX</b> (604) 775-6633
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> RCMP – Fort Nelson, BC	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation  
EZ899-211939/A

Amd. No. - N° de la modif.  
004

Buyer ID - Id de l'acheteur  
PWY031

Client Ref. No. - N° de réf. du client

File No. - N° du dossier  
PWY-0-043172

CCC No./N° CCC - FMS No./N° VME

---

This Amendment 004 is raised to issue Addendum No. 3.

**All other terms and conditions remain unchanged.**

## ADDENDUM #3

Date: Feb 8, 2021

Fort Nelson 12 Residences  
Building Envelope Upgrade  
Project No: R.109055.001

---

The following revisions supersede the information contained in the original drawings and specification issued for the above named project, and shall become part thereof. No consideration will be allowed for extras due to the contractor or any subcontractor not being familiar with this Addendum.

---

### **1.0 ARCHITECTURAL SPECIFICATIONS**

#### 1.1 Specification Section 08 11 00 Metal Doors and Frames

Delete:

##### 2.1 MATERIALS

.1 All exterior doors to be hot dipped galvanized with Z275 designation zinc coatings, and door frames to be wood frame. Interior doors and door frames to be zinc wiped galvanized; having zinc coating finish designation ZF075 to ASTM 525. Exterior and interior door face to be 18 gauge, factory painted.

.2 Reinforcement to CSA G40.20/G40.21, Type 44W, coating designation to ASTM A 653M, ZF75.

Add:

##### 2.1 MATERIALS

.1 All exterior doors to be **galvanneal A60 designation zinc-iron alloy coatings**, and door frames to be wood frame. Exterior door face to be 18 gauge, factory painted.

.2 Reinforcement to CSA G40.20/G40.21, Type 44W. **Coating designation to ASTM A 653/A 653M, coating designation "A".**

### **2.0 CLARIFICATIONS**

2.1 All exterior doors to be 18ga, A60 zinc coating, and with polyurethane core.

END OF ADDENDUM #3