



- DRAWING NOTES**
- ALL PANELS, CONTACTORS & TRANSFORMERS TO BE REMOVED INCLUDING FEEDERS. REMOVE ALL EXISTING RAISED FLOOR GROUNDING AND CABLES UNDER FLOOR.
  - PDU-1, 2 & 3 TO BE REMOVED INCLUDING FEEDERS TO CDP-1 & CDP-2.
  - EXISTING FEEDER TO PANEL CDP-W9 TO BE REMOVED BACK TO 8TH FLOOR MENS WASHROOM CEILING SPACE & TERMINATED IN A SPLITTER. BRANCH FEEDERS FROM CDP-W9 ARE TO BE REROUTED TO SPICE BOXES IN 8TH AND 10TH FLOOR ELECTRICAL ROOMS.
  - EXISTING B.A.S. & SECURITY PANELS TO BE REMOVED.
  - EXISTING 120V BRANCH CIRCUITS FROM PANEL BAS/UPS TO BE TERMINATED IN SPICE BOX IN 9TH FLOOR CEILING SPACE, FOR RECONNECTION TO NEW PANEL.
  - EXISTING TELECOM RISERS TO REMAIN. ALL HORIZONTAL CONDUITS TO BE REMOVED.
  - EXISTING SERVER ROOM & EQUIPMENT TO REMAIN. LOCATE & PROTECT COMMUNICATION CONDUITS. TRANSFORMER TO BE RE-TERED FROM NEW CDP-W9.
  - RE-DIRECT AND EXTEND EXISTING FEEDERS FROM SWITCHBOARD 58 IN BASEMENT TO EXISTING CDP-W9, TO NEW SPLITTER IN 8TH FLOOR CEILING SPACE.
  - REMOVE ALL EXISTING RAISED FLOOR GROUNDING & CABLES UNDER RAISED FLOOR. REMOVE APPROXIMATELY 300 CIRCUITS OF BRANCH WIRING AND RECEPTACLES UNDER RAISED FLOOR IN EXISTING SERVER ROOM. REMOVE ALL LIGHTING & ASSOCIATED FLEXIBLE WIRING IN CEILING SPACE, BACK TO J.B.'S CONNECTED TO PNL PLP-9A WITH CONDUIT & WIRING.
  - REMOVE ALL LIGHTING, RECEPTACLES, WALL CHANNELS, JUNCTION BOXES & ASSOCIATED FLEXIBLE WIRING IN CEILING SPACE, BACK TO J.B.'S CONNECTED TO PNL PLP-9A & LP-9A WITH CONDUIT & WIRING.
  - RELOCATE EXISTING SPRINKLER PRE ACTION FIRE ALARM PANEL TO NEW ELECTRICAL ROOM. EXTEND CONDUIT AND WIRING AS REQUIRED AS WELL AS ALL ASSOCIATED FIRE ALARM CONNECTIONS. ALLOW FOR FIRE ALARM VERIFICATION OF SYSTEM UPON COMPLETION OF WORK.
  - DELETED.
  - TO BE LOCATED IN 8TH FLOOR WASHROOM CEILING SPACE. EXTEND THIS FEEDER TO NEW PANEL CDP-W9 ON 9TH FLOOR. SEE DETAIL 1/E301.
  - EXISTING 42 CIRCUIT PANEL LP-9B TO BE RELOCATED TO NEW ELECTRICAL ROOM 913. REROUTE EXISTING 100A, 120/208V, 4-WIRE FEEDER (4#2+GND, 41mm<sup>2</sup>) FROM EXISTING PANEL LP-9A, TO NEW LOCATION OF PANEL LP-9B.
  - REMOVE EXISTING FEEDER TO PANEL CDP-W9-L IN CEILING SPACE.
  - EXISTING RISER FROM THIS POINT UP TO 10TH FLOOR PANEL CDP-9W-L TO REMAIN.
  - RUN NEW FEEDER FROM NEW SPLITTER IN 8TH FLOOR CEILING SPACE TO NEW PANEL CDP-W9.
  - LOCATION OF EXISTING STACKED ELECTRICAL ROOMS WITH PANELS THAT ARE TO BE RE-TERED ON 8TH AND 10TH FLOORS. SEE DETAIL 1/E301.
  - REMOVE H/C DOOR OPERATOR & PADDOLES.
  - REMOVE ALL WIRING BACK TO SOURCE & MAKE SAFE FOR PATCHING.
  - ENSURE THIS EXISTING SERVER ROOM & ALL ASSOCIATED SERVICES REMAIN IN CONTINUOUS OPERATION DURING DEMOLITION & CONSTRUCTION EXCEPT FOR SHORT APPROVED SCHEDULED INTERRUPTIONS AS REQUIRED.
  - TYPICAL: DISCONNECT AND REMOVE ALL FIRE ALARM SPEAKERS WITHIN THE AREA OF WORK AND RETAIN FOR INSTALLATION IN NEW LAYOUT. REFER TO DRAWING E101 FOR NEW LOCATION. EXTEND CONDUIT AND WIRING AS REQUIRED. PROVIDE NEW SPEAKERS AS REQUIRED.
  - EXISTING 600V, 3-PHASE, 30A AC UNIT TO BE REMOVED BY MECHANICAL TRADES. DISCONNECT AND REMOVE EXISTING WIRING AND CONDUIT BACK TO PANEL CDP-W9 AND MAKE SAFE. COORDINATE EXACT LOCATION ON SITE WITH MECHANICAL TRADES.




Public Works and  
Government Services  
Canada




Travaux publics et  
services gouvernementaux  
Canada

Real Property  
Branch


Direction générale  
des biens immobiliers




**GOODKEY WEEDMARK & ASSOCIATES LIMITED**  
1688 Woodward Dr.  
Ottawa Ontario  
Canada K2C 3R8  
GNAL PROJECT # 2017-446-1



N



seal/seau  
REGISTERED - ENGINEER  
Richard Boivin  
5037486  
QUÉBEC



key plan  
plan repère

Contractor to verify all dimensions  
& conditions on site and immediately  
notify the departmental representative.

5	RE - ISSUED FOR TENDER	2021-01-08
4	RE - ISSUED FOR TENDER	2020-03-12
3	ISSUED FOR TENDER	2019-12-04
2	ISSUED FOR 99% REVIEW	2019-05-07
1	ISSUED FOR 66% REVIEW	2019-04-23

revisionsdescriptiondate

A detail no.  
no. du détail

B location drawing no.  
sur dessin no.

C drawing no.  
dessin no.

A

B

C

project

project

**PSPC SWING SPACE  
9TH FLOOR**

PDP1 , 50 RUE VICTORIA

drawing

dessin

**ELECTRICAL  
DISTRIBUTION  
DEMOLITION &  
RE-WORK PLAN**

Designed By

WN

Conçu par

Date

MAR 2020

(yyyy/mm/dd)

Drawn By

LB

Dessiné par

Date

MAR 2020

(yyyy/mm/dd)

Reviewed By

RB

Examiné par

Date

MAR 2020

(yyyy/mm/dd)

Approved By

RB

Approuvé par

Date

MAR 2020

(yyyy/mm/dd)

Tender

FRANK RADKE

Soumission

Project Manager

Administrateur de projets

Project no.

No. du projet

**R.097053**

Drawing no.

No. du dessin

**E202**

PWGSC B1 (1000 x 707)

0 10 20mm 40 60 80 100 120 140 160 180 200mm