

No of Page/ N° de page	1-24
---------------------------	------

**RETURN BIDS TO:**

**RETOURNER LES SOUMISSIONS À:**

See Section 1.  
Voir Section 1.

**STANDARD REQUEST FOR BID**

**INVITATION À SOUMISSIONNER - STANDARD**

The Bidder offers to provide to Canada the goods, services or both listed in the bid solicitation in accordance with the conditions set out in the bid solicitation and the prices set out in the bid.

This bid solicitation is issued in accordance with the conditions of the Supply Arrangement E60PQ-140003/PQ.

Le soumissionnaire offre de fournir au Canada les biens, services ou les deux énumérés dans la demande de soumissions aux conditions prévues dans la demande de soumissions et aux prix indiqués dans la soumission.

Cette demande de soumissions est émise conformément aux conditions de l'arrangement en matière d'approvisionnement E60PQ-140003/PQ.

Solicitation No. - N° de la demande 100017254	Amendment No. - N° de modification
Supplier SA No. - N° de l'AMA de fournisseur : E60PQ-140003/	2

Solicitation closes – La demande prend fin :	File No. - N° de dossier
at – à See Section 1 Voir Section 1	
on – le See Section 1 Voir Section 1	

Date of Solicitation – Date de la demande February 5, 2021
Address inquiries to – Adresser toute demande de renseignement à :  See Section 2, Article 4.1. Voir Section 2, Article 4.1
Destination  See Section 2, Annex A. Voir Section 2, Annexe A.

**Instructions:**

Municipal taxes are not applicable.

Unless otherwise specified in the bid solicitation, all prices quoted must be net prices in Canadian funds including Canadian customs duties, excise taxes, must be FOB, including all delivery charges to destination(s) as indicated. The amount for Applicable Taxes is to be shown as a separate item.

**Instructions:**

Les taxes municipales ne s'appliquent pas.

Sauf indication contraire dans la demande de soumissions, tous les prix indiqués doivent être des prix nets, en dollars canadiens, comprenant les droits de douane canadiens, la taxe d'accise et doivent être FAB, y compris tous frais de livraison à la (aux) destination(s) indiqué(s). Le montant des taxes applicables doit apparaître séparément.

Supplier Name and Address – Nom et adresse du fournisseur
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur
Name and title of person authorized to sign on behalf of supplier (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur (caractère d'impression)
Signature : _____ Date : _____

## TABLE OF CONTENTS

Section 1 – Invitation and Instructions to Bidders

Section 2 – Resulting Contract including a list of required goods and services

### SECTION 1 – INVITATION AND INSTRUCTIONS TO BIDDERS

#### **Step 1. For Tier 2 and Tier 3 only (If Tier 1, skip this step and proceed with step 2)**

Is this a Manufacturer Product Specific Procurement? *If yes, the IU must complete and submit the Manufacturer Product Specific form to AB. If form approved, keep copy on file and proceed with the step 2.*

#### **Step 2. Competitive or Non-Competitive (Identified User (IU) to check the applicable box)**

For competitive Requirements when only one bid is received:

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

For Competitive Requirements when only one bid is received:

The Bidder must provide the following information AFTER bid closing, if requested to do so by Canada:

- One or more of the following price justifications:
  1. a current published price list indicating the percentage discount available to Canada; or
  2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
  3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
  4. any other supporting documentation as requested by Canada.

For Non-Competitive Requirements:

The Bidder must provide the following information WITH the bid:

- One or more of the following price justifications:
  1. a current published price list indicating the percentage discount available to Canada; or
  2. a copy of paid invoices for the like quality and quantity of the goods, services or both sold to other customers; or
  3. a price breakdown showing the cost of direct labour, direct materials, purchased items, engineering and plant overheads, general and administrative overhead, transportation, etc., and profit; or
  4. any other supporting documentation as requested by Canada.

#### **Step 3. General or PSAB**

For PSAB procurement:

Canadian Content

The Supplier should propose conforming products(s) denoted as “Canadian Content” in the Supplier’s SA. Canada may preference all bids containing products(s) with this designation.

---

**Terms of the RFB:**

This RFB is issued pursuant to the Supplier’s Furniture for Workspaces Supply Arrangement (SA) that forms part of the series of SAs issued by PWGSC with the number E60PQ-140003/PQ. The terms and conditions in the Supplier’s SA apply to and form part of this RFB. Bidders who submit a bid agree to be bound by those terms and conditions as well as the terms and conditions in this RFB.

The WTCM is the Workspaces Terms and Conditions Manual that contains all terms and conditions in full text that form part of individual RFBs under this SA.

The Bidder must provide the following information WITH the bid:

- The information requested by Canada in Annex A herein.

The Bidder must also provide the information at article 4 below at the time indicated in article 3.

<b>RFB Issued by:</b>	
Identified User’s (IU) Department/Agency/Crown Corporation: Contact for this RFB:	See Section 2, article 4.1 below.
<b>RFB Closing - Submit Bid:</b> Bids must be submitted on the date and at the time indicated below.	
By no later than date and time:	a. <b>February 25, 2021</b> b. <b>2:00 p.m. EST</b>
To e-mail address (if applicable)	NC-SOLICITATIONS-GD@hrsdc-rhdcc.gc.ca
<b>RFB Enquiries</b>	
Unless a different period is listed in the adjacent column, Bidders may submit enquires about the RFB to the Contracting Authority two business days prior to the RFB closing date. Enquiries received after the timeline indicated may not be answered.	<u>  3  </u> business days

**SECTION 2 - RESULTING CONTRACT CLAUSES**

<b>1.</b>	<b>Terms and Conditions of the Contract</b> The terms and conditions of Parts 6B and 6C of the Supplier’s SA within the series E60PQ-140003/PQ apply to and form part of this Contract.
<b>2.</b>	<b>Security Requirement</b> (the checked article applies)
2.1	The applicable security requirement(s) is (are) set out in the Security Requirement Check List attached as Annex B of this contract. The Contractor must fulfill the security requirements by meeting the terms below.
a.	<b>Contractor may be escorted; possession of security clearance not required.</b> Contractor personnel MAY NOT ENTER NOR PERFORM WORK ON sites where PROTECTED or CLASSIFIED information or assets are kept, without an escort provided by the department or agency for which the work is being performed.
b.	<b>Possession of security clearance(s) is required.</b> The Contractor must meet the security clearance requirements contained in the clausing in Annex B herein.
c.	<b>X</b> <b>There is no security requirement associated with this contract.</b>
<b>3.</b>	<b>Requirement</b>
3.1	The Contractor must perform the Work listed in Annex A herein.
<b>4.</b>	<b>Authorities</b>

4.1	<b>Contracting Authority (IU)</b>		
	Name:		
	Title:		
	Department/Agency/Crown Corporation:		
	Address:		
	Telephone No.:		
	E-mail address:		
4.2	<b>Project Authority [To be completed at contract award]</b>		
	<i>The Project Authority (PA) is the representative of the department or agency for whom the Work is being carried out under the Contract including the provision to approve the authority to proceed for delivery and installation and is responsible for all matters concerning the technical content of the Work under the Contract.</i>		
	<i>In addition, the PA is also responsible for ensuring that the Supplier's employees and subcontractors requiring access to the site adhere to the allocated time for the Supplier to access the site to deliver and install the furniture in accordance with the master schedule held by the General Contractor (a representative of Canada or a service provider(s) under contract with the Government of Canada).</i>		
	Name:	<b>To be provided upon contract award</b>	
	Title:		
	Department/Agency/Crown Corporation:		
	Address:		
	Telephone No.:		
		E-mail address:	
	4.3	<b>Contractor's Representative</b>	
As set out in Annex A, Table 9 below.			
5.	<b>Method of Payment</b>		
	The checked box applies. If the Contractor's SA indicates acceptance for payment by credit card, that method may be used in conjunction with the following.		
	<input type="checkbox"/>	Single Payment	
	<input checked="" type="checkbox"/>	Multiple Payment	
6.	<b>Invoicing (optional)</b>		
	Further to the Invoicing terms of the WTCM document, the Contractor will deliver the original and one copy of the invoice to the following address for certification and payment:		
	Name of the organization and contact: <b>To be provided upon contract award</b>		
	Address:		

**ANNEX A  
REQUIREMENT and BASIS OF PAYMENT**

1. IU to complete an Annex A for each category with the exception of the rules specified herein.
2. For Tier 2 and 3 competitive requirements, Conforming Suppliers must acquire the bid solicitation document from GETS and IUs are not to identify the Conforming Suppliers in the solicitation or NPP.

1. Category Selection

**Combined Categories Rule:**

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

*(IU must identify which of the following categories will be combined for reasons of compatibility)*

**Category 1**

**Category 2**

**Category 5**

**\* Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

**Design Upgrade Rule:**

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

**NSA:**

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following category (ies) of work (*check applicable box (es)*):

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

**RULE:** Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b.  Category 2 – Freestanding Height Adjustable Desk / Table Products

c.  Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (**table 1 Additional product details**)

d.  Category 4 – Wood Veneer – Freestanding Products

e.  Category 5 – Ancillary and Lighting Products

f.  Category 6 - Support Space – Collaborative Furniture

**RULE:** Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

The IU must identify how Category 6 will be subdivided in the Product Table for Category 6.

g.  NSA Product(s) – Category(ies): 1a, 2, and 6

## 2. Product and Pricing Tables

**Site Inspection Date:** To be coordinated with Project Authority after contract award. (*Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.*)

**INSTRUCTIONS TO BIDDERS:** Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

**\*\*Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.\*\***

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Product Category(ies): 1, 2, 3, 5, 6

Table 1a – Product Table

Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provi de addit ional Infor mati on Yes/ No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 1A</b> (Refer to Annex C and Floor Plans for more information).							
1	BH30L2	Base Height, Non-Powered, Lower Element 1: Plastic Laminate, Lower Element 2: Plastic Laminate, Upper Element 1: N/A, Upper Element 2: N/A, Width: 762mm (30 in.)	6			\$	\$
2	BH42LP2	Base Height, Powered outlet(s) Below Work Surface, Lower Element 1: Plastic Laminate, Lower Element 2: Plastic Laminate, Upper Element 1: , Upper Element 2: , Width: 1067mm (42 in.)	1				
3	BH42L1LP1	Base Height, Powered outlet(s) Below Work Surface, Lower Element 1: Plastic Laminate, Lower Element 2: Plastic Laminate, Upper Element 1: , Upper Element 2: , Width: 1067mm (42 in.)	11				
4	BH48L1LP1	Base Height, Powered outlet(s) Below Work Surface, Lower Element 1: Plastic Laminate, Lower Element 2: Plastic Laminate, Upper Element 1: , Upper Element 2: , Width: 1219mm (48 in.)	3				
5	SP24F3R1	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Accessory Rail, Width: 610mm (24 in.)	12				
6	SP36F3R1	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Accessory Rail, Width: 914mm (36 in.)	1				
7	SP48F4	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 1219mm (48 in.)	5				

8	SP24F4	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 610mm (24 in.)	8				
9	SP30F4	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 762mm (30 in.)	13				
10	SP36F4	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 914mm (36 in.)	1				
11	SP30F3L1	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Plastic Laminate, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 762mm (30 in.)	5				
12	SP36F3L1	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Plastic Laminate, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 914mm (36 in.)	2				
13	SP24F2L2	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Plastic Laminate, Lower Element 2: Plastic Laminate, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 610mm (24 in.)	8				
14	SP30F2L2	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Plastic Laminate, Lower Element 2: Plastic Laminate, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 762mm (30 in.)	21				
15	SP36F2L2	Seated Privacy Height Add On, Non-Powered, Lower Element 1: Plastic Laminate, Lower Element 2: Plastic Laminate, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 914mm (36 in.)	3				
16	SP36FP2R2	Seated Privacy Height Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower Element 2: Cut-out(s) for Power & Data, Fabric, Upper Element 1: Accessory Rail, Upper Element 2: Accessory Rail, Width: 914mm (36 in.)	5				
17	SP48F2FP2	Seated Privacy Height Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower	10				



		Element 2: Cut-out(s) for Power & Data, Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 1219mm (48 in.)					
18	SP24F2FP2	Seated Privacy Height Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower Element 2: Cut-out(s) for Power & Data, Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 610mm (24 in.)	5				
19	SP36F2FP1R1	Seated Privacy Height Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Accessory Rail, Width: 914mm (36 in.)	3				
20	SP48F3FP1	Seated Privacy Height Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 1219mm (48 in.)	1				
21	SP24F3FP1	Seated Privacy Height Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 610mm (24 in.)	13				
22	SP30F3FP1	Seated Privacy Height Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 762mm (30 in.)	12				
23	WP48F4	Work Surface Privacy Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 1219mm (48 in.)	19				
24	WP24F4	Work Surface Privacy Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 610mm (24 in.)	3				
25	WP30F4	Work Surface Privacy Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 762mm (30 in.)	51				

**Category 1B**

26	1bSBBMCAA1518XXXKXX	Filing and Storage: Pedestals Box/Box/File, Mobile, Casters, Painted Metal, 15"x18"xNA" (WxDxH), Upholstered: NA, Locks: Keyed	5				
27	1bSPSCLGA242454XKXX	Filing and Storage: Personal Storage Tower, Closed Storage, Leveling Glides, Painted Metal, 24"x24"x54" (WxDxH), Upholstered: NA, Locks: Keyed	27				
<b>Category 2</b>							
28	2WSSREXXL24L48BCKXX	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Rectangular, Support: NA, Laminate, D-W-Diameter: 24, Length: 48, Height: 24 to 34, Controls: Crank, Privacy: NA	2				
29	2WSSREXXL24L72BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Rectangular, Support: NA, Laminate, D-W-Diameter: 24, Length: 72, Height: 23 to 48.7, Controls: Electric, Privacy: NA	2			\$	\$
30	2WSSREXXL24L72BCKXX	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Rectangular, Support: NA, Laminate, D-W-Diameter: 24, Length: 72, Height: 24 to 34, Controls: Crank, Privacy: NA	19				
31	2WSSREXXL30L36BCKXX	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Rectangular, Support: NA, Laminate, D-W-Diameter: 30, Length: 36, Height: 24 to 34, Controls: Crank, Privacy: NA	1				
32	2WSSREXXL30L54BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Rectangular, Support: NA, Laminate, D-W-Diameter: 30, Length: 54, Height: 23 to 48.7, Controls: Electric, Privacy: NA	33				
33	2WSSREXXL30L66BCKXX	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Rectangular, Support: NA, Laminate, D-W-Diameter: 30, Length: 66, Height: 23 to 48.7, Controls: Crank, Privacy: NA	2				
34	2WSSREXXL36L66BELXX	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Rectangular, Support: NA, Laminate, D-W-Diameter: 36, Length: 66, Height: 23 to 48.7, Controls: Electric, Privacy: NA	2				
<b>Category 5</b>							
37	5MOADUARMCLPMTXXXXX	Monitor Arms, Option: Dual Arm, Option: Clamp Mount, Silver	40				

38	5MOASGARMCLPMTXXXXX	Monitor Arms, Option: Single Arm, Option: Clamp Mount, Silver	31			
39	5PMOWKSMTACUSBXXXXX	Power Module, Option: Work Surface Mounted, Option: AC and USB Power	60			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**NSA products for Cat 1 and 2 (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID		
#	NSA Product(s) Description	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
50	42" wide panel doors for Biometric station	2			\$	\$
51	Custom Height 24"-26", 3" Depth, Powered outlet(s) Below Work Surface, Lower Element 1: Plastic Laminate, Lower Element 2: Cut-out(s) for Power & Data, Fabric, Upper Element 1: N/A, Upper Element 2: N/A, Width: 914mm (36 in.), Panel: C36L1FP1	26				
52	Mobile Privacy Screen w/ casters. Standing Privacy Height and Width of 48".	5				
53	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Accessory Rail, Upper Element 2: Accessory Rail, Width: 914mm (36 in.), Panel: A36R2	5				
54	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Fabric, Upper Element 2: Accessory Rail, Width: 610mm (24 in.), Panel: A24F1R1	12				
55	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Fabric, Upper Element 2: Accessory Rail, Width: 914mm (36 in.), Panel: A36F1R1	4				
56	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 610mm (24 in.), Panel: A24F2	2				
57	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 762mm (30 in.), Panel: A30F2	1				
58	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Fabric, Upper Element 2: Fabric, Width: 914mm (36 in.), Panel: A36F2	3				
59	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Glazed Frosted, Upper Element 2: Glazed Frosted, Width: 610mm (24 in.), Panel: A24G2F	13				

60	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Glazed Frosted, Upper Element 2: Glazed Frosted, Width: 762mm (30 in.), Panel: A30G2F	25			
61	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Glazed Frosted, Upper Element 2: Glazed Frosted, Width: 914mm (36 in.), Panel: A36G2F	3			
62	Standing Privacy Height 62"-68", Non-Powered, Lower Element 1: N/A, Lower Element 2: N/A, Upper Element 1: Glazed, Upper Element 2: Glazed, Width: 610mm (24 in.), Panel: A24G2	8			
63	Work Surface Privacy Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Glazed, Upper Element 2: Glazed, Width: 610mm (24 in.), Panel: WP24F2G2	4			
64	Work Surface Privacy Add On, Non-Powered, Lower Element 1: Fabric, Lower Element 2: Fabric, Upper Element 1: Glazed, Upper Element 2: Glazed, Width: 762mm (30 in.), Panel: WP30F2G2	2			
65	Work Surface Privacy Add On, Powered outlet(s) Below Work Surface, Lower Element 1: Cut-out(s) for Power & Data, Fabric, Lower Element 2: Cut-out(s) for Power & Data, Fabric, Upper Element 1: Glazed, Upper Element 2: Glazed, Width: 762mm (30 in.), Panel: WP30FP2G2	6			
66	Individual Height Adjustable Work Surfaces, Sit Stand, Shape: Curved, Laminate, Height: 23 to 48.7, Controls: Electric, Privacy: Screen, Depth-Width-Diameter and Length to fit flush with panels.	6			
67	Modesty Panel on 30" width for 2WSSREXXL30L66BCKXX	2			
68	Modesty Panel on 54" length for 2WSSREXXL30L54BELXX	2			
69	Modesty Panel on 66" length for 2WSSREXXL36L66BELXX	2			
Add more rows if necessary.				Product Total	\$

**Table 1b – Product Table**

Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provi de addit ional Infor mati on Yes/ No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 3</b>							
35	3FLT2DXXPM36D18XXXK	Filing Cabinet, Lateral, 2 Drawers, Painted Metal, Width: 36", Depth: 18", Height: NA", Upholstered: NA, Locks: Keyed	16			\$	\$
36	3S2RLHXXPM36D18LOXK	Storage Cabinets, 2 Doors, Low Height, Painted Metal, Width: 36", Depth: 18", Height: 24 to 33", Upholstered: NA, Locks: Keyed	4				

Table 1c – Product Table

Section A - IU REQUIREMENT					Section B – SUPPLIER’S BID		
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provi de addit ional Infor mati on Yes/ No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
<b>Category 6</b>							
40	6CSTVASQLL24L24JNXX	Collaborative Tables, Side Table, Size: Variable, Shape: Square, Support: Legs, Laminate, Width-Depth: 24", Length: 24", Height: 14 to 21 ", Power/Data: No	1				
41	6KKCSAxxSP16XXXMINX	Kitchenette Seating, Kitchenette Chairs, Standard Height, Sled Base, Bent Plywood, Seat Depth: >16", Seat Height: 17 to 20", With Armrest, Cushion: No, Casters: No	1				
42	6KKCSAxxSY16XXXMONX	Kitchenette Seating, Kitchenette Chairs, Standard Height, Sled Base, Polymer, Seat Depth: >16", Seat Height: 17 to 20", Without Armrest, Cushion: No, Casters: No	105				
43	6MMTSMREPL24L48WNNX	Table: Meeting and Training Room Tables, Meeting, Small, Rectangular, Pedestal, Dep./Wid. Diameter: 24", Length: 48", Height: 29", Power/Data: No, Modesty Panel: No, Locking Casters: NA	2				
44	6MMTSMRELL24L54WNNX	Table: Meeting and Training Room Tables, Meeting, Small, Rectangular, Post Legs, Dep./Wid. Diameter: 24", Length: 54", Height: 29", Power/Data: No, Modesty Panel: No, Locking Casters: NA	2				
45	6MMTSMRELL30L54WNNX	Table: Meeting and Training Room Tables, Meeting, Small, Rectangular, Post Legs, Dep./Wid. Diameter: 30", Length: 54", Height: 29", Power/Data: No, Modesty Panel: No, Locking Casters: NA	6				
46	6MTRXTRELL24L36WYYY	Table: Meeting and Training Room Tables, Training, Fixed Top, Rectangular, Post Legs, Dep./Wid. Diameter: 24", Length: 36", Height: 29", Power/Data: Yes, Modesty Panel: Yes, Locking Casters: YES	1				
47	6MTRXTRELL24L48WYYY	Table: Meeting and Training Room Tables, Training, Fixed Top, Rectangular, Post Legs, Dep./Wid. Diameter: 24", Length: 48", Height:	1				

		29", Power/Data: Yes, Modesty Panel: Yes, Locking Casters: YES				
48	6MTRFTRECL24L48WYYY	Table: Meeting and Training Room Tables, Training, Flip Top, Rectangular, C-Legs, T-Legs or Y-Legs, Dep./Wid. Diameter: 24", Length: 48", Height: 29", Power/Data: Yes, Modesty Panel: Yes, Locking Casters: YES	8			
49	6SBBTWXXLUW3G19LMYN	Soft Seating, Banquette with backrest bolster, Two Seater, Back Side Finish: NA, Material Finish: Laminate, Support: Legs, Width: 48 to 62", Depth: >19", Height: 16 to 20", Back Height: Mid Back, Privacy: No, Armrest: No	4			

**\*\*Provide additional information:**

Canada is requesting bidders: to provide drawings and/or pictures including descriptive literature for these products with your bid submission.

**NSA products for Cat 6 (must not exceed 30% of the firm quantity by category)**

The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID		
#	NSA Product(s) Description	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
70	Kitchenette Seating, Kitchenette Chairs, Standard Height, 4 legs, Bent Plywood, Seat Depth: >16", Seat Height: 17 to 20", Without Armrest, Cushion: No, Casters: Yes	4				
71	Table: Meeting and Training Room Tables, Training, Fixed Top, Rectangular, Post Legs, Dep./Wid. Diameter: 24", Length: 54", Height: 29", Power/Data: No, Modesty Panel: No, Locking Casters: YES	2				
72	Table: Meeting and Training Room Tables, Training, Flip Top, Rectangular, C-Legs, T-Legs or Y-Legs, Dep./Wid. Diameter: 30", Length: 48", Height: 29", Power/Data: No, Modesty Panel: No, Locking Casters: YES	2				
73	Table: Meeting and Training Room Tables, Training, Flip Top, Rectangular, C-Legs, T-Legs or Y-Legs, Dep./Wid. Diameter: 30", Length: 60", Height: 29", Power/Data: No, Modesty Panel: No, Locking Casters: YES	4				
Add more rows if necessary.				Product Total		\$

**Table 2a - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1a	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
Cat. 1, 2, 5 - Line #: 1-34, 37-39, 50-69	700 Queenston Rd., Hamilton, ON L8G 1A3	2021/04/23	Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Delivery Total:	\$

**Table 2b - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1b	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
Cat 3 - Line #: 35-36	700 Queenston Rd., Hamilton, ON L8G 1A3	2021/04/23	Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Delivery Total:	\$



**Table 2c - Delivery**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1c	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will supply and deliver as per below**	Firm Lot Price \$
Cat 6 - Line #: 40-49, 70-73	700 Queenston Rd., Hamilton, ON L8G 1A3	2021/04/23	Normal	_____ : weeks  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Delivery Total:	\$

**Table 3a – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1a	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
Cat 1, 2, 5 - Line #: 1-34, 37-39, 50-69	700 Queenston Rd., Hamilton, ON L8G 1A3	2021/04/23	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Installation Total:	\$

**Table 3b – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1b	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
Cat 3 - Line #: 35-36	700 Queenston Rd., Hamilton, ON L8G 1A3	2021/04/23	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Installation Total:	\$

**Table 3c – Installation**

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1c	Location	Desired Date** (Y/M/D)	Desired Time: Normal Business Hours Or Outside Normal Business Hours *	Supplier will install as per below**	Firm Lot Price \$
Cat 6 - Line #: 40-49, 70-73	700 Queenston Rd., Hamilton, ON L8G 1A3	2021/04/23	Normal	_____ : weeks from date of supply and delivery  <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p><i>Add more rows if necessary.</i></p>				Installation Total:	\$

**Table 4 – Optional Product**  Not Applicable  
*If applicable, copy/paste/modify from table 1.*

**Table 5 – Optional Delivery**  Not Applicable  
*If applicable, copy/paste/modify from table 2.*

**Table 6 – Optional Installation**  Not Applicable  
*If applicable, copy/paste/modify from table 3.*

**Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications**

<b>1.</b>	<b>Standard Finishes</b>	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
<b>2.</b>	<b>Canada’s Facilities to Accommodate the Delivery</b>	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	700 Queenston Rd., Hamilton, ON L8G 1A3
B	Dock	During working hours, no loading dock, delivery through the front door.
C	Lift	Delivery to the ground and second floors.
D	Door	Delivery accepted at the main entrance (double doors).
E	Freight Elevator	Installation on the first and second floors. Passenger elevator and stairs for access to the second floor.
F	Other (specify, if any)	
<b>3.</b>	<b>Continuance of Certifications</b>	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

**Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)**

1	<b>Firm</b> Product Total (Table 1)	\$
2	<b>Firm</b> Delivery Total (Table 2)	\$
3	<b>Firm</b> Installation Total (Table 3)	\$
4	<b>Optional</b> Product Total (Table 4) <i>(Applicable if Option is exercised)</i>	\$
5	<b>Optional</b> Delivery Total (Table 5) <i>(Applicable if Option is exercised)</i>	\$
6	<b>Optional</b> Installation Total (Table 6) <i>(Applicable if Option is exercised)</i>	\$
7	Hardware Total as per article 1.5 of Annex A-1 of SA <i>(if Applicable)</i>	\$
8	<b>Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7)</b> <i>[to be removed at contract award]</i>	\$
9	<b>Contract Price(1+2+3+7):</b> <i>[applicable at contract award only]</i>	\$
10	<b>Applicable Tax(es):</b> <i>[applicable at contract award only]</i>	\$
11	<b>Total Estimated Cost (9+10):</b> <i>[applicable at contract award only]</i>	\$

\* Applicable taxes extra.

**Table 9 – Bidder’s Authorized Representative**

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

**ANNEX B**  
**SECURITY REQUIREMENTS**

C. There is no security requirement associated with this contract.

**ANNEX C  
FLOOR PLAN(S)**

**INSTRUCTIONS TO BIDDERS:**

For Category 1a products, the Bidders must provide:

- a) Completed floor plan(s) with proposed SA approved products;
- b) A product listing of proposed SA approved products offered at floor plan(s).  
As a minimum the product listing must include the following information:
  - Supplier part numbers including NSA products forming part of this category;
  - brief product descriptions;
  - quantities;
  - firm unit prices.

\*\*\*\*\* Products from categories other than Category 1a shown on floor plan are for information purposes only\*\*\*\*\*

By submitting a bid, the Bidder certifies that their submission includes all components and quantities for Category 1a, in accordance with the floor plans, panel details, panel matrices and/or workstation layouts stipulated in Annex C.

**\*At contract award, "By submitting a bid, the Bidder" becomes "The Contractor".**

**Category 1a Requirement:**

**1) Floor Plan(s)**

\*\*\*See attached pdf and/or AutoCAD floor plan\*\*\*

**2) Panel Details**

- a. All required panel heights: Base Height, Work Surface Privacy Add-on Height, Seated Privacy Add-on Height;
- b. When power is required, the power is located below work surface height; should a grouping of workstation types include shared panels and one side is identified as powered and the other side is non-powered, those panels affected must be powered.
- c. Type of power feed: Power Pole
- d. Component System Accessories:
  1. Panel mounted accessories integrated into the panel frame will be shown on the floor plan. Accessories attached to the panel separately must be specified. (Accessory rails, tackable surfaces, whiteboards,...)
  2. When Accessory rails are required, the accessories must be specified: a paper sorter, a tray, a bin, a telephone holder, ... (refer to full SA specifications for more information)

**3) Panel Matrix or Workstation Layout (IU to select and complete bullet a. or b.)**

\*\*\*See attached Panel Matrix or Workstation Layout\*\*\*

**a. Panel Matrix**

\*\*\*See attached pdf and/or AutoCAD floor plan\*\*\*

**b. Workstation Layout(s)**

- The floor plan takes precedent over any discrepancies with the workstation layouts.
- When two or more typical workstation types share a common panel spine, the finishes of the interior side of the workstation panel as outlined in the Typical Data Sheets must be followed and **NO PANELS SHALL BE DOUBLED. Where no workstation exists adjacent to typical workstation, refer to Data Sheet for finish.**
- Should one typical workstation identify power and the other does not – power will be required for both. Include Workstation Layouts (in the form of Typical Data Sheets or 3 Dimensional drawings) here or as a separate attachment to this RFB.

**ANNEX D**  
**Additional Specifications, Certifications**

This Annex includes the additional Specifications, Certifications associated with NSA product. *(if applicable)* forming part of the requirement.

**1. Specifications**

**2. Certifications**

**.1 NSA Product Conformance**

**2.1 NSA Product Conformance** *(Required precedent to Issuance of a contract)*

The Supplier certifies that all the NSA products offered will conform to all specifications indicated in Annex A and D of the RFB, and meet the testing and performance requirements found at ANNEX A-1 and A-2 of the Supply Arrangement, as applicable.

\_\_\_\_\_  
Supplier's Signature

\_\_\_\_\_  
Date

**NSA Product Conformance Certification** *(applies after contract award)*

The Supplier warrants that the NSA Product Conformance Certification submitted by the Supplier with its bid is accurate and complete. The Supplier must keep proper records and documentation relating to the NSA product conformance and the testing requirements in this Annex, as applicable. The Supplier must not, without obtaining the prior written consent of the SAA, dispose of any such records or documentation until the expiration of the Contract or the expiry date of the Warranty, whichever is later. All such records and documentation must at all times during the retention period be open to audit, inspection and examination by the representatives of Canada, who may make copies and take extracts.

In addition, the Supplier must provide representatives of the SAA access to all locations where any part of the Work is being performed at any time during working hours. Representatives of the SAA may examine and test the Work as they see fit. The Supplier must provide all assistance and access to facilities, test pieces, samples and documentation that the representatives of the SAA may reasonably require for the carrying out of the inspection, which may also include the submission of test reporting documentation as listed in Annex A and D. The Supplier must forward such test pieces, samples and/or documentation that may also include letters of certification from the laboratories to such person or location as the representatives of the SAA specifies.