



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Vehicles & Industrial Products Division
140 O'Connor, Tower East
4th Floor
140 O'Connor, Tour Est
4ème étage
Ottawa
Ontario
K1A 0S5

Title - Sujet Truck, Medium, with Box	
Solicitation No. - N° de l'invitation 08283-200461/A	Amendment No. - N° modif. 002
Client Reference No. - N° de référence du client 20200461	Date 2021-02-25
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-539-79587	
File No. - N° de dossier hp539.08283-200461	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2021-03-10 Heure Normale de l'Est HNE	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Cafferty, Kathy	Buyer Id - Id de l'acheteur hp539
Telephone No. - N° de téléphone (613) 297-2896 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

1. This Amendment 002 is raised to:
 - a. extend the closing date of this solicitation from 02:00 pm on 01 March 2021 to 02:00 pm on 10 March 2021 Eastern Standard Time;
 - b. answer bidders' questions; and
 - c. provide an updated Annex "A" – Specifications.
2. The following are answers to bidders' questions:
 - Q2. What will the van be transporting?
 - A2. We use the truck to move equipment on wheels such as moving boxes, totes (bins), computer carts, filling cabinets, office panel dividers, desks, skids of paper and much more.
 - Q3. What is the weight of the products to be transported?
 - A3. The total weight to load would be around 5000lbs.
 - Q4. Can the height of the van body be reduced to 84"?
 - A4. No, the height of the body must be able to accommodate a cabinet with a height of 84" standing upright.
 - Q5. Can the GVWR (Gross Vehicle Weight rating) be reduced to 14500lbs?
 - A5. Yes.
 - Q6. Can the length of the van body be reduced to 18 feet?
 - A6. Yes.
 - Q7. A 2500lbs capacity tuck away tailgate is almost overkill on a small unit like this. What is the weight of the individual items that they will be lifting? Possibly a lighter tailgate of 1500lbs capacity would suffice.
 - A7. A 1500lbs tuck away tailgate would be too small for our needs. We lift skids of papers that average between 910 and 960kgs. A 2200lbs aluminum version would be acceptable.
 - Q8. The van body floor height on a truck of this size is about 42". To raise it to 48" requires a much heavier sub frame which works against the 4500KG maximum weight requirement. I do not understand the 33" rear ground clearance statement of item 41. What we need to know is what is the desired floor height of the unladed vehicle?
 - A8. The truck ground clearance can be from 33" to 48". Usually building docks have a leveling ramp to accommodate different vehicle floor heights. We do have a leveling ramp and it will only level to a minimum of 33", that being the reason of needing the truck to be at a minimum of 33" ground clearance.

Solicitation No. - N° de l'invitation
08283-200461/A

Amd. No. - N° de la modif.
002

Buyer ID - Id de l'acheteur
hp539

Client Ref. No. - N° de réf. du client

File No. - N° du dossier
08283-200461/A

CCC No./N° CCC - FMS No/ N° VME

3. An updated Annex "A" – Specifications is provided to include the changes made as a result of the bidders' questions. All references, throughout the solicitation, to "Annex A – Specifications" must now read "Annex A – Specifications (Revision 1).

ALL OTHER TERMS AND CONDITIONS OF THIS SOLICITATION REMAIN UNCHANGED.

Annex "A" - SPECIFICATIONS (Revision 1)

PROPOSALS WILL BE EVALUATED IN ACCORDANCE WITH THE MANDATORY EVALUATION CRITERIA DETAILED BELOW.

Indicate the proposed make and model:

MAKE: _____

MODEL: _____

Bidders must indicate compliance to the following mandatory requirements by checking "yes" or "no". If additional information is submitted, the page number should be provided.

ITEM #	MANDATORY REQUIREMENTS FOR THE TRUCK	Yes	No	Page Reference
1	Model 2020 or newer - Medium cargo truck, three-passenger cabin with seat belt for each passengers			
2	The truck must be registered for a driver with a Class 5 driver's licence in Quebec with a maximum net weight of 4,500 kgs and a maximum gross weight of 16,001 lbs.			
3	Maximum net weight of 4500kgs, Minimum gross weight of 14,500 lbs, Minimum Payload 5000 lbs			
4	4x2 Chassis			
5	Diesel engine minimum output of 215 hp or Gas engine minimum output of 275 hp			
6	Block heater			
7	Cooling system compatible for Canadian climate			
8	Automatic transmission 6 forward gears minimum			
9	OEM Standard Rear Differential (RWD)			
10	Power assisted steering			
11	Hydraulic assisted brakes			
12	Minimum 95 Liters fuel tank			
13	Standard heat and air conditioning for the cab			
14	Voltmeter or Battery warning light , temperature and oil pressure gauges			
15	Two West coast type heated mirrors or equivalent			
16	Dual sun visors			
17	Tires with all seasons tread on front and rear axle			
18	Dual rear wheels			

Annex "A" - SPECIFICATIONS (Revision 1)

19	Full sized spare tire on rim			
20	Backup alarm			
21	Backup camera			
22	Engine immobilizer			
23	Vinyl or Rubber floor mats			
24	Manufacturer's AM/FM radio with Bluetooth hand free assist			
25	Technical manuals in paper or electronic format			
26	Colour: white			
ITEM #	MANDATORY REQUIREMENTS FOR THE BOX	Yes	No	Page Reference
27	Dry van body type, interior: Length - Minimum length 18 feet / Width - 8 feet / Height must be able to accommodate a cabinet 84" in height standing upright.			
28	Box flooring must be able to support electric pump truck and skid. Combined weight approximately 2500lbs			
29	3 full length logistics tracks on each side wall with load lock E-track system			
30	12 inches minimum width threshold plate at rear door to protect wood floor			
31	Dome light with timer switch			
32	Steel scuff plate on walls, 10 inches high minimum			
33	Crash angle on front wall, 1/4" steel			
34	Rear grab handles			
35	Roll-up rear door with stainless steel cables and rivets also provided with a heavy duty lever lock with provision for locking with a padlock			
36	Exterior panels to be pre-painted white			
37	Mud flaps mounted behind the rear axle and front tires			
38	Hydraulic tailgate tuck away style, must be a type, which can be used at both loading docks and curbside loading; capacity of 2200 lbs minimum, minimum 42" in depth when extended/open and minimum 80" wide.			
39	The truck ground clearance must be no less than 33" and no more than 48".			