

Consultant

RATIO

PROJECT NO: 4053

ARCHITECTURAL NOTES:


1. PROVIDE PROTECTION OF HERITAGE ELEMENTS, AS NOTED AND PER THE APPROVED HERITAGE PROTECTION PLAN, INCLUDING RETAINING ALL WINDOWS AND GLAZING IN PLACE
2. INSTALL STRUCTURAL COLUMNS FLUSH WITH EXISTING FRAMING WHERE FEASIBLE. ENSURE NO NEW STRUCTURAL ELEMENTS ARE PROUD OF SURROUNDING FRAMING IN CORRIDORS, MAIN STAIRS AND THE SOUTH COURTROOM
3. INFILL NOTED WALL OPENINGS AS SCHEDULED, FLUSH WITH SURROUNDING EXISTING FRAMING

ROOF NOTES:

1. ROOF PANEL LAYOUT: FOLLOW PANELS CONFIGURATION, SIZES, SEAM LOCATIONS (STANDING AND FLAT) PER 1988 ROOF PLAN
2. FOLD DOWN THE TOP 200mm OF ROOF R1 (STEEP SLOPE) STANDING SEAM PER DETAIL 4/A2.224

ARCHITECTURAL LEGEND:

- EXISTING ASSEMBLY OR ELEMENT TO REMAIN
REFER TO STRUCTURAL FOR UPGRADES
- NEW OR INFILL WALL OR FLOOR
REFER TO STRUCTURAL
- EXISTING WALL TO REMAIN, NO CHANGES
- NEW METAL POST AND FOUNDATION PAD
REFER TO STRUCTURAL
- EXISTING POST AND FOUNDATION PAD TO REMAIN
- NEW FOUNDATION FOOTING EXTENSION
REFER TO STRUCTURAL
- NEW OR UPGRADED WALL, FLOOR OR ROOF TYPE - REFER TO A2.001
- NEW OR RE-USED DOOR - REFER TO A2.001
- NEW STRUCTURAL COLUMN



1 FLOOR PLAN - BASEMENT
1:50

Revision	Description/Description	Date/Date
1	ISSUED FOR PHASE 2.3 TENDER	2021-01-29

Client/client
PARKS CANADA

Project title/Titre du projet
**301 FRONT STREET
DAWSON, YT Y0B 1G0
FORMER TERRITORIAL
COURTHOUSE NHSC**

Consultant Signature Box Only
Designed by/Concept par
Hazen Sise
Drawn by/Dessiné par
SH
PCA STRUCTURAL ENGINEER
CAROL KUNG
PCA ASSET MANAGER
JOCELYN GRAY

Drawing title/Titre du dessin
**PHASE 2
FLOOR PLAN - BASEMENT**

Project No./No. du projet	Sheet/ Feuille	Revision no./ La Révision no.
PRO 842	A2.220	1

ARCHITECTURAL NOTES:

- PROVIDE PROTECTION OF HERITAGE ELEMENTS, AS NOTED AND PER THE APPROVED HERITAGE PROTECTION PLAN, INCLUDING RETAINING ALL WINDOWS AND GLAZING IN PLACE
- INSTALL STRUCTURAL COLUMNS FLUSH WITH EXISTING FRAMING WHERE FEASIBLE. ENSURE NO NEW STRUCTURAL ELEMENTS ARE PROUD OF SURROUNDING FRAMING IN CORRIDORS, MAIN STAIRS AND THE SOUTH COURTROOM
- INFILL NOTED WALL OPENINGS AS SCHEDULED, FLUSH WITH SURROUNDING EXISTING FRAMING


ROOF NOTES:

- ROOF PANEL LAYOUT: FOLLOW PANELS CONFIGURATION, SIZES, SEAM LOCATIONS (STANDING AND FLAT) PER 1988 ROOF PLAN
- FOLD DOWN THE TOP 200mm OF ROOF R1 (STEEP SLOPE) STANDING SEAM PER DETAIL 4/A2.224

ARCHITECTURAL LEGEND:

- EXISTING ASSEMBLY OR ELEMENT TO REMAIN
REFER TO STRUCTURAL FOR UPGRADES
- NEW OR INFILL WALL OR FLOOR
REFER TO STRUCTURAL
- EXISTING WALL TO REMAIN, NO CHANGES
- NEW METAL POST AND FOUNDATION PAD
REFER TO STRUCTURAL
- EXISTING POST AND FOUNDATION PAD TO REMAIN
- NEW FOUNDATION FOOTING EXTENSION
REFER TO STRUCTURAL
- NEW OR UPGRADED WALL, FLOOR OR ROOF TYPE - REFER TO A2.001
- NEW OR RE-USED DOOR - REFER TO A2.001
- NEW STRUCTURAL COLUMN

ROUGH OPENING SCHEDULE					
#	Level	Gridlines	Req'd min. R.O. width (mm)	Req'd min. R.O. height (mm)	Remarks
RO-A	1	3/C-D	965	2185	2 ROs
RO-B	2	3/C-D	915	2185	2 ROs
RO-C	1	2-3/B	965	2185	
RO-D	1	2-3/C	965	2185	
RO-E	2	2-3/C	1575	2185	
RO-F	2	2-3/D	1575	2185	
RO-G	1	3/B-C	790	2185	
RO-H	1	4/A-B	965	2185	



1 FLOOR PLAN LEVEL 1
1:50

Revision	Description/Description	Date/Date
1	ISSUED FOR PHASE 2.3 TENDER	2021-01-29

PARKS CANADA

Project title/Titre du projet

301 FRONT STREET
DAWSON, YT Y0B 1G0

FORMER TERRITORIAL
COURTHOUSE NHSC

Consultant Signature Box Only

Designed by/Concept par

Hazen Sise

Drawn by/Dessine par

SH

PCA STRUCTURAL ENGINEER

CAROL KUNG

PCA ASSET MANAGER

JOCELYN GRAY

Drawing title/Titre du dessin

PHASE 2
FLOOR PLAN - LEVEL 1

Project No./No. du projet

PRO 842

Sheet/ Feuille

A2.221

Revision no./

1

ROUGH OPENING SCHEDULE					
#	Level	Gridlines	Req'd min. R.O. width (mm)	Req'd min. R.O. height (mm)	Remarks
RO-A	1	3/C-D	965	2185	2 ROs
RO-B	2	3/C-D	915	2185	2 ROs
RO-C	1	2-3/B	965	2185	
RO-D	1	2-3/C	965	2185	
RO-E	2	2-3/C	1575	2185	
RO-F	2	2-3/D	1575	2185	
RO-G	1	3/B-C	790	2185	
RO-H	1	4/A-B	965	2185	

ARCHITECTURAL LEGEND:


- EXISTING ASSEMBLY OR ELEMENT TO REMAIN
REFER TO STRUCTURAL FOR UPGRADES
- NEW OR INFILL WALL OR FLOOR
REFER TO STRUCTURAL
- EXISTING WALL TO REMAIN, NO CHANGES
- NEW METAL POST AND FOUNDATION PAD
REFER TO STRUCTURAL
- EXISTING POST AND FOUNDATION PAD TO REMAIN
- NEW FOUNDATION FOOTING EXTENSION
REFER TO STRUCTURAL
- NEW OR UPGRADED WALL, FLOOR OR ROOF TYPE - REFER TO A2.001
- NEW OR RE-USED DOOR - REFER TO A2.001
- NEW STRUCTURAL COLUMN

ARCHITECTURAL NOTES:

- PROVIDE PROTECTION OF HERITAGE ELEMENTS, AS NOTED AND PER THE APPROVED HERITAGE PROTECTION PLAN, INCLUDING RETAINING ALL WINDOWS AND GLAZING IN PLACE
- INSTALL STRUCTURAL COLUMNS FLUSH WITH EXISTING FRAMING WHERE FEASIBLE. ENSURE NO NEW STRUCTURAL ELEMENTS ARE PROUD OF SURROUNDING FRAMING IN CORRIDORS, MAIN STAIRS AND THE SOUTH COURTHOUSE
- INFILL NOTED WALL OPENINGS AS SCHEDULED, FLUSH WITH SURROUNDING EXISTING FRAMING

ROOF NOTES:

- ROOF PANEL LAYOUT: FOLLOW PANELS CONFIGURATION, SIZES, SEAM LOCATIONS (STANDING AND FLAT) PER 1988 ROOF PLAN
- FOLD DOWN THE TOP 200mm OF ROOF R1 (STEEP SLOPE) STANDING SEAM PER DETAIL 4/A2.224



1 FLOORPLAN - LEVEL 2
1:50

ROUGH OPENING SCHEDULE					
#	Level	Gridlines	Req'd min. R.O. width (mm)	Req'd min. R.O. height (mm)	Remarks
RO-A	1	3/C-D	965	2185	2 ROs
RO-B	2	3/C-D	915	2185	2 ROs
RO-C	1	2-3/B	965	2185	
RO-D	1	2-3/C	965	2185	
RO-E	2	2-3/C	1575	2185	
RO-F	2	2-3/D	1575	2185	
RO-G	1	3/B-C	790	2185	
RO-H	1	4/A-B	965	2185	

ARCHITECTURAL LEGEND:


- EXISTING ASSEMBLY OR ELEMENT TO REMAIN
REFER TO STRUCTURAL FOR UPGRADES
- NEW OR INFILL WALL OR FLOOR
REFER TO STRUCTURAL
- EXISTING WALL TO REMAIN, NO CHANGES
- NEW METAL POST AND FOUNDATION PAD
REFER TO STRUCTURAL
- EXISTING POST AND FOUNDATION PAD TO REMAIN
- NEW FOUNDATION FOOTING EXTENSION
REFER TO STRUCTURAL
- NEW OR UPGRADED WALL, FLOOR OR ROOF TYPE - REFER TO A2.001
- NEW OR RE-USED DOOR - REFER TO A2.001
- NEW STRUCTURAL COLUMN

ARCHITECTURAL NOTES:

- PROVIDE PROTECTION OF HERITAGE ELEMENTS, AS NOTED AND PER THE APPROVED HERITAGE PROTECTION PLAN, INCLUDING RETAINING ALL WINDOWS AND GLAZING IN PLACE
- INSTALL STRUCTURAL COLUMNS FLUSH WITH EXISTING FRAMING WHERE FEASIBLE. ENSURE NO NEW STRUCTURAL ELEMENTS ARE PROUD OF SURROUNDING FRAMING IN CORRIDORS, MAIN STAIRS AND THE SOUTH COURTYARD
- INFILL NOTED WALL OPENINGS AS SCHEDULED, FLUSH WITH SURROUNDING EXISTING FRAMING

ROOF NOTES:

- ROOF PANEL LAYOUT: FOLLOW PANELS CONFIGURATION, SIZES, SEAM LOCATIONS (STANDING AND FLAT) PER 1988 ROOF PLAN
- FOLD DOWN THE TOP 200mm OF ROOF R1 (STEEP SLOPE) STANDING SEAM PER DETAIL 4/A2.224



1 FLOOR PLAN - ATTIC - LEVEL 3

1:50

