



- NOTE:**
- CONTRACTOR TO SUBMIT SHOP DRAWINGS, FOR CONCRETE FOOTING, AND REINFORCING STEEL
  - CONTRACTOR TO STAKE OUT LOCATIONS OF P-GATES ON SITE FOR REVIEW AND APPROVAL BY PCA PRIOR TO INSTALLATION.
  - P-GATES TO BE POWDERCOATED IN PARKS CANADA HERITAGE GREEN (PANTONE 553 OR RAL 6028). CONTRACTOR TO PROVIDE COLOUR SAMPLE FOR REVIEW AND APPROVAL PRIOR TO FABRICATION.
  - ALL SIGNAGE TO CONFORM TO ONTARIO TRAFFIC MANUAL, DURHAM REGION, CITY OF PICKERING, AND TOWNSHIP OF UXBRIDGE STANDARDS.
  - ALL SIGNAGE TO BE ON ALUMINUM SIGNBOARDS USING TYPE 1 (ENGINEERING GRADE) RETROREFLECTIVE SHEETING, PER ASTM SPECIFICATION D 4956-90.

SECURE TWO WA-33LR OBJECT MARKER SIGNS HORIZONTALLY TO FRONT AND BACK FACE OF EACH P-GATE WITH 4 GALVANIZED 12mm HEX BOLTS AND NUTS WITH FLAT WASHERS ON BOTH SIDES THROUGH THE ARM. OR ALTERNATIVELY, CHEVRON GRAPHIC TO BE PRINTED ON BOTH SIDES OF SIGNS TO BE VISIBLE FROM BOTH DIRECTIONS


REMOVABLE BOLLARD SWING GATE; MANUFACTURER: MAGLIN SITE FURNITURE MODEL: MMP-0650-00004 WITH TYPE 4 REMOVABLE DIRECT BURIAL BASE SIZE: 60" ARM LENGTH COLOUR: PARKS CANADA HERITAGE GREEN (PANTONE 553 OR RAL 6028) ACCESSORIES: COMPLETE WITH LOCKING MECHANISM AND KEY, AND WHITE REFLECTIVE TAPE (2 STRIPS) LOCATION: WHERE INDICATED ON PLAN INSTALLATION: AS PER MANUFACTURER'S INSTALLATION INSTRUCTIONS




**1 P-GATES**  
1:20




**3 ARMOURSTONE SEATWALL/EDGE**  
1:20




**4 TRASH RECEPTACLE**  
1:20




**5 BIKE RACKS**  
1:20




**2 SEATING NODE WITH WOOD BENCH**  
1:30



**2 SEATING NODE WITH WOOD BENCH**  
1:30



**SIDE**  
1:30



**SECTION**  
1:30

ADJACENT GRANULAR PAVING, REFER TO DETAIL 1/D1


MIN. 600mm DIA. NATURAL HARDWOOD LOG, PLANE LOG IN HALF LENGTHWISE, 1800mm LENGTH

MIN. 350mm DIA. NATURAL HARDWOOD LOG, 800mm LENGTH. PLANE 1/2 OF LOG LENGTH, AND PLACE FLAT SIDE DOWN ON GRANULAR BASE

15M REBAR, ANCHOR MIN. 1000mm IN GROUND

COMPACTED OR UNDISTURBED SUBGRADE TO 100% SPD.

- NOTE:**
- PREPARE LOGS BY REMOVING ALL EXTERNALLY LOOSE DEBRIS.
  - LOGS TO BE SELECTED AND LAID OUT ON SITE OR AT SOURCE FOR REVIEW AND APPROVAL BY PCA REPRESENTATIVE PRIOR TO FABRICATION.
  - CONTRACTOR TO STAKE OUT LOCATIONS OF SEATING NODES ON SITE FOR REVIEW AND APPROVAL BY PCA PRIOR TO INSTALLATION.



**PLAN**  
1:30

CUSTOM WOOD BENCH

ADJACENT GRANULAR PAVING, REFER TO DETAIL

**Parks Canada**

**PARKS CANADA**  
**ROUGE NATIONAL URBAN PARK**

10725 Reesor Rd, Markham, ON L6B 1A8

**DILLON CONSULTING**

REVISIONS	DESCRIPTION	DATE
6	ISSUED FOR ADDENDUM #2	2021.03.01
5	ISSUED FOR TENDER	2021.01.29
4	ISSUED FOR 90% SUBMISSION	2020.11.30
3	ISSUED FOR 60% SUBMISSION	2020.10.16
2	REVIEW SUBMISSION	2020.03.27
1	ISSUED FOR 30% SUBMISSION	2019.11.20

A	B	C
A detail number number du detail	B source drawing no. de dessin no.	C detail on drawing no. detail sur dessin no.

**NORTH EAST TRAIL**

**LANDSCAPE DETAILS**

designed by **LB** conçu par

drawn by **LB** dessiné par

approved by **EN** approuvé par

Parks Canada Project Manager Administrateur de Projets Parcs Canada

scale **AS SHOWN** échelle

project no. **19-1500** projet no.

date **OCTOBER 2019** date

sheet **D3** feuille

37 OF 49