



RETURN BIDS TO:

RETOURNER LES SOUMISSIONS À:

Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St./11, rue Laurier
Place du Portage, Phase III
Core 0B2 / Noyau 0B2
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

**Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution
Furniture Division/Division des ameublements
L'Esplanade Laurier,
East Tower 7th Floor
Tour est 7e étage,
140 O'Connor, Street,
140 O'Connor, rue O'Connor,
Ottawa
Ontario
K1A 0R5

Title - Sujet CRA - Categories 1A, 5 and 6	
Solicitation No. - N° de l'invitation EP916-212289/A	Amendment No. - N° modif. 003
Client Reference No. - N° de référence du client 20212289	Date 2021-03-10
GETS Reference No. - N° de référence de SEAG PW-\$\$\$PQ-991-79748	
File No. - N° de dossier pq991.EP916-212289	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM Eastern Standard Time EST on - le 2021-03-19 Heure Normale du l'Est HNE	
F.O.B. - F.A.B.	
Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Ouimet, Daphné	Buyer Id - Id de l'acheteur pq991
Telephone No. - N° de téléphone (343) 551-0104 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: See Herein	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment 003 is raised to modify the Request for Proposal and to answer questions received from industry as follows:

- Extend the bid solicitation closing date;
- Respond to questions received from the industry;
- Revise Annex A – Requirement an Basis of Payment, replace Tables 1 – Product Table for the following categories:
 - Category 6A;
 - Category 6B;
 - Category 6C;
 - Category 6D;
 - Category 6E.

1. Extend the bid closing date as follows:

On the first page of the Request for Proposal
Solicitation Closes – L'invitation prend fin

DELETE: 2021-03-12

INSERT: 2021-03-19

2. Questions and Answers

Question 3

Category 6A - Items #1, 2, 3, 6, 11, 13, 15 - *"Back fabric must be different from the seat fabric."*
Would you accept a chair that is upholstered in a single fabric which is compliant with this GoCUID?

Answer 3

No this will not be accepted as an option.

Question 4

Category 6A - Items #1, 6 - *"Must have a pedestal swivel base with an auto-return mechanism that pivots on the pedestal's axis."*

Would you accept a chair that has a 4-prong spider base which is compliant with this GoCUID?

Answer 4

If the 4-prong spider base still allows the seat to swivel, we will accept it as a pedestal style base.

Question 5

Category 6A - Item #3 - *"Fixed Pedestal base"*

Would you accept a chair that has a 4-Leg post-leg base which is compliant with this GoCUID?

Answer 5

No, this will not be accepted as an option.

Question 6

Category 6A - Items #4, 5 - *"Tablet arm chair must come with shelf below and cup holder."*

Would you accept an alternative without the Cupholder and Shelf underneath and on fixed legs which is also a compliant GoCUID?

Answer 6

No, chair must have four casters and two must be lockable. Tablet arm chair must come with shelf below. Providing a cup holder is optional.

Please see revised Category 6A - Table 1 – Product Table included in this amendment (003).

Question 7

Category 6A - Item #7 - *"Bar height shelf attached to the back of modular bench back running parallel to all sides of the bench."*

Can you move this into a Non-SA category, the compliant GoCUID is not what the description explains.

Answer 7

No, the requirement will remain as is. Please refer to Change Notification - CN002, Annex A, section 3.8 Category 6: Seating, .8 – Modular Benching and Side Table Unit – Curvilinear, subsections .1.5, .2.5

Question 8

Category 6A - Item #8 - GoCUID 6CCTVAROLL30XXXJNXX

Would you accept a wood veneer alternative? (6CCTVAROLW30XXXJNXX)

Answer 8

No, this will not be accepted as an option.

Question 9

Category 6A - Item #10 - GoCUID 6CKIVAREWL48L96TYXX

Would you accept an alternative that offers an End Gable support? (6CKIVAREGL48L96TYXX)

Answer 9

Yes, this End Gable Support will be accepted as an option.

GoCUID: 6CKIVAREGL48L96TYXX will also be acceptable.

Please see revised Category 6A - Table 1 – Product Table included in this amendment (003).

Question 10

Category 6B - Item# 1, 2 - *"Base must be available in chrome or painted metal"*

Would you accept the base in only a painted metal finish?

Answer 10

Yes, we will accept the finish in **either** chrome **or** painted metal.

Please see revised Category 6B - Table 1 – Product Table included in this amendment (003).

Question 11

Category 6B - Item #1 - GoCUID 6KKCSAxxSY16XXXMONX

Would you accept an alternative which material is a Bent Plywood? (6KKCSAxxSP16XXXMONX)

Answer 11

Yes, Bent Plywood will also be accepted as an option. Bent Plywood will also be accepted for Item #2, Tag B2.

Item #1 GoCUID: 6KKCSAxxSP16XXXMONX will also be acceptable.

Item #2 GoCUID: 6KBSCHxxSP15XXXPONX will also be acceptable.

Please see revised Category 6B - Table 1 – Product Table included in this amendment (003)

Question 12

Category 6B - Item #4 - GoCUID 6CSTVASQPL18L18JNXX
Would you accept an alternative which the width and length are both 20"?
GoCUID: 6CSTVASQPL20L20JNXX

Answer 12

No, this will not be accepted as an option

Question 13

Category 6D - Item #1, 2
Would you accept a GoCUID compliant product with the following specifications?
Worksurface Height: 24"H-30"H
Worksurface Depth: 29"D - 31"D
Worksurface Length: 19"W x 22"W
Worksurface Material: Painted MDF
Privacy Screen Material: Fabric (Single Upholstery)

Answer 13

Response to category 6D, Item 1

Surface height: will not be accepted as an option. Height must be 30" from the floor to the top of the surface with - 1" tolerance (-25mm)

Surface depth: Will not be accepted as an option Depth to be 24" with a 1"+/- tolerance. (+/- 25mm)

Surface length: Will not be accepted as an option. Length must be a minimum of 48" wide (1219mm).

Surface material: No, MDF will not be accepted.

Privacy Screen: Yes, privacy screen must be available in fabric and/or high pressure laminate.

Please see revised Category 6D - Table 1 – Product Table included in this amendment (003)

Response to Category 6D, Item 2

Surface height: Yes, that will be acceptable.

Surface depth: Must allow for the following:

-Work surface or tablet must be orientated in front of the user for use of a laptop or tablet.

-Work surface or tablet must be able to provide for laptop display viewing distance from 15.7" (400mm) to ≤ 29.5" (750mm), the front edge of the surface must be able to be comfortably reached and support the user's wrist under sitting position without stretching forward.

Surface length: Must be no less than 14" (356mm)

Surface material: No, MDF will not be accepted.

Privacy Screen: Yes, privacy screen to be available in fabric and/or high pressure laminate.

Please see revised Category 6D - Table 1 – Product Table included in this amendment (003)

Question 14

Category 6E - Item #8 - "Back fabric must be different from the seat fabric." "Fixed Pedestal Base
Would you accept a chair that is upholstered in a single fabric which is compliant with this GoCUID?
Also with a four post base?

Answer 14

No, this will not be accepted as an option.

Question 15

Category 6E - Item #1 - GoCUID 6SBBTWXXLUW3G19LMYN

Would you accept an alternative that includes arms? (6SBATWXXLUW3G19LMYY)

Answer 15

No, this will not be accepted as an option.

Please note: Category 6E, Item #1 has been changed and moved to NSA product – See Item #10.

Please see revised Category 6E - Table 1 – Product Table included in this amendment (003).

Question 16

Category 6E - Item #2 - GoCUID 6SBBINXXLUW1G19LMYN

Would you accept an alternative that includes arms? (6SBAINXXLUW1G19LMYY)

Answer 16

No, this will not be accepted as an option.

Please note: Category 6E, Item #2 has been changed and moved to NSA product – See Item #11.

Please see revised Category 6E - Table 1 – Product Table included in this amendment (003).

Question 17

Category 6E - Item #4 - GoCUID 6SBBTWXXLUW3G19LMYN

Would you accept an alternative that does not have a backrest bolster and includes arms?
(6SBATWXXLUW3G19LMYY)

Answer 17

No, this will not be accepted as an option.

Question 18

Category 6E - Item #5 - GoCUID 6MMTSMREPL30L60WNNX

Would you accept an alternative with post legs? (6MMTSMRELL30L60WNNX)

Answer 18

No, this will not be accepted as an option

Question 19

Category 6E - Item #9 - Non-SA

Would you accept a bench at 52"W?

Answer 19

No, this will not be accepted as an option.

Question 20

Category 6A - item #7, Tag A7, would a tablet height of 36"h be acceptable and a tablet depth of 12" deep? The tablets are not on the SA and not included with the GoCUID code that was used so I assume there is some latitude in the specifications.

Answer 20

No, this will not be accepted as an option.

Please refer to Change Notification - CN002, Annex A, section 3.8 Category 6: Seating, .8 – Modular Benching and Side Table Unit – Curvilinear, subsections .1.5, .2.5

Question 21

Category 6A - Item #3

Will the client accept 4 legs as an option to align compatibility with item 2?

Answer 21

No, this will not be accepted as an option.

Question 22

Category 6A - item #7

The SA does not call for a bar shelf to be attached to the modular bench. Adding this fundamentally changes the function of the unit. Please either remove the shelf requirement or move the unit to Non-SA.

Answer 22

No, the requirement will remain as is. Please refer to Change Notification - CN002, Annex A, section 3.8 Category 6: Seating, .8 – Modular Benching and Side Table Unit – Curvilinear, subsections .1.5, .2.5

Question 23

Category 6E - Item #8

Will the client also accept a swivel base or fixed wire base?

Answer 23

Yes, swivel and fixed wire base will also be accepted as an option.

GoCuid: 6SLCOAXXWUXXXXXXMXXX will also be acceptable.

Please see revised Category 6E - Table 1 – Product Table included in this amendment (003).

Question 24

Category 6C - Item #12

Will the client also respectively accept a double writable surface or whiteboard on one side and laminate on the other?

Answer 24

Yes, a double writable surface will be accepted. White board on one side and laminate on the other will not be accepted.

GoCuid: 6LWBFWWSXXXXXXXXXNNN will also be acceptable.

Please see revised Category 6C - Table 1 – Product Table included in this amendment (003).

Question 25

Category 6A – Item #9, Tag A9

Would a bar height stool on 4 legs be acceptable?

Answer 25

No, this will not be accepted as an option.

Question 26

Category 6A - item #12, Tag A12

Is this a round or square ottoman? The GoCUID code says square but the descriptions says diameter.

Answer 26

This is a square upholstered stool with casters, range to be 18" – 20".

Question 27

Category 6C - item #8, Tag C7

Would dimensions 13Wx16Lx26H be acceptable?

Answer 27

No, this will not be accepted as an option.

We will accept a range from:

Depth: 15" (381mm) – 18" (457mm)


Width: 19" (483mm) – 24" (610mm)

Please see revised Category 6C - Table 1 – Product Table included in this amendment (003).

Question 28

Category 6A - Item #1, Tag A1

Would the client accept a chair with 360 degree swivel capabilities but no auto-return mechanism? Please advise if either one of the bases shown below be acceptable.



Answer 28

No, we will not accept a chair with 360 degree swivel capabilities, but not auto-return mechanism.

Yes, we accept the bases shown as pedestal style bases.

Please see revised Category 6A - Table 1 – Product Table included in this amendment (003).

Question 29

Category 6A - Items #2, 3, Tag A2 & A3

Client requests that both the sofa & lounge chair be from the same series. In order to keep the look consistent within the two, would the customer allow for the base on the lounge chair to be the same as on the sofa i.e. on legs vs. the requested pedestal base? If not, would the client accept that the lounge chair be from the same manufacturer with the same finishes available but not be from the same series?

Answer 29

Yes we will accept the lounge chair to be from the same manufacturer with the same finishes available, but not necessarily from the same series.

Please see revised Category 6A - Table 1 – Product Table included in this amendment (003).

Question 30

Category 6A - Items #4, 5, Tag A4 and A5

Would the customer allow for tablet arm chairs without a shelf below?

Answer 30

No this will not be accepted as an option.

Question 31

Category 6A - Item #6, Tag A6

The GOCUID states that the base be fixed, however the description states an auto-return mechanism is required, can you please clarify which is desired?

Answer 31

The GoCUID provided is for a swivel base and an auto return mechanism is required.

Question 32

Category 6A - Item #6, Tag A6

If a swivel base is required, would the client accept a base with 360 degree capabilities but without an auto-return mechanism?

Answer 32

No, we will not accept a chair with 360 degree swivel capabilities, but not auto-return mechanism."

Question 33

Category 6A - Item #14, Tag A14

Would the client accept felt or acoustical freestanding panels as well?

Answer 33

No this will not be accepted as an option.

Question 34

Category 6D - Item #1, Tag D1

As per the supply arrangement standard, "*Privacy screens must be fabric covered, high-pressure laminate, or low-pressure laminate.*" Can the client confirm that one of three is acceptable and that they do not need to be offered in both?

Answer 34

Yes, privacy screen must be available in fabric and/or high pressure laminate. Low pressure laminate will not be accepted.

Please see revised Category 6D - Table 1 – Product Table included in this amendment (003)

Question 35

Category 6D - Item #2, Tag D2

Specifications seems to favor a specific manufacturer and eliminates our supply arrangement standard. Can the client confirm that either a pedestal base would be acceptable and or a 20" length tablet arm? If not, would the client allow for a work surface that is not an integrated tablet arm?

Answer 35

No we will not accept a pedestal base. We will now accept an integrated or attached worksurface or tablet support arm.

GoCUID: 6OPLWLFLSLXC3H46XYTA and 6OPLWLFLSLXC3H46XYWS will be accepted.
Worksurface/Tablet length must be no less than 14" (356mm).

Please see revised Category 6D - Table 1 – Product Table included in this amendment (003).

Question 36

Category 6E - Item #1, Tag E1

Can the client confirm that a breathable upholstery be acceptable as well?

Answer 36

No, breathable upholstery will not be accepted.

Please note: Category 6E, Item #1 has been changed and moved to NSA product – See Item #10.

Please see revised Category 6E - Table 1 – Product Table included in this amendment (003).

Question 37

Category 6E – Item#2, Tag E2

Description states that Tag “A4” to be ganged on each side to create an L-shape, however A4 is a tablet arm chair. Could you please provide clarification?

Answer 37

That was an error. “Tag: A4” should say “Tag: E1”.


Please note: Category 6E, Item #2 has been changed and moved to NSA product – See Item #11.

Please see revised Category 6E - Table 1 – Product Table included in this amendment (003).

Question 38

Category 6E – Items #6, 7, Tag E6 & E7

Would the client also accept a fully upholstered base instead of having the ottoman on legs, such as the visual below?



Answer 38

Yes, this will also be accepted as an option. Please refer to Change Notification – CN002, Annex A, Section 3.8 Category 6: Seating, .5 Upholstered Ottoman, .5.1, “As per manufacturer’s standard product offering: If legs are not manufacturer’s standard product line, glides to be provided.

Please see revised Category 6E - Table 1 – Product Table included in this amendment (003).

Question 39

Category 6A - item #1, Tag A1

Would you accept 2 different fabrics being used but one on the inside and one on the outside of the seat and back?

Answer 39

No. this will not be accepted as an option.

Question 40

Could you please confirm the ceiling height on the floor?

Answer 40

Ceiling height is 9'-0" A.F.F. (743mm A.F.F.)

Question 41

Category 6A - item #1

Given that they have the same function, would you accept GoCUID# 6KBSBHxxLY15XXXROYX (with 4 legs) instead of a sled base?

Answer 41

No, this will not be accepted as an option.

Please note: the reference item is for a lounge chair. The GoCUID provided is referencing a kitchenette chair. All kitchenette chairs/ and stool to be sled base.

Question 42

Category 6A - item #15

Given that they have the same function, would you accept GoCUID# 6KBSCHxxLY15XXXPOYX (with 4 legs) instead of a sled base?

Answer 42

No, this will not be accepted as an option.

Question 43

Category 6D - item #1, 2

The SA specifications for open area collaborative furniture does not have a requirement for data; only for power and USB. Could you please remove the requirement for data for these items?

Answer 43

Data requirement has been removed.

Please see revised Category 6D - Table 1 – Product Table included in this amendment (003)

Question 44

Category 6A - item #3

Typically pedestal base chairs have swivel bases. Would you accept GoCUID# 6SLCWAXXWUXXXXXMXXX (with swivel/return base) instead of a fixed pedestal base?

Answer 44

No, this will not be accepted.

3. Annex A – Requirement and Basis of Payment is deleted in its entirety:

REPLACE BY:

**ANNEX A
REQUIREMENT and BASIS OF PAYMENT**

1. Category Selection

Combined Categories Rule:

For reasons of compatibility, the following categories will be combined for evaluation and contract award purposes:

The rule only applies to the categories below that are checked. The unchecked categories will be evaluated separately and may be awarded to multiple suppliers;

Category 1

Category 2

Category 5

*** Exception: when using the Cat 1, 2, 5 combined categories rule, IU's may calculate the percentage of NSA product allowed (as defined in their solicitation document) against the total quantity of the combined categories.**

Design Upgrade Rule:

The IU may exercise an option to upgrade products up to 20% of each Category product total before Applicable Taxes after contract award.

The Design Upgrade amount is used at the discretion of the Project Authority (PA) **prior to the manufacturing/ordering of the products**, the PA will provide the Contractor with a written notice of Canada's Design Upgrade choices for each of the product(s) to be upgraded. The Contractor will provide the pricing of the upgraded product(s) to a maximum of 20% of each Category Contract Price of Table 8. The Contracting Authority will issue an amendment to the contract with the Design Upgrades and pricing.

The Supplier certifies that all the Design Upgraded products offered will conform to all specifications and meet the testing requirements detailed in the Specifications of the Supply Arrangement.

Design Upgrade: is the process of replacing a product with a more innovative or enhanced version of the same product.

NSA:

NSA products can be incorporated in the RFB and must not exceed 30% of the firm quantity by category. NSA items must be added to the category that is most closely related and must be generic.

The requirement includes the following categories of work:

a. Category 1 – Interconnecting Panels and Freestanding Systems

Category 1a – Interconnecting Panels (Refer to Annex C)

Category 1b – Supporting components and freestanding furniture

RULE: Metal Storage

Identified Users may procure metal storage products forming part of Category 1 when

the metal storage products will be part of a requirement for a workstation(s)/work point(s). If this rule does not apply, Category 3 must be used for the metal storage products forming part of this category.

b. Category 2 – Freestanding Height Adjustable Desk / Table Products

c. Category 3 – Metal Filing and Storage Cabinets

Identifying the maximum height of the Personal Storage Towers, Wardrobes and Storage Cabinets is acceptable as per 6B. 4.1 of the SA (table 1 Additional product details)

d. Category 4 – Wood Veneer – Freestanding Products

e. Category 5 – Ancillary and Lighting Products

f. Category 6 - Support Space – Collaborative Furniture

RULE: Category 6 can be further subdivided by space or like product in order to increase or allow competition. Space is defined as a location available for a particular purpose such as a meeting room space or a collaborative space. Like products are defined as products with similar design and construction. If NSA products form part of the requirement, the IU must validate the 30% NSA prior to subdividing the category. NSA products can be added to any subdivide or in its own subdivide.

Category 6 has been divided into the following sub-categories: 6A, 6B, 6C, 6D and 6E

g. NSA Product(s) – Category: 6E

2. Product and Pricing Tables

Site Inspection Date: To be coordinated with Project Authority after contract award. (Refer to Annex A article 4 of the SA for Site Inspection and Documentation instructions.)

INSTRUCTIONS TO BIDDERS: Bidders are to complete Sections B of the tables identified by the IU in this article as well as Tables 8 and 9. **Bidders must provide a complete product offering for each category, or CAT 6 sub-divide they wish to submit a bid in order to be compliant.**

****Refer to article 6A.7 for instructions on how to submit products that are not approved in product listing.****

In a resulting contract, the term “Bid” means the Supplier’s commitment, the term “Bidder” means “Contractor”.

Category 1A

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	Refer to Annex C and Floor Plans						\$
					Product Total \$		\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					
** Furniture supplier to provide installation drawings to Project Authority for category 1 within 5 business days of award. Installation drawings for all other awarded categories are to be provided within one month prior to install for review and approval. **					
If furniture plans and CAD files have not been provided to supplier, supplier is required to request plans from the Project Authority one month prior to install.					

** Furniture supplier is required to install all furniture in the appropriate rooms according to the plans unless otherwise indicated**		
---	--	--

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	25 Fitzgerald
B	Dock	Yes, refer to plan
C	Lift	Weight Capacity: 30,000 lbs.
D	Door	Size: 6’-3” x 9’-0”
E	Freight Elevator	No freight elevator Material padding available for the elevator. Installer are liable if any damage is done. Size: 4’-0” Wide Doors Inside width 7’-0” Height 9’-6”
F	Other (specify, if any)	Refer to plan at ANNEX E - Loading Dock/Location Client requires 5 days notice prior to any delivery. An escort is required during delivery and install. Loading area can accommodate up to a 53’-0” truck
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$

10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	

Category 5

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	5MOASGARMCLPMTXXXX X	Tag: MA	9 9	No		\$	\$
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures for these products including descriptive literature and dimensions as per Table 1 – Product Table with your bid submission.							
						Product Total \$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>** Furniture supplier to provide installation drawings to Project Authority for category 1 within 5 business days of award. Installation drawings for all other awarded categories are to be provided within one month prior to install for review and approval. **</p> <p>**If furniture plans and CAD files have not been provided to supplier, supplier is required to request plans from the Project Authority one month prior to install.**</p> <p>** Furniture supplier is required to install all furniture in the appropriate rooms according to the plans unless otherwise indicated**</p>				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	25 Fitzgerald
B	Dock	Yes, refer to plan
C	Lift	Weight Capacity: 30,000 lbs.
D	Door	Size: 6’-3” x 9’-0”
E	Freight Elevator	No freight elevator Material padding available for the elevator. Installer are liable if any damage is done. Size: 4’-0” Wide Doors Inside width 7’-0”

		Height 9'-6"
F	Other (specify, if any)	Refer to plan at ANNEX E - Loading Dock/Location Client requires 5 days notice prior to any delivery. An escort is required during delivery and install. Loading area can accommodate up to a 53'-0" truck
3. Continuance of Certifications		
The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.		
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	

Category 6A

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6SLCOAXXWUXXXXMXX X	Width range from 21" (533mm) – 24" (610mm) Back fabric must be different from the seat fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. Must have a pedestal swivel base with an auto-	1 8	Yes		\$	\$

		return mechanism that pivots on the pedestal's axis. Tag: A1					
2	6SSOTWXXLUW4XXXQNY	Back fabric must be different from the seat fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. Tag A2 and A3 must be from the same manufacturer and must have the same finishes Tag: A2	4	No		\$	\$
3	6SLCWAXXFUXXXXXMXX X	Width range from 27" (686mm) – 30" (762mm) Back fabric must be different from the seat fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. Fixed Pedestal base Tag A2 and A3 must be from the same manufacturer and must have the same finishes. Tag: A3	3	No		\$	\$
4	6STCWRXXLUXXXXXXNN X	Tablet arm chair must come with shelf below. Providing a cup holder is optional Tablet surface range from 12" (305mm) – 18" (457mm) Must have four casters for carpet application. Two casters must be capable of locking Tag: A4	6	No			
5	6STCWLXXLUXXXXXXNN X	Tablet arm chair must come with shelf below. Providing a cup holder is optional Tablet surface range from	6	No			

		<p>12" (305mm) – 18" (457mm)</p> <p>Must have four casters for carpet application. Two casters must be capable of locking</p> <p>Tag: A5</p>				
6	6SLCWAXXWUXXXXXMX XX	<p>Width range from 27" (686mm) – 36" (914mm)</p> <p>Back fabric must be different from the seat fabric.</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.</p> <p>Must have a pedestal swivel base with an auto-return mechanism that pivots on the pedestal's axis.</p> <p>Tag: A6</p>	3	No		
7	6SMOCBXXLU37G19LYN N	<p>Must be available in an inside bend</p> <p>Inside Seat depth must be 19" (483mm) – 24" (610mm).</p> <p>Back fabric must be different from the seat fabric.</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.</p> <p>Bar height shelf attached to the back of modular bench back running parallel to all sides of the bench.</p> <p>Depth of bar height shelf must be 18" (457mm) w/ 1"+ (25mm +) tolerance. Height to be from 40" (1016mm) – 42" (1069mm).</p> <p>Bar height shelf must be available in high pressure laminate</p>	3	Yes		

		Tag: A7					
8	6CCTVAROLL30XXXJNXX	Finishes must match bar height surface in Tag: A7	1	Yes			
		Tag: A8					
9	6KBSBHxxSY15XXXROYX	Upholstery must be available in both vinyl and fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.	6	Yes			
		Tag: A9					
10	6CKIVAREWL48L96TYXX OR 6CKIVAREGL48L96TYXX	2 duplex outlets, 4 data outlets and 2 USB ports per table.	2	Yes			
		Tag: A10					
11	6SSOTHXXLUW6XXXQNN Y	Back fabric must be different from the seat fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.	4	Yes			
		Tag: A11					
12	6SUCSQXXLUX8XXXLXXX	Seat diameter must be 18" (457mm) – 20" (508mm) Casters for carpet application	4	Yes			
		Tag: A12					
13	6SBAINXXLUW1G19LMN N	Back fabric must be different from the seat fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. Inside seat depth must be 19" (483mm) – 22" (559mm)	3	Yes			
		Tag: A13					
14	6LFSUPXXXXW8XXXTXXX	Width of screen to be 48" (1219mm) Refer to Plan. Must be available in upholstered (tackable)	6	Yes			

		Tag: A14				
1 5	6KBSCHxxSY15XXXPOYX	Upholstery must be available in both vinyl and fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. Four stools must fit within the table length of Tag: A10. Refer to Plan – area 549. Tag: A15	1 6	Yes		
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures for these products including descriptive literature and dimensions as per Table 1 – Product Table with your bid submission.						
					Product Total \$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$

<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>** Furniture supplier to provide installation drawings to Project Authority for category 1 within 5 business days of award. Installation drawings for all other awarded categories are to be provided within one month prior to install for review and approval. **</p> <p>**If furniture plans and CAD files have not been provided to supplier, supplier is required to request plans from the Project Authority one month prior to install.**</p> <p>** Furniture supplier is required to install all furniture in the appropriate rooms according to the plans unless otherwise indicated**</p>	<p>Installation Total:</p>	<p>\$</p>
--	----------------------------	-----------

- Table 4 – Optional Product Not Applicable
- Table 5 – Optional Delivery Not Applicable
- Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	25 Fitzgerald
B	Dock	Yes, refer to plan
C	Lift	Weight Capacity: 30,000 lbs.
D	Door	Size: 6’-3” x 9’-0”
E	Freight Elevator	No freight elevator Material padding available for the elevator. Installer are liable if any damage is done. Size: 4’-0” Wide Doors Inside width 7’-0” Height 9’-6”
F	Other (specify, if any)	Refer to plan at ANNEX E - Loading Dock/Location Client requires 5 days notice prior to any delivery. An escort is required during delivery and install. Loading area can accommodate up to a 53’-0” truck
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Category 6B

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product (Additional product details may be inserted, if required as per 6B. 4.1 of the SA)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6KKCSAxxSY16XXXMONX OR 6KKCSAxxSP16XXXMONX	Chair must be from same series as Tag: B2 Base must be available in either chrome or painted metal. Tag: B1	16	No		\$	\$
2	6KBSCHxxSY15XXXPONX OR 6KBSCHxxSP15XXXPONX	Chair must be from the same series as Tag: B1 Base must be available in either chrome or painted metal Tag: B2	6	No		\$	\$
3	6MMTSMSQL30L30WNNX	Tag: B3	8	No		\$	\$
4	6CSTVASQPL18L18JNXX	Tag: B4	8	No		\$	\$
5	6CSTVAROPL18XXXJNXX	Tag: B5	8	No			
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures for these products including descriptive literature and dimensions as per Table 1 – Product Table with your bid submission.							
					Product Total \$	\$	

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					
** Furniture supplier to provide installation drawings to Project Authority for category 1 within 5 business days of award. Installation drawings for all other awarded categories are to be provided within one month prior to install for review and approval. **					
If furniture plans and CAD files have not been provided to supplier, supplier is required to request plans from the Project Authority one month prior to install.					
** Furniture supplier is required to install all furniture in the appropriate rooms according to the plans unless otherwise indicated**					

Table 4 – Optional Product Not Applicable

Table 5 – Optional Delivery Not Applicable

Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada's Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	IU is to consult the Supplier's Website identified in Part 6A of the SA to view the available finishes. Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada's finish choices for each of the product(s) in Annex A.

	The Contractor will deliver the products corresponding to Canada's choice of specific finishes(s). No additional charge will be applied to Canada.	
2.	Canada's Facilities to Accommodate the Delivery <i>The Supplier's employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i> <i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i>	
2.1	Loading Dock/Location	
A	Location	25 Fitzgerald
B	Dock	Yes, refer to plan
C	Lift	Weight Capacity: 30,000 lbs.
D	Door	Size: 6'-3" x 9'-0"
E	Freight Elevator	No freight elevator Material padding available for the elevator. Installer are liable if any damage is done. Size: 4'-0" Wide Doors Inside width 7'-0" Height 9'-6"
F	Other (specify, if any)	Refer to plan at ANNEX E - Loading Dock/Location Client requires 5 days notice prior to any delivery. An escort is required during delivery and install. Loading area can accommodate up to a 53'-0" truck
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Category 6C

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	6MTRXTRECL30L60WYYY	<p>Table base supports must be T-legs</p> <p>To receive power module. Power module must be installed at the centre back edge of table. Table will be plugged into surface mounted floor monument. Power module must include 2 duplex, 4 data and 2 USB connection. Tables must be from the same series as Tag: C1b.</p> <p>Modesty panel finish must be available in high pressure laminate, painted metal or fabric</p> <p>Modesty panel must conceal wire management</p> <p>Must have lockable casters for carpet application</p> <p>Tag: C1a</p>	4	No		\$	\$
2	6MTRXTRECL30L60WYYY	<p>Table base supports must be T-legs</p> <p>Tables to receive grommet, no power required.</p> <p>Tables must be from the same series as Tag: C1a</p> <p>Modesty panel finish must be available in high pressure laminate, painted metal or fabric</p> <p>Modesty panel must conceal wire management</p> <p>Lockable casters for carpet application</p> <p>Tag: C1b</p>	4	No			

3	6CMUSHTZRL48L78WYXX	<p>Multimedia table monitor support panel must not exceed more than 3" (76mm) in thickness</p> <p>Monitor mount must accommodate a 50" TV.</p> <p>Table supports must be either painted metal or high-pressure laminate.</p> <p>2 duplex outlets, 4 Data and 2 USB required.</p> <p>Plug in connection to the wall.</p> <p>Multi-media table base must accommodate cable and wire management.</p> <p>Table base must not impede knee space for user all around the perimeter.</p> <p>Table base must not interfere with chair base in such a way that prevents the user from pulling their chair into a seated position at the table.</p> <p>Tag: C2</p>	2	Yes		\$	\$
4	6CMUSHTZRL42L78WYXX	<p>Multimedia table monitor support panel must not exceed more than 3" (76mm) in thickness</p> <p>Monitor mount must accommodate a 50" TV.</p> <p>Table supports must be either painted metal or high-pressure laminate.</p> <p>2 duplex outlets, 4 Data and 2 USB required.</p> <p>Plug in connection to the wall.</p> <p>Multi-media table base must accommodate cable and wire management.</p> <p>Table base must not impede knee space for user all around the</p>	1	Yes		\$	\$

		<p>perimeter.</p> <p>Table base must not interfere with chair base in such a way that prevents the user from pulling their chair into a seated position at the table.</p> <p>Tag: C3</p>					
5	6MMTSMROPL42XXXWNN X	<p>Pedestal base must be available in chrome, painted metal or polished aluminum</p> <p>Table base must not interfere with chair base in such a way that prevents the user from pulling their chair into a seated position at the table.</p> <p>Tag: C4</p>	3	No		\$	\$
6	6MMTSMROPL30XXXWNN X	<p>Pedestal base must be available in chrome, painted metal or polished aluminum</p> <p>Table base must not interfere with chair base in such a way that prevents the user from pulling their chair into the seating position at the table.</p> <p>Tag: C5</p>	2	No			
7	6CCTVAROPL30XXXJNXX	<p>Pedestal base must be available in chrome, painted metal or polished aluminum</p> <p>Tables must be from the same series as Tag C8</p> <p>Tag: C6</p>	3	No			
8	6CLTVAREXLW7<36ONXX	<p>Depth range must be: 15" (381mm) - 18" (457mm)</p> <p>Width range must be: 19" (483mm) - 24" (610mm)</p> <p>Table support must be available in painted metal or polished aluminum</p> <p>Base must be pedestal base</p>	1 4	Yes			

		Tag: C7				
9	6CCTVAROPL36XXXJNXX	Pedestal base must be available in chrome, painted metal or polished aluminum Table must be from the same series as Tag C6 Tag: C8	2	No		
10	6CCTVAREGL24L48JNXX	Table finish must be the same as Tag: C6 and C8 Tag: C9	6	Yes		
11	6MMTMDREOL36L72WYNX	Table must come with post legs and column base in the middle to conceal floor monument 2 duplex outlets, 4 Data and 2 USB required. Table will be plugged into surface mounted floor monument. Tag: C10	1	Yes		
12	6LWBFWSXXXXXXXXNNN OR 6LWBFWSXXXXXXXXNNN	Locking casters for carpet application Tag: MB	1	No		
**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures for these products including descriptive literature and dimensions as per Table 1 – Product Table with your bid submission.						
					Product Total \$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5 **The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT	Section B – SUPPLIER’S BID
----------------------------	----------------------------

Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>** Furniture supplier to provide installation drawings to Project Authority for category 1 within 5 business days of award. Installation drawings for all other awarded categories are to be provided within one month prior to install for review and approval. **</p> <p>**If furniture plans and CAD files have not been provided to supplier, supplier is required to request plans from the Project Authority one month prior to install.**</p> <p>** Furniture supplier is required to install all furniture in the appropriate rooms according to the plans unless otherwise indicated**</p>				Installation Total:	\$

- Table 4 – Optional Product Not Applicable
 Table 5 – Optional Delivery Not Applicable
 Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	25 Fitzgerald
B	Dock	Yes, refer to plan
C	Lift	Weight Capacity: 30,000 lbs.
D	Door	Size: 6’-3” x 9’-0”
E	Freight Elevator	No freight elevator Material padding available for the elevator. Installer are liable if any damage is done. Size: 4’-0” Wide Doors Inside width 7’-0” Height 9’-6”
F	Other (specify, if any)	Refer to plan at ANNEX E - Loading Dock/Location Client requires 5 days notice prior to any delivery. An escort is required during delivery and install. Loading area can accommodate up to a 53’-0” truck

3.	Continuance of Certifications
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.
3.1	Integrity Provisions
3.2	Federal Contractor's Program for Employment Equity
3.4	Product Conformance
3.5	Price Certification (In accordance with the SA, Part 6B)

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract		
	Name:	Telephone:	
		E-Mail:	
		PBN:	

Category 6D

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
1	60IWWSFSLXC1H47XYXX	Work surface height must be 30" (762mm) from the floor to the top of the surface with -1 in. (-25mm) tolerance. Work surface must be mounted onto privacy screen Work surface must be: Depth: 24" (610mm) with 1+/- in. (25mm) tolerance. Length: minimum 48" (1219mm) with high pressure laminate Privacy screen must be	9	Yes		\$	\$

		<p>available in fabric, and/or high-pressure laminate</p> <p>Power and USB required</p> <p>Tag: D1</p>					
2	<p>6OPLWLFLXC3H46XYTA</p> <p>OR</p> <p>6OPLWLFLXC3H46XYWS</p>	<p>Work surface or tablet must be orientated in front of the user for use of a laptop or tablet.</p> <p>Work surface or tablet must be able to provide for laptop display viewing distance from 15.7" (400mm) to ≤ 29.5" (750mm), the front edge of the surface must be able to be comfortably reached and support the user's wrist under sitting position without stretching forward.</p> <p>Worksurface/tablet length must be no less than 14" (356mm)"</p> <p>Worksurface must be available in high pressure laminate</p> <p>Lounge chair: Back fabric must be different from the seat fabric.</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.</p> <p>Privacy screen must be available in fabric, and/or high-pressure laminate</p> <p>Power and USB</p> <p>Tag: D2</p>	4	Yes		\$	\$
<p>**Provide additional information: Canada is requesting bidders: to provide drawings and/or pictures for these products including descriptive literature and dimensions as per Table 1 – Product Table with your bid submission.</p>							
					Product Total \$	\$	

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Delivery Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5				Installation Total:	\$
**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.					
** Furniture supplier to provide installation drawings to Project Authority for category 1 within 5 business days of award. Installation drawings for all other awarded categories are to be provided within one month prior to install for review and approval. **					
**If furniture plans and CAD files have not been provided to supplier, supplier is required to request plans from the Project Authority one month prior to install. **					
** Furniture supplier is required to install all furniture in the appropriate rooms according to the plans unless otherwise indicated**					

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes	
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>	
2.	Canada’s Facilities to Accommodate the Delivery	
	<p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>	
2.1	Loading Dock/Location	
A	Location	25 Fitzgerald
B	Dock	Yes, refer to plan
C	Lift	Weight Capacity: 30,000 lbs.
D	Door	Size: 6’-3” x 9’-0”
E	Freight Elevator	<p>No freight elevator</p> <p>Material padding available for the elevator. Installer are liable if any damage is done.</p> <p>Size: 4’-0” Wide Doors</p> <p>Inside width 7’-0”</p> <p>Height 9’-6”</p>
F	Other (specify, if any)	<p>Refer to plan at ANNEX E - Loading Dock/Location</p> <p>Client requires 5 days notice prior to any delivery. An escort is required during delivery and install.</p> <p>Loading area can accommodate up to a 53’-0” truck</p>
3.	Continuance of Certifications	
	<p>The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder’s members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder’s SA for Work Spaces.</p> <p>Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.</p>	
3.1	Integrity Provisions	
3.2	Federal Contractor’s Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) [to be removed at contract award]	\$
9	Contract Price(1+2+3+7): [applicable at contract award only]	\$
10	Applicable Tax(es): [applicable at contract award only]	\$
11	Total Estimated Cost (9+10): [applicable at contract award only]	\$

* Applicable taxes extra.

Table 9 – Bidder’s Authorized Representative

1.	Bidder’s Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

Category 6E

Table 1 – Product Table

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID			
#	GoCUID	Description of Product <i>(Additional product details may be inserted, if required as per 6B. 4.1 of the SA)</i>	Q T Y	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
Items #1 & 2 have been changed and moved to NSA Product Please refer to Items #10 & 11.							
1	6SBBTWXXLUW3G19LMYN	<p>Two seater must be 55" (1397mm) – 62" (1575mm) wide</p> <p>High privacy screen must be available in fabric and breathable material.</p> <p>Banquette base glides for carpet surface.</p> <p>Back fabric must be different from the seat fabric.</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.</p> <p>Banquette seating must be from the same series as <u>Tag: E2. Refer to plans</u></p> <p><u>Tag: E1</u></p>	4	Yes		\$	\$
2	6SBBINXXLUW1G19LMYN	<p>Individual seaters range from 24" (610mm) – 31" (787mm).</p> <p>Add-on screens/full height upholstered back required on 2 sides to allow for Tag: E1 to be ganged on each side to create an "L" shaped configuration. <u>Refer to plans for layout.</u></p> <p>Banquette base glides for carpet surface.</p> <p>Back fabric must be different from the seat fabric.</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy</p>	2	Yes		\$	\$


		<p>Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.</p> <p>Banquette seating must be from the same series as Tag: E1. Refer to plans</p> <p>Tag: E2</p>				
3	6SUCROXXLUX8XXLXXX	<p>Casters must be for carpet flooring</p> <p>Diameter must be no more than 24" (610mm)</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.</p> <p>Tag: E3</p>	5	No		
4	6SBBTWXXLUW3G19LMYN	<p>Two-seaters range from 55" (1397mm) – 62" (1574mm) with a 1" +/- (25mm) tolerance</p> <p>High back upholstered</p> <p>Back fabric must be different from the seat fabric.</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.</p> <p>Banquette base glides for carpet surface.</p> <p>Tag: E4</p>	1 4	Yes		
5	6MMTSMREPL30L60WNN X	<p>Pedestal base must be available in chrome, painted metal or polished aluminum.</p> <p>Tag: E5</p>	7	Yes		
6	6SUOLRXXLUXXXXXLNNN	<p>If legs base is provided: must be chrome or painted metal</p> <p>Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek</p>	2	Yes		

		method. Glides for carpet application Tag: E6				
7	6SUOMRXXLUXXXXXLNNN	If legs base is provided: must be chrome or painted metal Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. Glides for carpet application Tag: E7	2	Yes		
8	6SLCOAXXFUXXXXXMXXX OR 6SLCOAXXWUXXXXXXMXXX	Back fabric must be different from the seat fabric. Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. If Fixed Based is provided, must be pedestal or wire base. Tag: E8	2			

****Provide additional information:**
Canada is requesting bidders to provide drawings and/or pictures for these products including descriptive literature and dimensions as per Table 1 – Product Table **with your bid submission.**

NSA products
The Supplier signs, and certifies that all the NSA products offered will conform to all specifications and meet the testing requirements detailed at Annex D.

Section A - IU REQUIREMENT			Section B – SUPPLIER'S BID			
#	NON-SA Product(s)	QTY	** Provide additional Information Yes/No	Supplier Part Number	Firm Unit Price \$	Extended Total [Qty x Price] \$
9	Description : Bench without backrest, rectangular shape Dimensions : Width : 36 in. (914mm) – 48 in. (1219mm) 1+/- in. (25mm) Depth : 17 in. (432mm) – 25 in. (635mm) Seat Height : 16 in. (406mm) – 19in. (483mm) Finish : Fully upholstered Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method.	13	Yes		\$	\$

	<p>Bench support must be chrome, or painted metal</p> <p>Base/ Supports; Must glide on carpet application</p> <p>Tag : E9</p>				
<p>1 0</p>	<p>Description :</p> <ul style="list-style-type: none"> -Banquette Seating - Two-Seater -Fully Upholstered High Back on one side. (Refer to Plan) -With a bolster -Without arms -Must be from the same series as Tag: E2 -Must have ganging capability to be placed in sequences. Ganging must be easily locked and unlocked by the user without the need for proprietary tools. Must be from the same series as Tag: E2 and be able to gang to it. <p>Dimensions :</p> <ul style="list-style-type: none"> -Overall width must be 55" (1397mm) – 62" (1575mm) -Inside seat depth must be no less than 18" (457mm). Depth must be the same as Tag E1. -Overall height for full height upholstered back must be a minimum of 42" (1067mm) above the finished floor. -Seat height must be between 406 mm (16 in.) to 508 mm (20 in.), above finished floor, ±25 mm (±1 in.). <p>Finish :</p> <ul style="list-style-type: none"> -Seat and Back must be fully upholstered with stitch detailing for a tailored appearance. -Fully high seat back must allow for different fabric option than the seat. -Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. -All finishes must be the same as Tag: E2 <p>Base/ Supports;</p> <ul style="list-style-type: none"> -Banquette seating must come with non-marking glides suitable for hard or carpeted surfaces or levelling glides with legs. -Base/Legs must be metal. <p>Tag : E1</p> 	<p>4</p>	<p>Yes</p>	<p>\$</p>	<p>\$</p>
<p>1 1</p>	<p>Description :</p> <ul style="list-style-type: none"> -Banquette Seating - Individual Seater, 90 degree 	<p>2</p>	<p>Yes</p>	<p>\$</p>	<p>\$</p>


<p>corner piece</p> <ul style="list-style-type: none"> -Fully Upholstered High Back on two sides to create an "L" Shape. (Refer to Plan) -With a bolster -Without arms -Must have ganging capability to be placed in sequences. Ganging must be easily locked and unlocked by the user without the need for proprietary tools. Must be from the same series as Tag: E1 and be able to gang to it. <p>Dimensions :</p> <ul style="list-style-type: none"> -Inside seat depth must be no less than 18" (457mm). Depth must be the same as Tag: E1. -Overall height for full height upholstered back must be a minimum of 42" (1067mm) above the finished floor. -Seat height must be between 406 mm (16 in.) to 508 mm (20 in.), above finished floor, ±25 mm (±1 in.). <p>Finish :</p> <ul style="list-style-type: none"> -Seat and Back must be fully upholstered with stitch detailing for a tailored appearance. -Fully high seat back must allow for different fabric option than the seat. -Upholstery fabric must meet and pass the ACT Abrasion test for Heavy Duty Upholstery: ASTM D4157-02 / 30,000 double rubs wyzenbeek method. -All finishes must be the same as Tag: E1. <p>Base/ Supports;</p> <ul style="list-style-type: none"> -Banquette seating must come with non-marking glides suitable for hard or carpeted surfaces or levelling glides with legs. -Base/Legs must be metal. <p>Tag : E2</p> 					
				Product Total \$	\$

Table 2 - Delivery

Section A - IU REQUIREMENT				Section B – SUPPLIER'S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will supply and deliver as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON	On or before 2021-06-03	Normal Business Hours	_____ : weeks <i>Standard Lead time</i>	\$

	K2H 1E6			<i>is between 6-10 weeks for furniture delivery and installation.</i>	
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized delivery date taking into consideration the delivery time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p>				Delivery Total:	\$

Table 3 – Installation

Section A - IU REQUIREMENT				Section B – SUPPLIER’S BID	
Product Item # from Table 1	Location	Desired Date** (Y/M/D)	Desired Time*	Supplier will install as per below**	Firm Lot Price \$
All	25 Fitzgerald Road 5 th Floor Nepean, ON K2H 1E6	On or before 2021-06-03	Normal Business Hours	_____ : weeks from date of supply and delivery <i>Standard Lead time is between 6-10 weeks for furniture delivery and installation.</i>	\$
<p>*Normal Business Hours 8:00 – 17:00, as per SA, Annex A, article 5</p> <p>**The Project Authority (PA) will provide the supplier the authority to proceed prior to the finalized installation date taking into consideration the installation time provided by the supplier. Canada will not be responsible if the supplier chooses to proceed without the PA authorization.</p> <p>** Furniture supplier to provide installation drawings to Project Authority for category 1 within 5 business days of award. Installation drawings for all other awarded categories are to be provided within one month prior to install for review and approval. **</p> <p>**If furniture plans and CAD files have not been provided to supplier, supplier is required to request plans from the Project Authority one month prior to install.**</p> <p>** Furniture supplier is required to install all furniture in the appropriate rooms according to the plans unless otherwise indicated**</p>				Installation Total:	\$

- Table 4 – Optional Product** Not Applicable
Table 5 – Optional Delivery Not Applicable
Table 6 – Optional Installation Not Applicable

Table 7 – Standard Finishes and Canada’s Facilities to Accommodate the Delivery and Certifications

1.	Standard Finishes
1.1	<p>IU is to consult the Supplier’s Website identified in Part 6A of the SA to view the available finishes.</p> <p>Within ten business days of the contract award, the Project Authority will provide the Contractor with a written notice of Canada’s finish choices for each of the product(s) in Annex A.</p> <p>The Contractor will deliver the products corresponding to Canada’s choice of specific finishes(s). No additional charge will be applied to Canada.</p>
2.	<p>Canada’s Facilities to Accommodate the Delivery</p> <p><i>The Supplier’s employees and subcontractors requiring access to the site must adhere to the health and safety plans established for the site, in addition to any laws in effect in the jurisdiction where the work is being performed.</i></p> <p><i>During the period of the contract, a representative of Canada or a service provider(s) under contract with the Government of Canada may request the list of employees and subcontractors requiring access to the site to perform the work and their security statuses. Information must be provided in the timeframe prescribed in order to ensure that the supply, delivery and installation of the furniture aligns with the master schedule.</i></p>

2.1	Loading Dock/Location	
A	Location	25 Fitzgerald
B	Dock	Yes, refer to plan
C	Lift	Weight Capacity: 30,000 lbs.
D	Door	Size: 6'-3" x 9'-0"
E	Freight Elevator	No freight elevator Material padding available for the elevator. Installer are liable if any damage is done. Size: 4'-0" Wide Doors Inside width 7'-0" Height 9'-6"
F	Other (specify, if any)	Refer to plan at ANNEX E - Loading Dock/Location Client requires 5 days notice prior to any delivery. An escort is required during delivery and install. Loading area can accommodate up to a 53'-0" truck
3.	Continuance of Certifications	
	The Bidder certifies that by submitting a bid in response to the RFB, the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, continues to comply with all of the following certifications listed in Parts 6A and 6B of the Bidder's SA for Work Spaces. Canada may request copies of environmental certification(s) prior to contract award within a time period specified by the Identified User.	
3.1	Integrity Provisions	
3.2	Federal Contractor's Program for Employment Equity	
3.4	Product Conformance	
3.5	Price Certification (In accordance with the SA, Part 6B)	

Table 8 - Bid Evaluation and Contract Total (Canada may complete if not completed by the Bidder)

1	Firm Product Total (Table 1)	\$
2	Firm Delivery Total (Table 2)	\$
3	Firm Installation Total (Table 3)	\$
4	Optional Product Total (Table 4)	N/A
5	Optional Delivery Total (Table 5)	N/A
6	Optional Installation Total (Table 6)	N/A
7	Hardware Total as per article 1.5 of Annex A-1 of SA	\$
8	Total Evaluated (Bid) Price* (1 + 2 + 3 + 4 + 5 + 6+ 7) <i>[to be removed at contract award]</i>	\$
9	Contract Price(1+2+3+7): <i>[applicable at contract award only]</i>	\$
10	Applicable Tax(es): <i>[applicable at contract award only]</i>	\$
11	Total Estimated Cost (9+10): <i>[applicable at contract award only]</i>	\$

* Applicable taxes extra.

Table 9 – Bidder's Authorized Representative

1.	Bidder's Authorized Representative for the Bid and the Contract	
	Name:	Telephone:
		E-Mail:
		PBN:

All other terms and conditions remain unchanged