



| No | DATE       | REVISION                 | BY   |
|----|------------|--------------------------|------|
| E  | 2020-12-17 | ISSUED FOR TENDER        | M.W. |
| D  | 2020-10-07 | ISSUED FOR 100% REVIEW   | M.W. |
| C  | 2020-06-26 | RE-ISSUED FOR 99% REVIEW | M.W. |
| B  | 2020-01-31 | ISSUED FOR 99% REVIEW    | G.M. |
| A  | 2019-03-29 | ISSUED FOR 66% REVIEW    | V.D. |

Do not scale drawings. Verify all dimensions and conditions on site and immediately notify the Departmental Representative of all discrepancies.

|   |   |
|---|---|
| A | Detail No.<br>No. du détail   |
| B | drawing no. - where detail required<br>dessin no. - où détail exigé |
| C | drawing no. - where detailed<br>dessin no. - où détaillé            |

project title  
titre du projet

COBourg CITY

COBourg SEARCH AND RESCUE STATION

drawing title  
titre du dessin  
MECHANICAL PLUMBING LAYOUT - LEVEL 1

drawn by  
dessiné par  
H. EL-SABEH

designed by  
conc par  
H. EL-SABEH

approved by  
approuvé par  
M. WALLACE

bid offre  
project manager  
administrateur de projets

project date  
date du projet  
2020-06-30

project no.  
no. du projet  
R.084112.005

drawing no.  
dessiné no.  
M210

GENERAL NOTES:

1. PROVIDE HB-03 TO BE TURNED OVER TO SITE SERVICE CONTRACTOR FOR INSTALLATION

DRAWING NOTES:

- 1 PROVIDE VALVED DRAIN WITH HOSE CONNECTION TO ALLOW SEASONAL DRAINING.
- 2 PROPANE TANK (3785 L) AND ASSOCIATED BURIED GAS PIPING PROVIDED BY LOCAL UTILITY. PROPANE REGULATOR AND FINAL HOOK UP TO GENERATOR BY THIS DIVISION. INSTALL ACCORDING TO CSA B149.1. COORDINATE WITH ELECTRICAL CONTRACTOR FOR FINAL LOCATION.

